



Here are your solutions classified by chemical Performance,
especially because Sanyo Chemical provides "Performance"
Through Chemistry.

Product Overview

"Performance" Through Chemistry.

[IMPORTANT]

- The values in this catalogue are representatives.
- Chemical structures and main components are described in common names of representative components of the products.
- Before handling these materials, refer to the current Safety Data Sheet (SDS) for recommended protective equipment, and detailed precautionary and hazards information.
- When you need individual brochure or SDS, please contact to our sales department.
Also SDS is available on our website.

Sanyo Chemical Industries, Ltd.

URL: <https://www.sanyo-chemical.co.jp/eng>




SANYO CHEMICAL INDUSTRIES, LTD.




Sanyo Chemical provides
"Performance"
Through Chemistry

Our Products Respond to Diverse Needs by Various Performances



Sanyo Chemical Provides Various Performances (functions)



• Organic synthesis
• Polymerization
• Surface control, etc.

Technology diversification ; a technique developed to meet a certain need is combined with another technique to create another new seed technology for new products

A systematic approach to integrate accuracy and speed of time-to-market by simultaneous development through all processes in cooperation among R&D, production and engineering divisions

We provides diverse performances (functions) based on these strengths

Contents

	Page
A Matrix Chart of Performance (function)-Application	1

List by Performance (Function)

1 Cleaning	3
2 Wetting/Penetrating	5
3 Emulsifying	9
4 Solubilizing	13
5 Dispersing	15
6 Flocculating	19
7 Foaming/Foam stabilizing	21
8 Defoaming	23
9 Lubricating/Leveling	23
10 Adhesive	27
11 Plasticizing/Softening	31
12 Viscosity Controlling	35
13 Antistatic	39
14 Electrical Conductive	41
15 Water Absorbent/Water Retentive	41
16 Sealing/Waterproofing	43
17 Cold or Heat Insulating	43
18 Antibacterial	43
19 Rust Preventive	45
20 Deterioration Preventive	47
21 Reaction Accelerating	47
22 Other Functions	47
23 For Reacting/Forming	49

List by Composition

Anionic Surfactants	57
Cationic Surfactants	59
Nonionic Surfactants	60
Amphoteric Surfactants	66
Functional bases, intermediates, additives (to add, mix, react with something else)	
Esters	67
Epoxides	67
Olefin or Styrene-based	68
Acids/Acid Anhydrides	68
Nitrogen-Containing Compounds	69
Polyols	69
Methacrylate/Acrylate-based	72
Functional compounds, polymers (to react or use almost just themselves)	
Urethane Series	73
Methacrylate/Acrylate-based	74

Typical Properties of Representative Products

Examples of our Nonionic Surfactants The List of their HLB 85

INDEX (Product Name-reference brochure or product list) 87

Information (Subsidiaries and Affiliates/Contact) 91

↓ The each page of the Performance (function) introduces our products to concern

Application Performance Page		Toiletries and Health Care					Petroleum and Automotives				Plastics and Textiles					Information & Electrics/ Electronics		Environmental Protection, Construction & Others			Polyurethanes*1		Application Performance			
		Shampoos, Conditioners	Detergents, Softeners	Cosmetics	Pharmaceuticals/ Quasi-Drugs/ Medical-Supplies	Food Manufacturing/ -Distribution	Agrichemicals/ Horticulture Supplies	Automobiles	Lubricants	Machinery/ Metals	Petroleum & Industries	Synthetic Resins & Rubbers	Adhesives	Paints/Coatings	Textiles	Paper Making	Printing/Ink	Electrics/ Electronics Parts	Housing/ Environmental Protection	Civil Engineering/ Construction	Others	Foam*2		Resins*3		
1	Cleaning	3	●	●	●	●			●		●		●	●		●								1	Cleaning	
2	Wetting/Penetrating	5	●	●	●	●	●		●	●			●	●	●										2	Wetting/ Penetrating
3	Emulsifying	9	●	●	●	●	●		●	●			●	●	●			●							3	Emulsifying
4	Solubilizing	13	●	●	●	●		●	●				●	●	●										4	Solubilizing
5	Dispersing	15		●	●	●	●						●	●	●	●			●						5	Dispersing
6	Flocculating	19								●								●							6	Flocculating
7	Foaming/Foam stabilizing	21	●	●	●	●													●						7	Foaming/Foam stabilizing
8	Defoaming	23			●	●	●			●	●				●										8	Defoaming
9	Lubricating/Leveling	23	●	●	●	●				●	●				●				●						9	Lubricating/ Leveling
10	Adhesive	27		●	●	●	●	●							●	●		●	●	●			●		10	Adhesive
11	Plasticizing/Softening	31	●	●	●	●									●						●	●			11	Plasticizing/ Softening
12	Viscosity Controlling	35	●	●	●	●			●						●				●						12	Viscosity Controlling
13	Antistatic	39	●	●				●							●	●									13	Antistatic
14	Electrical Conductive	41						●								●									14	Electrical Conductive
15	Water Absorbent/ Water Retentive	41			●	●	●	●								●			●	●	●				15	Water Absorbent/ Water Retentive
16	Sealing/Waterproofing	43																●	●		●	●			16	Sealing/ Waterproofing
17	Cold or Heat Insulating	43					●											●			●				17	Cold or Heat Insulating
18	Antibacterial	43	●	●	●	●	●		●	●										●					18	Antibacterial
19	Rust Preventive	45						●	●	●															19	Rust Preventive
20	Deterioration Preventive	47						●	●																20	Deterioration Preventive
21	Reaction Accelerating	47								●															21	Reaction Accelerating
22	Other Functions	47	●	●		●									●					●					22	Other Functions
23	For Reacting/Forming	49	●		●	●	●	●	●						●	●		●	●		●	●			23	For Reacting/ Forming

* The compositions are described in common names of main components. Registered names for official compendia are described in other brochure (PRODUCT OUTLINE 2). For more details, please contact us.

*1 Polyurethanes:
 Polyurethanes are produced through reactions of polyols with isocyanates.
 Polyols (polyhydric alcohols) are such as polyether polyols (sometimes it may also refer to PPG as an acronym of polypropylene glycol for convenience), polyester polyols and polymer polyols.


















*2 Foam:
 Polyurethane Foam is a polyurethane matrix containing micro-pores or cells by blowing reaction.
 It is used for seat cushioning materials, mattresses and heat insulators.

*3 Resins:
 Polyurethanes excepting foam. They are used for sealants, caulking agents, water-proofing coatings, elastomers, synthetic leather, paintings, adhesives and so on.

We developed the first polyether polyols for polyurethane foam in Japan in 1960 under the trade name of SANNIX.
 We have a world-class technology and a top-class production capacity in Japan, and therefore our PPG are used among polyurethane manufacturers not only in Japan, but also overseas. We have developed various polyether polyols for polyurethanes including PRIMEPOL; polypropylene polyol with increased primary hydroxyl content by only propylene oxide and they gained popularity.

1 Cleaning

to remove stains or dirt

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
BEAULIGHT ECA, LCA	Carboxylic-based anionic surfactants	Sodium polyoxyethylene alkyl ether carboxylate	p57	liquid, paste	<ul style="list-style-type: none"> Excellent foaming property even under weak acidity Low irritancy to eyes & skin Base material for hair shampoos, body shampoos & face washes 	
BEAULIGHT SHAA		Sodium [(2-hydroxydodecyl)-oxy] acetate	p57	liquid		
BEAULIGHT A-5000, ESS, LSS, SSS	Sulfosuccinate-based anionic surfactants	(Look at the page by composition)	p57 p58	liquid, paste		<ul style="list-style-type: none"> In Japan, BEAULIGHT SHAA is approved for an exclusive use in cosmetics
NSA-400L	Carboxylic-based anionic surfactants	Polycarboxylate	-	liquid	<ul style="list-style-type: none"> Excellent calcium-ion trapping capability, high pH buffering & soil-dispersion abilities Builder for powdered detergent 	
SANDET EN, END, ET	Sulfuric acid ester-based anionic surfactants	Sodium polyoxyethylene alkyl ether sulfate SANDET ET is a triethanolamine salt instead of sodium salt	p58	liquid	<ul style="list-style-type: none"> Excellent solubility to water, hard-water resistance, foaming property & detergency Low irritation to skin Hair shampoo & detergent base/emulsifier for emulsion polymerization 	
BEAULIGHT NA-25S			p58	liquid		<ul style="list-style-type: none"> Low irritancy to eyes & skin because of its low content of sodium lauryl sulfate Base material for hair or body shampoos & detergents
PROFAN	Amide-based nonionic surfactants	Alkylol amide based surfactants	p60	liquid, solid, flake	<ul style="list-style-type: none"> Foaming agent, foam stabilizer, thickener & detergency enhancer for shampoos, liquid detergents & bactericidal detergents/rust preventive 	
EMULMIN LCA-10	Ether-based (Amine type) nonionic surfactants	Polyoxyalkylene alkyl amine	p60	liquid	<ul style="list-style-type: none"> Excellent surface tension reducing ability & foam sustainability Kitchen detergent base 	
PUREMEEL			p60	liquid		<ul style="list-style-type: none"> Excellent detergency of fats & oils/low-temperature fluidity Liquid detergent base
NSA-17	Ether-based nonionic surfactants	Proprietary nonionic surfactant	-	powder	<ul style="list-style-type: none"> Reinforcing detergency of powdered detergents/fluidity improver for powder 	
EMULMIN FL, HL		Polyoxyalkylene lauryl ether derived from natural higher alcohols	p61	liquid	<ul style="list-style-type: none"> Exhibiting better low-temperature fluidity compared to other nonionic surfactants with the same HLB Detergent/emulsifier/dispersant/wetting agent/solubilizer 	 
EMULMIN LS, NL, L		Polyoxyethylene lauryl ether derived from natural higher alcohols	p64	liquid, solid to paste	<ul style="list-style-type: none"> Hardly hydrolyzed even in the presence of acidity or alkalinity Detergent/emulsifier for creams & lotions/solubilizer/gelling & foaming agent/dispersant EMULMIN NL, L can be emulsifiers for emulsion polymerization 	 
EMULMIN No.		Polyoxyethylene alkyl ether derived from natural higher alcohols	p61	liquid, solid, paste	<ul style="list-style-type: none"> Offering a wide selection from HLB (lipophilicity/hydrophilicity parameter)/biodegradable Detergent/emulsifier/dispersant/solubilizer/emulsifier for emulsion polymerization/gelling, foaming & wetting agent/oiliness improver Sulfation, phosphorylation base/pulp cooking aid/leveling, soaping agent 	
CHEMICLEAN FS		Glycol ether based compound	-	liquid	<ul style="list-style-type: none"> High Detergency/low foaming property/neutral/halogen free Not corresponding to a hazardous material on the Fire Defense Law (Japan) Cleaning agent for electric devices/metal working oils 	 
NAROACTY CL		Polyoxyalkylene alkyl ether derived from synthetic higher alcohol	p61	liquid, solid, flake, paste	<ul style="list-style-type: none"> Alkylene oxide adducts with narrow molecular weight distribution Excellent detergency, emulsifiability Detergent base/detergent/emulsifier/dispersant/wetting agent 	 
NAROACTY ID				liquid	<ul style="list-style-type: none"> Alkylene oxide adducts with narrow molecular weight distribution Excellent penetrating property Detergent base 	



For shampoos



For kitchen detergents



For laundry

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
SANNONIC TN SEGORAN FF, SF, SNP-112	Ether-based nonionic surfactants	Polyoxyalkylene alkyl ether derived from synthetic alcohols SANNONIC SS, DE-70 are Polyoxyethylene alkyl ether	p61/ -	liquid, paste	<ul style="list-style-type: none"> • Low foaming property • Excellent detergency • Metal cleaners 	
SANNONIC FN, SS			p61 p62	liquid	<ul style="list-style-type: none"> • SANNONIC FN: Excellent fluidity at low temperature • SANNONIC SS: Excellent penetrating property • Detergent/emulsifier/dispersant/wetting agent 	
SANNONIC DE-70			p62	liquid	<ul style="list-style-type: none"> • Excellent penetrating property • Detergent base 	
CHEMICLEAN DLE-20		Polyoxyethylene alkyl ether with limonene	p62	liquid	<ul style="list-style-type: none"> • Excellent detergency • Household cleaners base • Removing stubborn stains of electrical appliances, bathtubs, toilet tools 	
NEWPOL PE		Polyoxyethylene polyoxypropylene glycol	p63	liquid, flake, paste	<ul style="list-style-type: none"> • Low foaming property • Detergent base/detergent/raw-material for quasi-drugs (wetting agent/solubilizer/ gelling agent/binder/coating agent, etc.)/fiber treating agent (lubricant/desizing agent)/emulsifier/dispersant/solubilizer/antistatic agent 	
LAUROMACROGOL 100		Polyoxyethylene lauryl ether derived from natural higher alcohol	p64	petrolatum jelly	<ul style="list-style-type: none"> • Ethylene oxide adducts with narrow molecular weight distribution derived from natural alcohols • Excellent penetrating property & detergency • Corresponding to the Japanese Pharmacopoeias & exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing 	
IONET DL-200, DO, DS, MO, MS	Ester-based nonionic surfactants	Polyoxyethylene fatty acid diester or monoester	p65	liquid, solid	<ul style="list-style-type: none"> • Offering a wide selection from lipophilic to hydrophilic products • Emulsifier/dispersant/solubilizer/detergent base/fiber-leveling agent 	
CHEMICLEAN AM	Nonionic surfactants	Proprietary nonionic surfactant	-	liquid	<ul style="list-style-type: none"> • Excellent detergency/low foaming property/neutral/halogen free • Not corresponding to a hazardous material on the Fire Defense Law (Japan) • Cleaning agent for electronic components 	
LEBON 101-H, 105, APL, APL-D, CIB	Amino acid-type amphoteric surfactants	(Look at the page by composition)	p66	liquid	<ul style="list-style-type: none"> • Excellent foaming property & hard-water resistance • LEBON APL-D also excels in low temperature fluidity • Base material for hair shampoos & body shampoos 	
LEBON 2000, 2000HG, 2000L, HC-30W, MY-30W, LD-36	Betaine-type amphoteric surfactants	(Look at the page by composition)	p66 p67	liquid		



For cleaning hard-disks
















2 Wetting/Penetrating

 to wet or moisten
to penetrate

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
CARABON DA-72	Sulfosuccinate-based anionic surfactants	Sodium dioctyl sulfosuccinate	p57	liquid	<ul style="list-style-type: none"> • Extremely effective to wet hydrophobic materials • Suitable for aqueous (water-soluble, emulsion) coatings • Penetrating agent/dispersant/emulsifier for emulsion polymerization 	
SANMORIN OT			p57	liquid	<ul style="list-style-type: none"> • Particularly excellent penetrating property among surfactants/excellent wettability to hydrophobic materials/wetting- & penetrating agent/dispersant & binder for granules/ penetrating agent for agricultural spreading/dispersant/emulsifier for emulsion polymerization • Suitable for aqueous (water-soluble, emulsion) coatings 	
CATION G-50	Benzalkonium-based cationic surfactants	Benzalkonium chloride	p60	liquid	<ul style="list-style-type: none"> • Wide spectrum antibacterial activities • Germicide, detergent for food factory/germicide for industrial use • Hair conditioner & treatment base 	
EMULMIN FL, HL	Ether-based nonionic surfactants	Polyoxyalkylene lauryl ether derived from natural higher alcohols	p61	liquid	<ul style="list-style-type: none"> • Exhibiting better low-temperature fluidity compared to other nonionic surfactants with the same HLB • Detergent/emulsifier/dispersant/wetting agent/solubilizer 	
EMULMIN No.		Polyoxyethylene alkyl ether derived from natural higher alcohols	p61	liquid, solid, paste	<ul style="list-style-type: none"> • Offering a wide selection from HLB (lipophilicity/hydrophilicity parameter)/biodegradable • Detergent/emulsifier/dispersant/solubilizer/emulsifier for emulsion polymerization/ gelling, foaming & wetting agent/oiliness improver • Sulfation, phosphorylation base/pulp cooking aid/leveling, soaping agent 	



For coating agents

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
NAROACTY CL	Ether-based nonionic surfactants	Polyoxyalkylene alkyl ether derived from synthetic higher alcohols SANNONIC SS, DE-70, SANMORIN 11 are Polyoxyethylene alkyl ether	p61	liquid, solid, flake, paste	<ul style="list-style-type: none"> Alkylene oxide adducts with narrow molecular weight distribution Excellent detergency, emulsifiability Detergent base/detergent/emulsifier/dispersant/wetting agent 	
NAROACTY ID			p61	liquid	<ul style="list-style-type: none"> Alkylene oxide adducts with narrow molecular weight distribution Excellent penetrating property Detergent base 	
SANNONIC FN, SS			p61 p62	liquid	<ul style="list-style-type: none"> SANNONIC FN: Excellent fluidity at low temperature SANNONIC SS: Excellent penetrating property Detergent/emulsifier/dispersant/wetting agent 	
SANNONIC DE-70			p62	liquid	<ul style="list-style-type: none"> Excellent penetrating property Detergent base 	
SANMORIN 11			p62	liquid	<ul style="list-style-type: none"> Particularly excellent penetrating property among surfactants Wetting- & penetrating agent 	
NEWDET PE-85		Polyoxyethylene polyoxypropylene glycol	p63	petrolatum jelly	<ul style="list-style-type: none"> Corresponding to Japanese Pharmaceutical Excipients Pharmaceutical excipients (solubilizer for liquid medicine/stabilizer/wetting agent for ointment/suppository base/gelling agent/binder for tablets/coating agent) Cleaning agent for medical equipment 	
NEWPOL PE			p63	liquid, flake, paste	<ul style="list-style-type: none"> Low foaming property Detergent base/detergent/raw-material for quasi-drugs (wetting agent/solubilizer/gelling agent/binder/coating agent, etc.)/fiber treating agent (lubricant/desizing agent)/emulsifier/dispersant/solubilizer/antistatic agent 	
LAUROMACROGOL 100		Polyoxyethylene lauryl ether derived from natural higher alcohol	p64	petrolatum jelly	<ul style="list-style-type: none"> Ethylene oxide adducts with narrow molecular weight distribution derived from natural alcohols Excellent penetrating property & detergency Corresponding to the Japanese Pharmacopoeias & exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing 	
NEWPOL 50HB, 75H-90000, LB, NSQ, V		(Look at the page by composition)	p62 p63 p64	liquid	<ul style="list-style-type: none"> Offering a wide selection from water-soluble to -insoluble products Wetting agent, moisturizer & viscosity controller for cosmetics/releasing lubricant/lubricant for machinery, metals & fabrics/defoaming agent/raw materials for lubricant, hydraulic oils/quenching oil for machinery & metals/emulsion-breaker/heating-medium 	
NEWPOL GEP-2800, TL		(Look at the page by composition)	p63	liquid	<ul style="list-style-type: none"> Excellent lubricating effect to skin & hair Wetting agent, moisturizer & viscosity modifier for cosmetics/defoaming agent 	
NEWPOL GP, PP		Polyoxypropylene triol/ Polyoxypropylene glycol	p61 p64	liquid	<ul style="list-style-type: none"> Non-volatile/low freezing point Wetting agent & moisturizer for cosmetics/raw material for cosmetics, surfactant & synthetic lubricant/releasing lubricant 	
NEWPOL SP-750	Polyoxypropylene sorbitol ether	-	liquid	<ul style="list-style-type: none"> Non-volatile/low freezing point Wetting agent for cosmetics/moisturizer 		
TG-C	Ester-based nonionic surfactants	Glyceryl monostearate	p65	flake	<ul style="list-style-type: none"> Softener, emulsifier, solubilizer, moisturizer & oiliness improver for cosmetics, creams, lotions & quasi drugs Lubricant & stabilizer of sustained drug releasing agents, tablets, pills & capsules of medicine 	
IONET S		Sorbitan mono- or di-fatty acid ester	p65	liquid, granule	<ul style="list-style-type: none"> SPAN type lipophilic surfactants derived from plants Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/defoaming agent Viscosity modifier for coatings & ink/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil 	
IONET T		Polyoxyethylene sorbitan monofatty acid ester	p65	liquid	<ul style="list-style-type: none"> TWEEN type hydrophilic surfactants derived from plants Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil Plasticizer for enteric-soluble coating agents, etc./ointment bases/viscosity modifier for coatings & ink 	

Continued on the next page →



For skincare lotions

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
POLYSORBATE 80	Ester-based nonionic surfactants	Modified sorbitan	-	liquid	<ul style="list-style-type: none"> Derived from plants/no animal ingredients nor genetically-modified ingredients For pharmaceutical preparations (plasticizer/lubricant/solubilizer/wetting agent/emulsifier/thickener/dispersant/binder/base material/auxiliary disintegrant) Corresponding to the pharmacopoeias (JP, USP/NF, EP) (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) 	
PEG	Polyols	Polyethylene glycol	p70	liquid, wax, paste, flake, powder	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Low acute toxicity/low irritancy to eyes & skins Widely used in various applications 	
MACROGOL			p70	liquid, flake, powder, paste	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Corresponding to the Japanese Pharmacopoeias & Pharmaceutical Excipients (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) Base material for ointments & suppositories/lubricant & binder for tablets or capsules/plasticizer & solubilizer for manufacturing medicine 	
SANFRESH	Methacrylate/Acrylate-based	Cross-linked acrylic acid polymer sodium salt	p72	powder	<ul style="list-style-type: none"> Crushed particulate superabsorbent polymer Water absorbent & retention agent (soil conditioners/seedbeds/portable toilets/dog toilet sheets/gel-type air fresheners/under pads/disposable body warmers)/additive for cosmetics & medical use/thickener/ice packs 	
METHACRYLATE		Long-chain alkyl methacrylate or dialkylaminoalkyl methacrylate derivatives	p73	liquid	<ul style="list-style-type: none"> Good copolymerizability with other vinyl monomers Polymer modifier/imparting hydrophilicity, antistatic or adsorptive property/drainage & retention aid in paper making processes/polymer flocculant/electrodialysis or reverse osmosis membrane/ion-exchange resin/paper strengthening agent 	



For poultices

3 Emulsifying













to make unmixable liquids to colloidal suspension (a state that small particles of liquid dispersing to another liquid) like milk

Beside, our subsidiary & affiliate; San Nopco Limited also provides related products (p91)

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
ELEMINOL MBN-2	Carboxylic-based anionic surfactants	Sodium polyacrylate	p57	liquid	<ul style="list-style-type: none"> Emulsifier for emulsion & latex 	
ELEMINOL JS-20	Sulfosuccinate-based anionic surfactants	Sodium alkyl allyl sulfosuccinate	p57	liquid	<ul style="list-style-type: none"> Reactive emulsifier for emulsion polymerization 	
CARABON DA-72		Sodium dioctyl sulfosuccinate	p57	liquid	<ul style="list-style-type: none"> Extremely effective to wet hydrophobic materials Suitable for aqueous (water-soluble, emulsion) coatings Penetrating agent/dispersant/emulsifier for emulsion polymerization 	
SANMORIN OT			p57	liquid	<ul style="list-style-type: none"> Particularly excellent penetrating property among surfactants/excellent wettability to hydrophobic materials/wetting- & penetrating agent/dispersant & binder for granules/penetrating agent for agrichemical spreading/dispersant/emulsifier for emulsion polymerization Suitable for aqueous (water-soluble, emulsion) coatings 	
ELEMINOL CLS-20, SANDET ONA		Sulfuric acid ester-based anionic surfactants	(Look at the page by composition)	p58	liquid	<ul style="list-style-type: none"> Emulsifier for emulsion polymerization Suitable for large-particle-size emulsion polymerization
ELEMINOL NS-5S, RS-3000	(Look at the page by composition) NS-5S is nondisclosure		p58	liquid	<ul style="list-style-type: none"> Emulsifier for emulsion polymerization (RS-3000 is a reactive emulsifier) 	
SANDET EN	Sodium polyoxyethylene lauryl ether sulfate		p58	liquid	<ul style="list-style-type: none"> Excellent solubility to water, hard-water resistance, foaming property & detergency Low irritation to skin Hair shampoo & detergent base/emulsifier for emulsion polymerization 	
EMULMIN No.	Ether-based nonionic surfactants	Polyoxyethylene alkyl ether derived from natural higher alcohols	p61	liquid, solid, paste	<ul style="list-style-type: none"> Offering a wide selection from HLB (lipophilicity/hydrophilicity parameter)/biodegradable Detergent/emulsifier/dispersant/solubilizer/emulsifier for emulsion polymerization/gelling, foaming & wetting agent/oiliness improver Sulfation, phosphorylation base/pulp cooking aid/leveling, soaping agent 	




For emulsifiers for emulsion polymerization

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
NAROACTY CL	Ether-based nonionic surfactants	Polyoxyalkylene alkyl ether derived from synthetic higher alcohols	p61	liquid, solid, flake, paste	<ul style="list-style-type: none"> Alkylene oxide adducts with narrow molecular weight distribution Excellent detergency, emulsifiability Detergent base/detergent/emulsifier/dispersant/wetting agent 	
SANNONIC FN, SS		SANNONIC SS is Polyoxyethylene alkyl ether	p61 p62	liquid	<ul style="list-style-type: none"> SANNONIC FN: Excellent fluidity at low temperature SANNONIC SS: Excellent penetrating property Detergent/emulsifier/dispersant/wetting agent 	
EMULMIN CC		Polyoxyethylene cetyl ether derived from natural higher alcohols	p62	solid, wax	<ul style="list-style-type: none"> Hardly hydrolyzed even in the presence of acidity or alkalinity Emulsifier for creams & lotions/solubilizer/gelling & foaming agent/dispersant 	
ELEMINOL HB-29		Polyoxyethylene tribenzyl phenyl ether	p62	liquid	<ul style="list-style-type: none"> Emulsion stabilizer for emulsion & latex 	
EMULMIN LS, NL, L		Polyoxyethylene lauryl ether derived from natural higher alcohols	p64	solid to paste	<ul style="list-style-type: none"> Hardly hydrolyzed even in the presence of acidity or alkalinity Detergent/emulsifier for creams & lotions/solubilizer/gelling & foaming agent/dispersant EMULMIN NL, L can be used as emulsifiers for emulsion polymerization 	
EMULMIN FL, HL		Polyoxyalkylene lauryl ether derived from natural higher alcohols	p61	liquid	<ul style="list-style-type: none"> Exhibiting better low-temperature fluidity compared to other nonionic surfactants with the same HLB Detergent/emulsifier/dispersant/wetting agent/solubilizer 	
ELEMINOL 200L		Polyoxyethylene alkyl ether	p61	liquid	<ul style="list-style-type: none"> Emulsifier for emulsion polymerization 	
NEWPOL PE		Polyoxyethylene polyoxypropylene glycol	p63	liquid, flake, paste	<ul style="list-style-type: none"> Low foaming property Detergent base/detergent/raw-material for quasi-drugs (wetting agent/solubilizer/gelling agent/binder/coating agent, etc.)/fiber treating agent (lubricant/desizing agent)/emulsifier/dispersant/solubilizer/antistatic agent 	
TG-C		Ester-based nonionic surfactants	Glyceryl monostearate	p65	flake	<ul style="list-style-type: none"> Softener, emulsifier, solubilizer, moisturizer & oiliness improver for cosmetics, creams, lotions & quasi drugs Lubricant & stabilizer of sustained drug releasing agents, tablets, pills & capsules of medicine
IONET DL-200, DO, DS, MO, MS	Polyoxyethylene fatty acid diester or monoester		p65	liquid, solid	<ul style="list-style-type: none"> Offering a wide selection from lipophilic to hydrophilic products Emulsifier/dispersant/solubilizer/detergent base/fiber-leveling agent 	
IONET S	Sorbitan mono- or di-fatty acid ester		p65	liquid, granule	<ul style="list-style-type: none"> SPAN type lipophilic surfactants derived from plants Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/defoaming agent Viscosity modifier for coatings & ink/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil 	
IONET T	Polyoxyethylene sorbitan monofatty acid ester		p65	liquid	<ul style="list-style-type: none"> TWEEN type hydrophilic surfactants derived from plants Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil Plasticizer for enteric-soluble coating agents, etc./ointment bases/viscosity modifier for coatings & ink 	
POLYSORBATE 80	Modified sorbitan		-	liquid	<ul style="list-style-type: none"> Derived from plants/no animal ingredients nor genetically-modified ingredients For pharmaceutical preparations (plasticizer/lubricant/solubilizer/wetting agent/emulsifier/thickener/dispersant/binder/base material/auxiliary disintegrant) Corresponding to the pharmacopoeias (JP, USP/NF, EP) (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) 	
HITRON #3A	Nonionic surfactants		Specific nonionic surfactant (a mixture with petroleum solvent)	-	liquid (possibly jelly in winter)	<ul style="list-style-type: none"> Dispersing oil to sea water Low toxicity to marine life Dispersant of spillage oil



For milky lotions



For aqueous coating

4 Solubilizing

to uniformly dissolve unmixable substance in another

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications	
EMULMIN FL, HL	Ether-based nonionic surfactants	Polyoxyalkylene lauryl ether derived from natural higher alcohols	p61	liquid	<ul style="list-style-type: none"> Exhibiting excellent low-temperature fluidity compared to other nonionic surfactants with the same HLB Detergent/emulsifier/dispersant/wetting agent/solubilizer 		
EMULMIN No.		Polyoxyethylene alkyl ether derived from natural higher alcohols	p61	liquid, solid, paste	<ul style="list-style-type: none"> Offering a wide selection from HLB (lipophilicity/hydrophilicity parameter)/biodegradable Detergent/emulsifier/dispersant/solubilizer/emulsifier for emulsion polymerization/gelling, foaming & wetting agent/oiliness improver Sulfation, phosphorylation base/pulp cooking aid/leveling, soaping agent 		
EMULMIN CC		Polyoxyethylene cetyl ether derived from natural higher alcohols	p62	solid, wax	<ul style="list-style-type: none"> Hardly hydrolyzed even in the presence of acidity or alkalinity Emulsifier for creams & lotions/solubilizer/gelling & foaming agent/dispersant 		
EMULMIN LS, NL, L		Polyoxyethylene lauryl ether derived from natural higher alcohols	p64	solid to paste	<ul style="list-style-type: none"> Hardly hydrolyzed even in the presence of acidity or alkalinity Detergent/emulsifier for creams & lotions/solubilizer/gelling & foaming agent/dispersant EMULMIN NL, L can be emulsifiers for emulsion polymerization 		
NEWDET PE-85		Polyoxyethylene polyoxypropylene glycol	petrolatum jelly	p63	liquid, flake, paste	<ul style="list-style-type: none"> Corresponding to Japanese Pharmaceutical Excipients Pharmaceutical excipients (solubilizer for liquid medicine/stabilizer/wetting agent for ointment/suppository base/gelling agent/binder for tablets/coating agent) Cleaning agent for medical equipment 	
NEWPOL PE				p63	liquid, flake, paste	<ul style="list-style-type: none"> Low foaming property Detergent base/detergent/raw-material for quasi-drugs (wetting agent/solubilizer/gelling agent/binder/coating agent, etc.)/fiber treating agent (lubricant/desizing agent)/emulsifier/dispersant/solubilizer/antistatic agent 	
NEWPOL EFP		Phenoxyethanol	p61	liquid	<ul style="list-style-type: none"> Excellent solubility of fats & oils Solvent of cosmetics, detergents/preservative for cosmetics 		
NEWPOL B-12		Polyoxyalkylene alkyl ether	p61	liquid	<ul style="list-style-type: none"> Excellent solubility of fats & oils Solvent of detergent 		
NEWPOL SBF		Polyoxyalkylene glycol monoether or borate	p61	liquid	<ul style="list-style-type: none"> High boiling point, excellent fluidity at low temperature Solvent for brake oils 		
TG-C		Ester-based nonionic surfactants	Glyceryl monostearate	p65	flake	<ul style="list-style-type: none"> Softener, emulsifier, solubilizer, moisturizer & oiliness improver for cosmetics, creams, lotions & quasi drugs Lubricant & stabilizer of sustained drug releasing agents, tablets, pills & capsules of medicine 	
IONET DL-200, DO, DS, MO, MS	Polyoxyethylene fatty acid diester or monoester		p65	liquid, solid	<ul style="list-style-type: none"> Offering a wide selection from lipophilic to hydrophilic products Emulsifier/dispersant/solubilizer/detergent base/fiber-leveling agent 		
IONET S	Sorbitan mono- or di-fatty acid ester		p65	liquid, granule	<ul style="list-style-type: none"> SPAN type lipophilic surfactants derived from plants Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/defoaming agent Viscosity modifier for coatings & ink/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil 		
IONET T	Polyoxyethylene sorbitan monofatty acid ester		p65	liquid	<ul style="list-style-type: none"> TWEEN type hydrophilic surfactants derived from plants Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil Plasticizer for enteric-soluble coating agents, etc./ointment bases/viscosity modifier for coatings & ink 		
POLYSORBATE 80	Modified sorbitan		-	liquid	<ul style="list-style-type: none"> Derived from plants/no animal ingredients nor genetically-modified ingredients For pharmaceutical preparations (plasticizer/lubricant/solubilizer/wetting agent/emulsifier/thickener/dispersant/binder/base material/auxiliary disintegrant) Corresponding to the pharmacopoeias (JP, USP/NF, EP) (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) 		






To dissolve uniformly



As a solvent for detergents



















For brake fluids


Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
PEG	Polyols	Polyethylene glycol	p70	liquid, wax, paste, flake, powder	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Low acute toxicity/low irritancy to eyes & skins Widely used in various applications 	
MACROGOL			p70	liquid, flake, powder, paste	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Corresponding to the Japanese Pharmacopoeias & Pharmaceutical Excipients (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) Base material for ointments & suppositories/lubricant & binder for tablets or capsules/plasticizer & solubilizer for manufacturing medicine 	
SANFINE DM-200	Others	Polyoxyethylene dimethyl ether	p73	liquid	<ul style="list-style-type: none"> Excellent solubility of fats & oils Solvent for detergent 	

5 Dispersing

to distribute as particles throughout a medium

Beside, our subsidiary & affiliate; San Nopco Limited also provides related products (p91)






































Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
SANCARRIER No.5L	Carboxylic-based anionic surfactants	Mixture of acrylic polymer & sodium aluminate	-	liquid	<ul style="list-style-type: none"> Preventing degradation & viscosity increase of drilling mud Dispersant for bentonite muds (drilling mud) 	
SS-B		Polycarboxylate	-	liquid	<ul style="list-style-type: none"> Preventing viscosity increase of drilling mud & the collapse of unstable strata Dispersant for drilling mud (stabilization fluid)/wall-building aid 	
CARRYBON L-400			p57	liquid	<ul style="list-style-type: none"> Providing low-viscosity pigment slurry with high dispersion stability Dispersant for pigment slurry of water-soluble or emulsion coatings 	 
SANSPARL PS-2			-	liquid	<ul style="list-style-type: none"> Suitable for aqueous (water-soluble, emulsion) coatings Pigment dispersant 	 
TOXANON			-	liquid	<ul style="list-style-type: none"> Imparting excellent spreading property to agrichemical granules Excellent binding property/enhancing hardness of granules Dispersant & binder for agrichemical granules 	
CARABON DA-72	Sulfosuccinate-based anionic surfactants	Sodium dioctyl sulfosuccinate	p57	liquid	<ul style="list-style-type: none"> Extremely effective to wet hydrophobic materials Suitable for aqueous (water-soluble, emulsion) coatings Penetrating agent/dispersant/emulsifier for emulsion polymerization 	
SANSEPARER 100			p57	wax	<ul style="list-style-type: none"> Suitable for oil-based, organic-solvent based coatings Without water nor organic solvent Internal releasing agent for PMMA/pigment dispersant 	 
SANMORIN OT			p57	liquid	<ul style="list-style-type: none"> Particularly excellent penetrating property among surfactants/excellent wettability to hydrophobic materials/wetting- & penetrating agent/dispersant & binder for granules/penetrating agent for agrichemical spreading/dispersant/emulsifier for emulsion polymerization Suitable for aqueous (water-soluble, emulsion) coatings 	 
IONET D-2	Sulfonate-based anionic surfactants	Sodium naphthalenesulfonate formalin condensate	-	powder	<ul style="list-style-type: none"> Low foaming property Pigment dispersant 	 
SANYO LEVELON PHL			p58	liquid		
SANDET ONA	Sulfuric acid ester-based anionic surfactants	Sodium 2-ethylhexyl sulfate	p58	liquid	<ul style="list-style-type: none"> Emulsifier for emulsion polymerization Suitable for large-particle-size emulsion polymerization 	



For stabilization for drilling mud







To disperse of pigment slurry

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
NSA-17	Ether-based nonionic surfactants	Proprietary nonionic surfactant	-	powder	<ul style="list-style-type: none"> Reinforcing detergency of powdered detergents/fluidity improver for powder 	
EMULMIN No.		Polyoxyethylene alkyl ether derived from natural higher alcohols	p61	liquid, solid, paste	<ul style="list-style-type: none"> Offering a wide selection from HLB (lipophilicity/hydrophilicity parameter)/biodegradable Detergent/emulsifier/dispersant/solubilizer/emulsifier for emulsion polymerization/gelling, foaming & wetting agent/oiliness improver Sulfation, phosphorylation base/pulp cooking aid/leveling, soaping agent 	 
EMULMIN CC		Polyoxyethylene cetyl ether derived from natural higher alcohols	p62	solid, wax	<ul style="list-style-type: none"> Hardly hydrolyzed even in the presence of acidity or alkalinity Emulsifier for creams & lotions/solubilizer/gelling & foaming agent/dispersant 	   
EMULMIN FL, HL		Polyoxyalkylene lauryl ether derived from natural higher alcohols	p61	liquid	<ul style="list-style-type: none"> Exhibiting better low-temperature fluidity compared to other nonionic surfactants with the same HLB Detergent/emulsifier/dispersant/wetting agent/solubilizer 	  
EMULMIN LS, NL, L		Polyoxyethylene lauryl ether derived from natural higher alcohols	p64	liquid, solid to paste	<ul style="list-style-type: none"> Hardly hydrolyzed even in the presence of acidity or alkalinity Detergent/emulsifier for creams & lotions/solubilizer/gelling & foaming agent/dispersant EMULMIN NL, L can be emulsifiers for emulsion polymerization 	   
NEWPOL PE		Polyoxyethylene polyoxypropylene glycol	p63	liquid, flake, paste	<ul style="list-style-type: none"> Low foaming property Detergent base/detergent/raw-material for quasi-drugs (wetting agent/solubilizer/gelling agent/binder/coating agent, etc.)/fiber treating agent (lubricant/desizing agent)/emulsifier/dispersant/solubilizer/antistatic agent 	 
NAROACTY CL		Polyoxyalkylene alkyl ether derived from synthetic higher alcohols	p61	liquid, solid, flake, paste	<ul style="list-style-type: none"> Alkylene oxide adducts with narrow molecular weight distribution Excellent detergency, emulsifiability Detergent base/detergent/emulsifier/dispersant/wetting agent 	 
SANNONIC FN, SS		SANNONIC SS is Polyoxyethylene alkyl ether	p61 p62	liquid	<ul style="list-style-type: none"> SANNONIC FN: Excellent fluidity at low temperature SANNONIC SS: Excellent penetrating property Detergent/emulsifier/dispersant/wetting agent 	
IONET DL-200, DO, DS, MO, MS	Ester-based nonionic surfactants	Polyoxyethylene fatty acid diester or monoester	p65	liquid, solid	<ul style="list-style-type: none"> Offering a wide selection from lipophilic to hydrophilic products Emulsifier/dispersant/solubilizer/detergent base/fiber-leveling agent 	   
IONET S		Sorbitan mono- or di-fatty acid ester	p65	liquid, granule	<ul style="list-style-type: none"> SPAN type lipophilic surfactants derived from plants Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/defoaming agent Viscosity modifier for coatings & ink/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil 	
IONET T		Polyoxyethylene sorbitan monofatty acid ester	p65	liquid	<ul style="list-style-type: none"> TWEEN type hydrophilic surfactants derived from plants Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil Plasticizer for enteric-soluble coating agents, etc./ointment bases/viscosity modifier for coatings & ink 	  
POLYSORBATE 80		Modified sorbitan	-	liquid	<ul style="list-style-type: none"> Derived from plants/no animal ingredients nor genetically-modified ingredients For pharmaceutical preparations (plasticizer/lubricant/solubilizer/wetting agent/emulsifier/thickener/dispersant/binder/base material/auxiliary disintegrant) Corresponding to the pharmacopoeias (JP, USP/NF, EP) (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) 	
SANWAX	Olefin or Styrene-based compounds	Low-molecular-weight polyethylene	p68	powder, pellet, etc.	<ul style="list-style-type: none"> Moderate hardness, low melt viscosity equivalent to polyethylene/incompatible with polymers excepting polyolefins/for cosmetics/abrasives/anti-sagging agents/binder for ink/pigments, filler dispersants/improver for flowability, softening point, abrasion-resistance & releasability/flatting agent/lubricant/fixing agent for agrichemicals 	  
VISCOL		Low-molecular-weight polypropylene	p68	powder	<ul style="list-style-type: none"> Moderate hardness, low melt viscosity equivalent to polypropylene/incompatible with polymers excepting polyolefins/for abrasives/anti-sagging agents/binder for ink/pigment, filler dispersant/releasing agent for toner/improver for flowability, releasability, softening point & abrasion-resistance/flatting agent/lubricant 	  
UMEX		Acid modified low-molecular-weight polypropylene	p68	granule, powder, etc.	<ul style="list-style-type: none"> Dispersant for pigments, fillers & wood-flour/hot-melt adhesives Resin modifier for polyolefins (such as improving adhesion) 	  

Continued on the next page →



For uniform coloring of plastics








Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
HIMER SB, ST	Olefin or Styrene-based compounds	Low-molecular-weight polystyrene	p68	granule	<ul style="list-style-type: none"> Resulting toner has excellent fusing properties & charging characteristics HIMER SB: toner resin HIMER ST: dispersant for pigments & fillers 	
REGIT S-94			p68	granule		
PEG	Polyols	Polyethylene glycol	p70	liquid, wax, paste, flake, powder	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Low acute toxicity/low irritancy to eyes & skins Widely used in various applications 	
SANRETAN TIM-2011A	Urethane Series	Polyurethane solution (caprolactone type)	-	liquid	<ul style="list-style-type: none"> Forming tough film/excellent dispersibility of magnetic powders & hydrolysis resistance Caprolactone type Binder for magnetic tapes 	
SANPEX PA-55	Methacrylate/Acrylate-based	Glycidyl group-containing acrylic resin	-	granule	<ul style="list-style-type: none"> Used in combination with dibasic acid Resulting coating film has excellent pigment dispersibility, weather resistance/glossiness & smoothness Resin for powder coating 	



For dispersion of abrasive polishing agents

6 Flocculating

to adhere each particles and form larger-size cluster

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
SERABON DH-505	Anionic surfactants	Proprietary anionic surfactant	-	liquid	<ul style="list-style-type: none"> Dehydration promoting agent for metal sulfide concentration 	
ACRYLATE SMC-80H	Methacrylate/Acrylate-based	Dimethylaminoethyl acrylate quaternary salt	p72	liquid	<ul style="list-style-type: none"> Monomer for water-soluble cationic polymer/flocculant/papermaking chemicals 	
CATIOMER 300		Water soluble cationic polymer	-	liquid	<ul style="list-style-type: none"> Organic coagulant for industrial wastewater treatment 	
SACRIS		Water soluble acrylic polymer (ultrahigh molecular weight)	-	powder	<ul style="list-style-type: none"> Offering anionic, cationic & amphoteric polymer Thickener/gelling agent/flocculant/wastewater treatment/sizing-agent in paper making/sealant/excipient for dehumidifiers/sludge solidifying agent/seed binder for slope greening/soil modifier 	
SANQUICK		Water soluble acrylic polymer (ultrahigh molecular weight)	-	liquid	<ul style="list-style-type: none"> Offering cationic or amphoteric polymer Waste water treatment/flocculant 	
SANFLOC		Water soluble acrylic polymer (ultrahigh molecular weight)	-	liquid, powder	<ul style="list-style-type: none"> Offering a wide selection depending on ionic type of polymers (anionic, cationic, nonionic & amphoteric) Wastewater treatment/filtering speed improver of organic flocculant/coagulant 	
METHACRYLATE		Long-chain alkyl methacrylate or dialkylaminoalkyl methacrylate derivatives	p73	liquid	<ul style="list-style-type: none"> Good copolymerizability with other vinyl monomers Polymer modifier/imparting hydrophilicity, antistatic or adsorptive property/drainage & retention aid in paper making processes/polymer flocculant/electrodialysis or reverse osmosis membrane/ion-exchange resin/paper strengthening agent 	



For flocculation/settling

















For paper making



For wastewater treatment

7 Foaming/Foam stabilizing to make/keep foam

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
BEAULIGHT ECA, LCA	Carboxylic-based anionic surfactants	Sodium polyoxyethylene alkyl ether carboxylate	p57	liquid, paste	<ul style="list-style-type: none"> • Excellent foaming property even under weak acidity • Low irritancy to eyes & skin • Base material for hair shampoos, body shampoos & face washes • In Japan, BEAULIGHT SHAA is approved for an exclusive use in cosmetics 	
BEAULIGHT SHAA		Sodium [(2-hydroxydodecyl)-oxy] acetate	p57	liquid		
BEAULIGHT A-5000, ESS, LSS, SSS	Sulfosuccinate-based anionic surfactants	(Look at the page by composition)	p57 p58	liquid, paste		
SANDET EN, END, ET	Sulfuric acid ester-based anionic surfactants	Sodium polyoxyethylene alkyl ether sulfate SANDET ET is a triethanolamine salt instead of sodium salt	p58	liquid	<ul style="list-style-type: none"> • Excellent solubility to water, hard-water resistance, foaming property & detergency • Low irritation to skin • Hair shampoo & detergent base/emulsifier for emulsion polymerization • Low irritancy to eyes & skin because of its low content of sodium lauryl sulfate • Base material for hair or body shampoos & detergents 	
BEAULIGHT NA-25S			p58	liquid		
SANSPARL RA-33	Anionic surfactants	Proprietary anionic surfactants	-	paste	<ul style="list-style-type: none"> • Foam stabilizer for polymer emulsion 	
PROFAN	Amide-based nonionic surfactants	Alkylol amide based surfactants	p60	liquid, solid, flake	<ul style="list-style-type: none"> • Foaming agent, foam stabilizer, thickener & detergency enhancer for shampoos, liquid detergents & bactericidal detergents/rust preventive 	
EMULMIN LCA-10	Ether-based (amine type) nonionic surfactants	Polyoxyalkylene alkyl amine	p60	liquid	<ul style="list-style-type: none"> • Excellent surface tension reducing ability & foam sustainability • Kitchen detergent base 	
EMULMIN No.	Ether-based nonionic surfactants	Polyoxyethylene alkyl ether derived from natural higher alcohols	p61	liquid, solid, paste	<ul style="list-style-type: none"> • Offering a wide selection from HLB (lipophilicity/hydrophilicity parameter)/biodegradable • Detergent/emulsifier/dispersant/solubilizer/emulsifier for emulsion polymerization/gelling, foaming & wetting agent/oiliness improver • Sulfation, phosphorylation base/pulp cooking aid/leveling, soaping agent • Hardly hydrolyzed even in the presence of acidity or alkalinity • Emulsifier for creams & lotions/solubilizer/gelling & foaming agent/dispersant • Hardly hydrolyzed even in the presence of acidity or alkalinity • Detergent/emulsifier for creams & lotions/solubilizer/gelling & foaming agent/dispersant • EMULMIN NL, L can be emulsifiers for emulsion polymerization 	
EMULMIN CC		Polyoxyethylene cetyl ether derived from natural higher alcohols	p62	solid, wax		
EMULMIN LS, NL, L		Polyoxyethylene lauryl ether derived from natural higher alcohols	p64	liquid, solid to paste		
LEBON 101-H, 105, APL, APL-D, CIB	Amino acid-type amphoteric surfactants	(Look at the page by composition)	p66	liquid	<ul style="list-style-type: none"> • Excellent foaming property & hard-water resistance • LEBON APL-D also excels in low temperature fluidity • Base material for hair shampoos & body shampoos 	
LEBON 2000, 2000HG, 2000L, HC-30W, MY-30W, LD-36	Betaine-type amphoteric surfactants	(Look at the page by composition)	p66 p67	liquid		
LEVEFLOW SR-21	Surfactant	Proprietary surfactant	-	liquid	<ul style="list-style-type: none"> • Creates fine bubbles in concrete & allows it to become lightweight • Foaming agent for foamed concrete 	



For fine foaming



For shampoo







For foamed concrete

8 Defoaming

to eliminate foam
to avoid generating foam

Beside, our subsidiary & affiliate; San Nopco Limited also provides related products (p91)

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
COLORIN	Ether-based nonionic surfactants	Polyoxyalkylene glycol or polyoxypropylene monobutyl ether	p61	liquid	<ul style="list-style-type: none"> Defoaming agent for the fermentation industries Defoaming agent for other industrial use such as latex manufacturing process 	
NEWPOL 50HB, 75H-90000, LB, NSQ, V		(Look at the page by composition)	p62 p63 p64	liquid	<ul style="list-style-type: none"> Offering a wide selection from water-soluble to -insoluble products Wetting agent, moisturizer & viscosity controller for cosmetics/releasing lubricant/lubricant for machinery, metals & fabrics/defoaming agent/raw materials for lubricant, hydraulic oils/quenching oil for machinery & metals/emulsion-breaker/heating-medium 	
NEWPOL GEP-2800, TL		(Look at the page by composition)	p63	liquid	<ul style="list-style-type: none"> Excellent lubricating effect to skin & hair Wetting agent, moisturizer & viscosity modifier for cosmetics/defoaming agent 	
IONET S	Ester-based nonionic surfactants	Sorbitan mono- or di-fatty acid ester	p65	liquid, granule	<ul style="list-style-type: none"> SPAN type lipophilic surfactants derived from plants Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/defoaming agent Viscosity modifier for coatings & ink/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil 	



To defoam during process













To prevent foaming in coating

9 Lubricating/Leveling




















to slick/to eliminate friction
to give mold releasability
to flatten the surface

Beside, our subsidiary & affiliate; San Nopco Limited also provides related products (p91)

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
SANSEPARER 100	Sulfosuccinate-based anionic surfactants	Sodium dioctyl sulfosuccinate	p57	wax	<ul style="list-style-type: none"> Suitable for oil-based, organic-solvent based coatings Without water nor organic solvent Internal releasing agent for PMMA/pigment dispersant 	
HIGHCLEAN	Anionic surfactants	Compound of lubricant & proprietary antibacterial surfactant	-	liquid (possibly jelly in winter)	<ul style="list-style-type: none"> Chlorine free Imparting excellent cutting processability/anti-septicity Water-soluble cutting oil 	
ECONOL	Ammonium salt-based cationic surfactants	Alkyltrimethylammonium chloride	p59	liquid, solid	<ul style="list-style-type: none"> Imparting smoothness, pliability & tenseness-stiffness finished feeling to hair Hair conditioner & treatment base 	
CATION DSV		Distearyldimethylammonium chloride	p59	flake	<ul style="list-style-type: none"> Imparting excellent flexibility & antistaticity to hair and fibers Hair conditioner & treatment base/softener for fabrics 	
LEBON TM-18, 18PA		Stearyltrimethylammonium chloride	p59	solid	<ul style="list-style-type: none"> Imparting smoothness, pliability & tenseness-stiffness finished feeling to hair/long-lasting softness & smoothness Hair conditioner & treatment base 	
CATION LQ		Ethyl sulfuric acid lanolin fatty acid aminopropylethyl dimethylammonium	p59	paste	<ul style="list-style-type: none"> Imparting excellent moisturizing, antistaticity & tactile property to hair/long-lasting softness & smoothness Hair conditioner & treatment base/shampoo with built-in conditioner In Japan, CATION LQ is approved for an exclusive use in cosmetics 	
CATION SF	Imidazolinium salt-based cationic surfactants	Imidazoline compound	p59	liquid to paste	<ul style="list-style-type: none"> Imparting excellent flexibility, antistaticity & water-absorbing effect Softener for fabrics 	
CATION S	Benzalkonium-based cationic surfactants	Stearyldimethylbenzylammonium chloride	p60	solid	<ul style="list-style-type: none"> Imparting smoothness, pliability & tenseness-stiffness finished feeling to hair Hair conditioner & treatment base 	
BLEMBER	Ether-based nonionic surfactants	Polyoxyalkylene alkyl ether	p61	liquid	<ul style="list-style-type: none"> Excellent lubricity, oil separation performance/low foaming property Water-soluble cutting oil base 	
NEWDET PE-85		Polyoxyethylene polyoxypropylene glycol	p63	petrolatum jelly	<ul style="list-style-type: none"> Corresponding to Japanese Pharmaceutical Excipients Pharmaceutical excipients (solubilizer for liquid medicine/stabilizer/wetting agent for ointment/suppository base/gelling agent/binder for tablets/coating agent) Cleaning agent for medical equipment 	





For cutting oils

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
NEWPOL PE	Ether-based nonionic surfactants	Polyoxyethylene polyoxypropylene glycol	p63	liquid, flake, paste	<ul style="list-style-type: none"> Low foaming property Detergent base/detergent/raw-material for quasi-drugs (wetting agent/solubilizer/gelling agent/binder/coating agent, etc.)/fiber treating agent (lubricant/desizing agent)/emulsifier/dispersant/solubilizer/antistatic agent 	 
NEWPOL 50HB, 75H-90000, LB, NSQ, V		(Look at the page by composition)	p62 p63 p64	liquid	<ul style="list-style-type: none"> Offering a wide selection from -soluble to -insoluble products Wetting agent, moisturizer & viscosity controller for cosmetics/releasing lubricant/lubricant for machinery, metals & fabrics/defoaming agent/raw materials for lubricant, hydraulic oils/quenching oil for machinery & metals/emulsion-breaker/heating-medium 	  
NEWPOL GEP-2800, TL		(Look at the page by composition)	p63	liquid	<ul style="list-style-type: none"> Excellent lubricating effect to skin & hair Wetting agent, moisturizer & viscosity modifier for cosmetics/defoaming agent 	
NEWPOL GP, PP		Polyoxypropylene triol, polyoxypropylene glycol	p61 p64	liquid	<ul style="list-style-type: none"> Non-volatile/low freezing point Wetting agent & moisturizer for cosmetics/raw material for cosmetics, surfactant & synthetic lubricant/releasing lubricant 	 
TG-C	Ester-based nonionic surfactants	Glyceryl monostearate	p65	flake	<ul style="list-style-type: none"> Softener, emulsifier, solubilizer, moisturizer & oiliness improver for cosmetics, creams, lotions & quasi drugs Lubricant & stabilizer of sustained drug releasing agents, tablets, pills & capsules of medicine 	
IONET DL-200, DO, DS, MO, MS		Polyoxyethylene fatty acid diester or monoester	p65	liquid, solid	<ul style="list-style-type: none"> Offering a wide selection from lipophilic to hydrophilic products Emulsifier/dispersant/solubilizer/detergent base/fiber-leveling agent 	
IONET S		Sorbitan mono- or di-fatty acid ester	p65	liquid, granule	<ul style="list-style-type: none"> SPAN type lipophilic surfactants derived from plants Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/defoaming agent Viscosity modifier for coatings & ink/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil 	  
IONET T		Polyoxyethylene sorbitan monofatty acid ester	p65	liquid	<ul style="list-style-type: none"> TWEEN type hydrophilic surfactants derived from plants Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil Plasticizer for enteric-soluble coating agents, etc./ointment bases/viscosity modifier for coatings & ink 	  
POLYSORBATE 80		Modified sorbitan	-	liquid	<ul style="list-style-type: none"> Derived from plants/no animal ingredients nor genetically-modified ingredients For pharmaceutical preparations (plasticizer/lubricant/solubilizer/wetting agent/emulsifier/thickener/dispersant/binder/base material/auxiliary disintegrant) Corresponding to the pharmacopoeias (JP, USP/NF, EP) (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) 	
SANWAX		Olefin-based compounds	Low-molecular-weight polyethylene	p68	powder, pellet, etc.	<ul style="list-style-type: none"> Moderate hardness, low melt viscosity equivalent to polyethylene/incompatible with polymers excepting polyolefins/for cosmetics/abrasives/anti-sagging agents/binder for ink/pigments, filler dispersants/improver for flowability, softening point, abrasion-resistance & releasability/flattening agent/lubricant/fixing agent for agrichemicals
VISCOL	Low-molecular-weight polypropylene		p68	powder	<ul style="list-style-type: none"> Moderate hardness, low melt viscosity equivalent to polypropylene/incompatible with polymers excepting polyolefins/for abrasives/anti-sagging agents/binder for ink/pigment, filler dispersant/releasing agent for toner/improver for flowability, releasability, softening point & abrasion-resistance/flattening agent/lubricant 	 
SANFRIC	Metalic compounds/ Acids/Acid Anhydrides	Organomolybdenum compound/ fatty acid compound	p69	liquid	<ul style="list-style-type: none"> Friction reducer or friction modifier/anti-wear agent or wear inhibitor/ lubricity improver for fuel oils 	 
PEG	Polyols	Polyethylene glycol	p70	liquid, wax, paste, flake, powder	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Low acute toxicity/low irritancy to eyes & skins Widely used in various applications 	  
MACROGOL			p70	liquid, flake, powder, paste	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Corresponding to the Japanese Pharmacopoeias & Pharmaceutical Excipients (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) Base material for ointments & suppositories/lubricant & binder for tablets or capsules/ plasticizer & solubilizer for manufacturing medicine 	



For lubricant for fibers


















Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
ACLUBE	Methacrylate/Acrylate-based	Methacrylate copolymer & refined mineral oil	p72	liquid	<ul style="list-style-type: none"> Contributing to a reduction of fuel consumption to reduce the viscosity of lubricant depending on temperature Viscosity Index Improver/Viscosity Modifier (VII/VM) or pour point depressant for lubricating, hydraulic & engine oils/dewaxing aid during the production of lubricating oils 	
PERMARIN	Urethane series	Polyurethane emulsion	p74	liquid	<ul style="list-style-type: none"> Resulting coating film has excellent flexibility, water-, adhesion- & chemical resistance Raw material for coatings, ink & adhesives/binder for pigment printing Texture modifier/shrink-resistant finishing agent/imparting elastic repulsion/pilling preventing agent 	



For lubricating oils

















10 Adhesive

to stick to adherend
to bind together
to be sticky

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
TOXANON	Carboxylic-based anionic surfactants	Polycarboxylate	-	liquid	<ul style="list-style-type: none"> Imparting excellent spreading property to agrichemical granules Excellent binding property/enhancing hardness of granules Dispersant & binder for agrichemical granules 	
NEWDET PE-85	Ether-based nonionic surfactants	Polyoxyethylene polyoxypropylene glycol	p63	petrolatum jelly	<ul style="list-style-type: none"> Corresponding to Japanese Pharmaceutical Excipients Pharmaceutical excipients (solubilizer for liquid medicine/stabilizer/wetting agent for ointment/suppository base/gelling agent/binder for tablets/coating agent) Cleaning agent for medical equipment 	
NEWPOL PE			p63	liquid, flake, paste	<ul style="list-style-type: none"> Low foaming property Detergent base/detergent/raw-material for quasi-drugs (wetting agent/solubilizer/gelling agent/binder/coating agent, etc.)/fiber treating agent (lubricant/desizing agent)/emulsifier/dispersant/solubilizer/antistatic agent 	
NEWPOL T-240U		-	block	<ul style="list-style-type: none"> Freezing point (55-60°C)/slow dissolution to water Binder for aromatic deodorant toilet cleaner 		
POLYSORBATE 80	Ester-based nonionic surfactants	Modified sorbitan	-	liquid	<ul style="list-style-type: none"> Derived from plants/no animal ingredients nor genetically-modified ingredients For pharmaceutical preparations (plasticizer/lubricant/solubilizer/wetting agent/emulsifier/thickener/dispersant/binder/base material/auxiliary disintegrant) Corresponding to the pharmacopoeias (JP, USP/NF, EP) (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) 	
CHEMITYLEN PEB-13ST	Esters	Bisphenol-A type unsaturated polyester	p67	powder	<ul style="list-style-type: none"> Binder for glass chopped strand mats for FRP 	
ACROBINDER BG-7	Olefin-based compounds	Butadiene & maleic acid copolymer	-	liquid	<ul style="list-style-type: none"> Binder for fiberglasses Especially suitable for FRTR (Fiber-Reinforced Thermo Plastic) 	 
UMEX		Acid modified low-molecular-weight polypropylene	p68	granule, powder, etc.	<ul style="list-style-type: none"> Dispersant for pigments, fillers & wood-flour/hot-melt adhesives Resin modifier for polyolefins (such as improving adhesion) 	 
DSA, PDSA-DA	Acids/Acid Anhydrides	Alkenyl succinic anhydride	p69	liquid	<ul style="list-style-type: none"> Imparting long pot life, excellent electrical insulating property, flexibility & bending strength to resins Epoxy curing agent/rust preventive/corrosion inhibitor 	
POLYMIDE L	Nitrogen-Containing Compounds	Polyamideamine	p69	liquid	<ul style="list-style-type: none"> Cured epoxy resin has rust prevention, excellent adhesion, toughness & flexibility Curing agent for epoxy resin used to coatings, adhesives, civil engineering & construction, laminating & casting materials, etc. 	   
POLYMIDE S			p69	powder	<ul style="list-style-type: none"> Resulting coating film has excellent water-, chemical-, abrasion-, weather-, oil-, blocking-resistance Excellent glossiness & adhesion to polyolefin films Resin for special gravure printing ink 	
MELPOL F-220	Polyols	Isocyanate modified polyether	-	pellet	<ul style="list-style-type: none"> Aqueous solution has surface activating ability/forming flexible & elastic film Decomposing thermally at relatively low temperature & hardly-leaving ash after incineration Sizing agent for glass-fibers (warp-yarn)/water-soluble polymer 	











For excipients for tablets

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
PEG	Polyols	Polyethylene glycol	p70	liquid, wax, paste, flake, powder	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Low acute toxicity/low irritancy to eyes & skins Widely used in various applications 	
MACROGOL			p70	liquid, flake, powder, paste	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Corresponding to the Japanese Pharmacopoeias & Pharmaceutical Excipients (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) Base material for ointments & suppositories/lubricant & binder for tablets or capsules/plasticizer & solubilizer for manufacturing medicine 	
SANNIX PL-2100, PP		p70 p71	liquid	<ul style="list-style-type: none"> Raw material for polyurethane foam & resins (e.g. adhesives, coatings, elastomers & sealants) 		
SANNIX GP, GH		p71	liquid	<ul style="list-style-type: none"> Offering a wide selection of molecular weight The resulting foam has ideal balance of properties Raw material for polyurethane foam & resins (e.g. adhesives, coatings, elastomers & sealants) 		
SANNIX TP-400		p71	liquid	<ul style="list-style-type: none"> Raw material for polyurethane foam & resins (e.g. adhesives, coatings, elastomers & sealants) 		
SANNIX SP-750		p71	liquid			
PRIMEPOL		p71	liquid		<ul style="list-style-type: none"> Excellent reactivity because of its high ratio of primary hydroxyl group with approx. 70mol %/compatible water resistant which is a conflicting performance Raw material for polyurethane foam & resins (e.g. adhesives, coatings, elastomers & sealants) 	
CB-1	Methacrylate/ Acrylates-based	Acrylic resin	-	powder	<ul style="list-style-type: none"> High molecular weight-acrylic resin of less thermal decomposition Excellent molded shape retention property/imparting hardness to resulting ceramics Ceramics binder for injection molding 	
SOFIC W-802		Acrylic resin solution	-	liquid	<ul style="list-style-type: none"> Excellent adhesion, glossiness, abrasion-resistance, blocking-resistance property & pasting suitability Mixed solvent of water & alcohol Gloss coating agent for printing paper 	
POLYQUID		Methacrylic acid - ethyl acrylate copolymer	p72	liquid	<ul style="list-style-type: none"> Aqueous dispersion Enteric-soluble coating agent/masking pungency/binder for matrices Corresponding to Pharmacopoeias in the USA, Japan & some product are compatible to the ones in Europe 	
POLYTHICK	Methacrylate/ Acrylates-based	Acrylic resin or acrylic resin solution	p74	liquid	<ul style="list-style-type: none"> Excellent transparency/weather-, heat resistance Tackifier (pressure-sensitive adhesive) For various tapes (surgical, surface protection, electrical insulating, double-sided)/paper making/automobile interiors/sealant for polypropylene bags 	
HAIRROL UC-4	Poly quarternary ammonium salt of isophoron diisocyanate, butylene glycol & dihydroxy ethyl dimonium methyl sulfate		-	liquid	<ul style="list-style-type: none"> Providing ductile coating film to keep hair setting even at high temperature & humidity Raw material for hair-styling agents In Japan, approved for an exclusive use in cosmetics 	
PERMARIN	Urethane series	Polyurethane emulsion	p74	liquid	<ul style="list-style-type: none"> Resulting coating film has excellent flexibility, water-, adhesion- & chemical resistance Raw material for coatings, ink & adhesives/binder for pigment printing Texture modifier/shrink-resistant finishing agent/imparting elastic repulsion/pilling preventing agent 	
CHEMITYLEN GA-500			p74	liquid	<ul style="list-style-type: none"> Sizing agent for glass fiber spinning & warping during weaving of glass cloths 	
UCOAT			p74	liquid	<ul style="list-style-type: none"> Forming coating film has excellent yellowing-, water- & chemical-resistance, flexibility & adhesion Resin for aqueous coating materials 	
UPRENE UXA-307			p74	liquid	<ul style="list-style-type: none"> Forming film has excellent adhesion & water-resistance Adhesive for plastics, fabrics & woods/excels in adhesion with PVC sheet & plywood Unavailable for use directly brought into contact with the skins because of containing N-methyl pyrrolidone 	



For adhesive tapes








Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
COATRON	Urethane series	Polyurethane solution	p74	liquid	• Resin for coatings	
SANPRENE H			p74	liquid	• Resulting adhesion layer has excellent moisture permeability • Top layer for moisture-permeable & waterproofing fabrics (resulting film has the excellent moisture-permeability)	
SANPRENE IB			p74	liquid	• Resulting coating film has excellent weather-, water-, chemical-, abrasion-, blocking-resistance & adhesion • For resin of special gravure ink	
SANRETAN TIM-2011A		Polyurethane solution (caprolactone type)	-	liquid	• Forming tough film/excellent dispersibility of magnetic powders & hydrolysis resistance • Caprolactone type • Binder for magnetic tapes	
POLYBOND UNOFLEX		Two-component or moisture curing type polyurethane	p74	liquid	• POLYBOND: two-component curing type • UNOFLEX: one-component moisture curing type • Adhesive for dry laminate for food packaging films	
POLYMEDICA		Two-component type polyurethane	-	liquid	• Potting material for dialyzer & water purifiers	
CHEMIOX		Two-component blocked polyurethane resin	-	liquid	• Unblocking & starting curing at 140°C • Resins for anti-corrosion paints for automobiles (for improving adhesion of paints to electrodeposition steel)	
SANMODUR (two-component type)	Epoxides	Two-component curing type epoxy resin	-	liquid, paste	• Resin for models or molds made by cutting or casting from reverse molds in various processes for developing products/mounting & molding resin/adhesive/mounting repairment • Excellent fine structure, dimensional stability, homogeneity, processability, workability/ giving appropriate property according to the application	



For adhesive laminate for food packaging

11 Plasticizing/Softening

to increase moldability
to impart flexibility
to make soft















Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
ECONOL LEON TM-18, 18PA	Ammonium salt-based cationic surfactants	Alkyltrimethylammonium chloride	p59	liquid, solid	• Imparting smoothness, pliability & tenseness-stiffness finished feeling to hair • Hair conditioner & treatment base	
CATION LQ		Ethyl sulfuric acid lanolin fatty acid aminopropylethyl dimethylammonium	p59	paste	• Imparting excellent moisturizing, antistaticity & tactile property to hair/long-lasting softness & smoothness • Hair conditioner & treatment base/shampoo with built-in conditioner • In Japan, CATION LQ is approved for an exclusive use in cosmetics	
CATION DSV		Distearyldimethylammonium chloride	p59	flake	• Imparting excellent flexibility & antistaticity to hair and fibers • Hair conditioner & treatment base/softener for fabrics	
CATION SF	Imidazolinium salt-based cationic surfactants	Imidazoline compound	p59	liquid to paste	• Imparting excellent flexibility, antistaticity & water-absorbing effect • Softener for fabrics	
CATION G-50	Benzalkonium-based cationic surfactants	Benzalkonium chloride	p60	liquid	• Wide spectrum antibacterial activities • Germicide, detergent for food factory/germicide for industrial use • Hair conditioner & treatment base	
CATION S		Stearyldimethylbenzylammonium chloride	p60	solid	• Imparting smoothness, pliability & tenseness-stiffness finished feeling to hair • Hair conditioner & treatment base	
NEWPOL PE	Ether-based nonionic surfactants	Polyoxyethylene polyoxypropylene glycol	p63	liquid, flake, paste	• Low foaming property • Detergent base/detergent/raw-material for quasi-drugs (wetting agent/solubilizer/ gelling agent/binder/coating agent, etc.)/fiber treating agent (lubricant/desizing agent)/emulsifier/dispersant/solubilizer/antistatic agent	



For hair conditioners



For softeners















Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
TG-C	Ester-based nonionic surfactants	Glyceryl monostearate	p65	flake	<ul style="list-style-type: none"> • Softener, emulsifier, solubilizer, moisturizer & oiliness improver for cosmetics, creams, lotions & quasi drugs • Lubricant & stabilizer of sustained drug releasing agents, tablets, pills & capsules of medicine 	
IONET S		Sorbitan mono- or di-fatty acid ester	p65	liquid, granule	<ul style="list-style-type: none"> • SPAN type lipophilic surfactants derived from plants • Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/defoaming agent • Viscosity modifier for coatings & ink/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil 	
IONET T		Polyoxyethylene sorbitan monofatty acid ester	p65	liquid	<ul style="list-style-type: none"> • TWEEN type hydrophilic surfactants derived from plants • Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil • Plasticizer for enteric-soluble coating agents, etc./ointment bases/viscosity modifier for coatings & ink 	
POLYSORBATE 80		Modified sorbitan	-	liquid	<ul style="list-style-type: none"> • Derived from plants/no animal ingredients nor genetically-modified ingredients • For pharmaceutical preparations (plasticizer/lubricant/solubilizer/wetting agent/emulsifier/thickener/dispersant/binder/base material/auxiliary disintegrant) • Corresponding to the pharmacopoeias (JP, USP/NF, EP) (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) 	
SANFLEX EB EB-200	Esters	Polyethyleneglycol dibenzoate	p67	liquid	<ul style="list-style-type: none"> • Hardly bleeding out • Plasticizer 	
SANFLEX SK-500, GPA-3000, SPX-80N, LBU-25		(Look at the page by composition)	p67	liquid	<ul style="list-style-type: none"> • Inactive to isocyanate • SANFLEX GPA-3000 and SPX-80N hardly bleed out because of their blanched structures • Plasticizer 	
GLYCIALE PP	Epoxides	Polyoxypropylene glycol diglycidyl ether	p67	liquid	<ul style="list-style-type: none"> • Imparting flexibility & plasticity to resins • Providing rust preventive coating film • Raw material for epoxy resins & electrodeposition coatings/resin modifier 	
SANWAX	Olefin-based compounds	Low-molecular-weight polyethylene	p68	powder, pellet, etc.	<ul style="list-style-type: none"> • Moderate hardness, low melt viscosity equivalent to polyethylene/incompatible with polymers excepting polyolefins/for cosmetics/abrasives/anti-sagging agents/binder for ink/pigments, filler dispersants/improver for flowability, softening point, abrasion-resistance & releasability/flatting agent/lubricant/fixing agent for agrichemicals 	
VISCOL		Low-molecular-weight polypropylene	p68	powder	<ul style="list-style-type: none"> • Moderate hardness, low melt viscosity equivalent to polypropylene/incompatible with polymers excepting polyolefins/for abrasives/anti-sagging agents/binder for ink/pigment, filler dispersant/releasing agent for toner/improver for flowability, releasability, softening point & abrasion-resistance/flatting agent/lubricant 	
DSA, PDSA-DA	Acids/Acid Anhydrides	Alkenyl succinic anhydride	p69	liquid	<ul style="list-style-type: none"> • Imparting long pot life, excellent electrical insulating property, flexibility & bending strength to resins • Epoxy curing agent/rust preventive/corrosion inhibitor 	
SANAMEEL TAP	Nitrogen-Containing Compounds	Polyetheramine	-	liquid	<ul style="list-style-type: none"> • Low viscosity/high reactivity • Offering flexible & hydrophilic cured resin • Epoxy resin curing agent/raw material for epoxy resin emulsion 	
PEG	Polyols	Polyethylene glycol	p70	liquid, wax, paste, flake, powder	<ul style="list-style-type: none"> • Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness • Low acute toxicity/low irritancy to eyes & skins • Widely used in various applications 	
MACROGOL			p70	liquid, flake, powder, paste	<ul style="list-style-type: none"> • Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness • Corresponding to the Japanese Pharmacopoeias & Pharmaceutical Excipients (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) • Base material for ointments & suppositories/lubricant & binder for tablets or capsules/plasticizer & solubilizer for manufacturing medicine 	
SANNIX GP, GH		Polyoxypropylene triol	p71	liquid	<ul style="list-style-type: none"> • Offering a wide selection of molecular weight • The resulting foam has ideal balance of properties • Raw material for polyurethane foam & resins (e.g. adhesives, coatings, elastomers & sealants) 	



For plastics or rubbers








For ointment

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
SANNIX PL-2100	Polyols	Polyoxyethylene polyoxypropylene glycol	p70	liquid	<ul style="list-style-type: none"> Raw material for polyurethane foam & resins (e.g. adhesives, coatings, elastomers & sealants) 	 
SANNIX PP, TP-400		Polyoxypropylene glycol/Trimethylolpropane-based polyether polyol	p71	liquid		 
NEWPOL BP		Bisphenol A-propylene oxide adduct	p70	liquid	<ul style="list-style-type: none"> Resulting resin has excellent corrosion resistance & flexibility Raw material for resins, organic-intermediate/modifier for resin 	 
NEWPOL BPE		Bisphenol A-ethylene oxide adduct	p70	liquid, block, etc.		 
PRIMEPOL		Polyoxypropylene glycol or triol	p71	liquid	<ul style="list-style-type: none"> Excellent reactivity because of its high ratio of primary hydroxyl group with approx. 70mol %/compatible water resistant which is a conflicting performance Raw material for polyurethane foam & resins (e.g. adhesives, coatings, elastomers & sealants) 	 
MELPOL F-220		Isocyanate modified polyether	-	pellet		<ul style="list-style-type: none"> Aqueous solution has surface activating ability/forming flexible & elastic film Decomposing thermally at relatively low temperature & hardly-leaving ash after incineration Sizing agent for glass-fibers (warp-yarn)/water-soluble polymer
METHACRYLATE	Methacrylate/Acrylate-based	Long-chain alkyl methacrylate or dialkylaminoalkyl methacrylate derivatives	p73	liquid	<ul style="list-style-type: none"> Good copolymerizability with other vinyl monomers Polymer modifier/imparting hydrophilicity, antistatic or adsorptive property/drainage & retention aid in paper making processes/polymer flocculant/electrodialysis or reverse osmosis membrane/ion-exchange resin/paper strengthening agent 	
PERMARIN	Urethane series	Polyurethane emulsion	p74	liquid	<ul style="list-style-type: none"> Resulting coating film has excellent flexibility, water-, adhesion- & chemical resistance Raw material for coatings, ink & adhesives/binder for pigment printing Texture modifier/shrink-resistant finishing agent/imparting elastic repulsion/pilling preventing agent 	 
UCOAT			p74	liquid		<ul style="list-style-type: none"> Forming coating films has excellent yellowing-, water- & chemical-resistance, flexibility & adhesion Resin for aqueous coating materials
SST-1		Urethane modified polyether	-	liquid	<ul style="list-style-type: none"> Softener to finish leather in the production of artificial or synthetic leather 	






















12 Viscosity Controlling

to thicken/to prevent sagging/to increase liquidity
to reduce the variation of viscosity with temperature







Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
SS-B	Carboxylic-based anionic surfactants	Polycarboxylate	-	liquid	<ul style="list-style-type: none"> Preventing viscosity increase of drilling mud & the collapse of unstable strata Dispersant for drilling mud (stabilization fluid)/wall-building aid 	
CARRYBON L-400			p57	liquid		<ul style="list-style-type: none"> Providing low-viscosity pigment slurry with high dispersion stability Dispersant for pigment slurry of water-soluble or emulsion coatings
SANCARRIER No.5L		Mixture of acrylic polymer & sodium aluminate	-	liquid	<ul style="list-style-type: none"> Preventing degradation & viscosity increase of drilling mud Dispersant for bentonite muds (drilling mud) 	
PROFAN	Amide-based nonionic surfactants	Alkylol amide based surfactants	p60	liquid, solid, flake	<ul style="list-style-type: none"> Foaming agent, foam stabilizer, thickener & detergency enhancer for shampoos, liquid detergents & bactericidal detergents/rust preventive 	
EMULMIN CC	Ether-based nonionic surfactants	Polyoxyethylene cetyl ether derived from natural higher alcohols	p62	solid, wax	<ul style="list-style-type: none"> Hardly hydrolyzed even in the presence of acidity or alkalinity Emulsifier for creams & lotions/solubilizer/gelling & foaming agent/dispersant 	 



To control viscosity of liquids

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
NEWDET PE-85	Ether-based nonionic surfactants	Polyoxyethylene polyoxypropylene glycol	p63	petrolatum jelly	<ul style="list-style-type: none"> Corresponding to Japanese Pharmaceutical Excipients Pharmaceutical excipients (solubilizer for liquid medicine/stabilizer/wetting agent for ointment/suppository base/gelling agent/binder for tablets/coating agent) Cleaning agent for medical equipment 	
NEWPOL PE	Ether-based nonionic surfactants	Polyoxyethylene polyoxypropylene glycol	p63	liquid, flake, paste	<ul style="list-style-type: none"> Low foaming property Detergent base/detergent/raw-material for quasi-drugs (wetting agent/solubilizer/gelling agent/binder/coating agent, etc.)/fiber treating agent (lubricant/desizing agent/emulsifier/dispersant/solubilizer/antistatic agent) 	
EMULMIN LS, NL, L		Polyoxyethylene lauryl ether derived from natural higher alcohols	p64	liquid, solid to paste	<ul style="list-style-type: none"> Hardly hydrolyzed even in the presence of acidity or alkalinity Detergent/emulsifier for creams & lotions/solubilizer/gelling & foaming agent/dispersant EMULMIN NL, L can be emulsifiers for emulsion polymerization 	 
NEWPOL DDE-10		Polyoxyethylene lauryl glycol	p61	paste	<ul style="list-style-type: none"> Alkanediol derivative of dodecanediol in which about 1 mol ethylene oxide is adducted in average Low irritancy to eyes & skins Antibacterial-, antifungal-, thickening agent for hair shampoos, conditioners, cosmetics & detergents 	
NEWPOL 50HB, 75H-90000, LB, NSQ, V		(Look at the page by composition)	p62 p63 p64	liquid	<ul style="list-style-type: none"> Offering a wide selection from water-soluble to -insoluble products Wetting agent, moisturizer & viscosity controller for cosmetics/releasing lubricant/lubricant for machinery, metals & fabrics/defoaming agent/raw materials for lubricant, hydraulic oils/quenching oil for machinery & metals/emulsion-breaker/heating-medium 	
NEWPOL GEP-2800, TL		(Look at the page by composition)	p63	liquid	<ul style="list-style-type: none"> Excellent lubricating effect to skin & hair Wetting agent, moisturizer & viscosity modifier for cosmetics/defoaming agent 	
VISRIZER AP-2		Modified polyether type resin	-	liquid	<ul style="list-style-type: none"> Excellent thickening property in small amount/aqueous solution type Giving almost no thixotropic property Thickening agent 	 
EMULMIN 862		Polyoxyethylene distearate	p64	powder	<ul style="list-style-type: none"> Thickener, gelling agent for cosmetics, shampoos & hair conditioners 	
IONET S	Ester-based nonionic surfactants	Sorbitan mono- or di-fatty acid ester	p65	liquid, granule	<ul style="list-style-type: none"> SPAN type lipophilic surfactants derived from plants Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/defoaming agent Viscosity modifier for coatings & ink/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil 	
IONET T		Polyoxyethylene sorbitan monofatty acid ester	p65	liquid	<ul style="list-style-type: none"> TWEEN type hydrophilic surfactants derived from plants Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil Plasticizer for enteric-soluble coating agents, etc./ointment bases/viscosity modifier for coatings & ink 	  
POLYSORBATE 80		Modified sorbitan	-	liquid	<ul style="list-style-type: none"> Derived from plants/no animal ingredients nor genetically-modified ingredients For pharmaceutical preparations (plasticizer/lubricant/solubilizer/wetting agent/emulsifier/thickener/dispersant/binder/base material/auxiliary disintegrant) Corresponding to the pharmacopoeias (JP, USP/NF, EP) (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) 	
SANWAX		Olefin-based compounds	Low-molecular-weight polyethylene	p68	powder, pellet, etc.	<ul style="list-style-type: none"> Moderate hardness, low melt viscosity equivalent to polyethylene/incompatible with polymers excepting polyolefins/for cosmetics/abrasives/anti-sagging agents/binder for ink/pigments, filler dispersants/improver for flowability, softening point, abrasion-resistance & releasability/flatting agent/lubricant/fixing agent for agrichemicals
VISCOL	Low-molecular-weight polypropylene		p68	powder	<ul style="list-style-type: none"> Moderate hardness, low melt viscosity equivalent to polypropylene/incompatible with polymers excepting polyolefins/for abrasives/anti-sagging agents/binder for ink/pigment, filler dispersant/releasing agent for toner/improver for flowability, releasability, softening point & abrasion-resistance/flatting agent/lubricant 	  
DSA, PDSA-DA	Acids/Acid Anhydrides	Alkenyl succinic anhydride	p69	liquid	<ul style="list-style-type: none"> Imparting long pot life, excellent electrical insulating property, flexibility & bending strength to resins Epoxy curing agent/rust preventive/corrosion inhibitor 	 
SANTHIXO 5001	Nitrogen-Containing Compounds	Higher fatty acid bisamide	p69	paste	<ul style="list-style-type: none"> Anti-sagging agent for coatings 	

Continued on the next page →








Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
PEG	Polyols	Polyethylene glycol	p70	liquid, wax, paste, flake, powder	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Low acute toxicity/low irritancy to eyes & skins Widely used in various applications 	
MACROGOL			p70	liquid, flake, powder, paste	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Corresponding to the Japanese Pharmacopoeias & Pharmaceutical Excipients (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) Base material for ointments & suppositories/lubricant & binder for tablets or capsules/plasticizer & solubilizer for manufacturing medicine 	
ACLUBE	Methacrylate/Acrylate-based	Methacrylate copolymer & refined mineral oil	p72	liquid	<ul style="list-style-type: none"> Contributing to a reduction of fuel consumption to reduce the viscosity of lubricant depending on temperature Viscosity Index Improver/Viscosity Modifier (VII/VM) or pour point depressant for lubricating, hydraulic & engine oils/dewaxing aid during the production of lubricating oils 	
SACRIS		Water soluble acrylic polymer (ultrahigh molecular weight)	-	powder	<ul style="list-style-type: none"> Offering anionic, cationic & amphoteric polymer Thickener/gelling agent/flocculant/wastewater treatment/sizing-agent in paper making/sealant/excipient for dehumidifiers/sludge solidifying agent/seed binder for slope greening/soil modifier 	
SANDEWAX		Higher alkyl acrylate polymer	-	solid	<ul style="list-style-type: none"> Improving filtering speed Dewaxing aid in producing lubricating oils 	
SANFRESH		Cross-linked acrylic acid polymer sodium salt	p72	powder	<ul style="list-style-type: none"> Crushed particulate superabsorbent polymer Water absorbent & retention agent (soil conditioners/seedbeds/portable toilets/dog toilet sheets/gel-type air fresheners/under pads/disposable body warmers)/additive for cosmetics & medical use/thickener/ice packs 	



For fuel-saving engine oils

13 Antistatic

to avoid accumulating static electricity and dust to prevent malfunction or trouble due to static electricity

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
PELESTAT PELECTRON	Olefin or Nylon-based compounds	Proprietary block copolymer	-	pellet	<ul style="list-style-type: none"> Imparting long-lasting excellent antistatic property independent of humidity Permanent antistatic agent for resins (preventing dust adhesion & troubles by static electricity, destruction of electronic circuit, electric shock & appliance malfunctions, etc.) Causing almost no resin deterioration/especially PELECTRON shows lower resistivity 	
CHEMISTAT	Anionic or nonionic surfactants	Proprietary nonionic surfactant	-	liquid, powder, etc.	<ul style="list-style-type: none"> Antistatic agent for synthetic resins Offering coating, kneading or reactive type 	
SANSTAT 2012A	Cationic surfactants	Proprietary cationic surfactant	-	liquid	<ul style="list-style-type: none"> Coating type antistatic agent for synthetic resins 	
ECONOL LEBON TM-18, 18PA	Ammonium salt-based cationic surfactants	Alkyltrimethylammonium chloride	p59	liquid, solid	<ul style="list-style-type: none"> Imparting smoothness, pliability & tenseness-stiffness finished feeling to hair Hair conditioner & treatment base 	
CATION DSV		Distearyldimethylammonium chloride	p59	flake	<ul style="list-style-type: none"> Imparting excellent flexibility & antistaticity to hair and fibers Hair conditioner & treatment base/softener for fabrics 	
CATION LQ		Ethyl sulfuric acid lanolin fatty acid aminopropylethyl dimethylammonium	p59	paste	<ul style="list-style-type: none"> Imparting excellent moisturizing, antistaticity & tactile property to hair/long-lasting softness & smoothness Hair conditioner & treatment base/shampoo with built-in conditioner In Japan, CATION LQ is approved for an exclusive use in cosmetics 	
CATION SF		Imidazolinium salt-based cationic surfactants	Imidazoline compound	p59	liquid to paste	<ul style="list-style-type: none"> Imparting excellent flexibility, antistaticity & water-absorbing effect Softener for fabrics
CATION S	Benzalkonium-based cationic surfactants	Stearyldimethylbenzylammonium chloride	p60	solid	<ul style="list-style-type: none"> Imparting smoothness, pliability & tenseness-stiffness finished feeling to hair Hair conditioner & treatment base 	








For protective films





To prevent dust



To avoid static electricity by brushing

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
NEWPOL PE	Ether-based nonionic surfactants	Polyoxyethylene polyoxypropylene glycol	p63	liquid, flake, paste	<ul style="list-style-type: none"> Low foaming property Detergent base/detergent/raw-material for quasi-drugs (wetting agent/solubilizer/gelling agent/binder/coating agent, etc.)/fiber treating agent (lubricant/desizing agent)/emulsifier/dispersant/solubilizer/antistatic agent 	 
SIPA, SIPE-40L, SIPM	Sodium-5-sulphoisophthalic acid/Ethylene glycol solution of 1,3-Benzendicarboxylic acid, 5-sulfo-, 1-3-bis (2-hydroxyethyl) esters, monosodium salts/5-Sodium sulfo dimethyl isophthalate		p68/-	granule, liquid, powder	<ul style="list-style-type: none"> Imparting cationic dyability, hydrophilicity & antistatic property to polymers such as polyester, polyurethane & polyamide 	 
PEG	Polyols	Polyethylene glycol	p70	liquid, wax, paste, flake, powder	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Low acute toxicity/low irritancy to eyes & skins Widely used in various applications 	

14 Electrical Conductive to conduct electricity












Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
SANELEK	Nitrogen-Containing Compounds	Amidine based electrolyte	-	liquid	<ul style="list-style-type: none"> Significant high degree of ionic dissociation/high electric conductivity High durability (less temperature-dependency of electric conductivity) Electrolyte for aluminum electrolytic capacitors 	 



For aluminum electrolytic capacitors

15 Water Absorbent/Water Retentive to absorb and keep or hold liquid (water)

Beside, our subsidiary & affiliate; SDP Global Co., Ltd. also provides related products (p91)

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
SANNIX PRIMEPOL	Polyols	Proprietary polyether polyol or polymer polyol	p69 p70 p71	liquid	<ul style="list-style-type: none"> PRIMEPOL has excellent reactivity because of its high ratio of primary hydroxyl group with approx. 70mol %/compatible water resistant which is a conflicting performance Raw material for polyurethane foam & resins (e.g. adhesives, coatings, elastomers & sealants) 	 
SACRIS	Methacrylate/Acrylate-based	Water soluble acrylic polymer (ultrahigh molecular weight)	-	powder	<ul style="list-style-type: none"> Offering anionic, cationic & amphoteric polymer Thickener/gelling agent/flocculant/wastewater treatment/sizing-agent in paper making/sealant/excipient for dehumidifiers/sludge solidifying agent/seed binder for slope greening/soil modifier 	 
AQUAPEARL		Cross-linked acrylic acid polymer sodium salt	p72	powder	<ul style="list-style-type: none"> Aggregated spherical particles of superabsorbent polymers Water absorbing agent/hygroscopic agent/anti-dew material/water-retention agent/gelling agent/thickener 	 
SANWET IM		(SANWET IM: Starch/acrylic acid graft copolymer sodium salt)	p72	powder	<ul style="list-style-type: none"> Crushed particulate superabsorbent polymer/high water-absorbency, retentivity Corresponding to Japanese Pharmaceutical Excipients Thickener, gelling, absorbing agent for wound dressing, under pads, poultices or other supplies for medical use 	
SANFRESH		(SANWET IM: Starch/acrylic acid graft copolymer sodium salt)	p72	powder	<ul style="list-style-type: none"> Crushed particulate superabsorbent polymer Water absorbent & retention agent (soil conditioners/seedbeds/portable toilets/dog toilet sheets/gel-type air fresheners/under pads/disposable body warmers)/additive for cosmetics & medical use/thickener/ice packs 	  
SANYO SEEDBED	Methacrylate/Acrylate-based	Cross-linked acrylic acid polymer sodium salt	-	sheet	<ul style="list-style-type: none"> Seeding sheet for reducing soil of nursery beds 	









Absorbs several hundred times its own weight of water



For cat litters

16 Sealing/Waterproofing to prevent the passage or entry of water

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
SANNIX PRIMEPOL	Polyols	Proprietary polyether polyol or polymer polyol	p69 p70 p71	liquid	<ul style="list-style-type: none"> PRIMEPOL has excellent reactivity because of its high ratio of primary hydroxyl group with approx. 70mol %/compatible water resistant which is a conflicting performance Raw material for polyurethane foam & resins (e.g. adhesives, coatings, elastomers & sealants) 	 
SACRIS	Methacrylate/Acrylate-based	Water soluble acrylic polymer (ultrahigh molecular weight)	-	powder	<ul style="list-style-type: none"> Offering anionic, cationic & amphoteric polymer Thickener/gelling agent/flocculant/wastewater treatment/sizing-agent in paper making/sealant/excipient for dehumidifiers/sludge solidifying agent/seed binder for slope greening/soil modifier 	
SANFRESH		Cross-linked acrylic acid polymer sodium salt	p72	powder	<ul style="list-style-type: none"> Crushed particulate superabsorbent polymer Water absorbent & retention agent (soil conditioners/seedbeds/portable toilets/dog toilet sheets/gel-type air fresheners/under pads/disposable body warmers)/additive for cosmetics & medical use/thickener/ice packs 	
CHEMIGUARD	Urethane series	Urethane prepolymer, solution	-	liquid, paste	<ul style="list-style-type: none"> Water-swellable sealant CHEMIGUARD THINNER is also lined up as a diluent 	
DOUBLE COAT S	Epoxides	Two-component type (main and curing agent) of reactive polymer	-	emulsion, powder	<ul style="list-style-type: none"> Forming a water-proof layer with excellent durability & chemical resistance Excellent adhesion & workability Permeable coating agent for water-proofing concrete 	








For waterproofing for roofs



For sealants

17 Cold or Heat Insulating to keep cold/to prevent heat transmission to store heat

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
NEWPOL 50HB, 75H-90000, LB, NSQ, V	Ether-based nonionic surfactants	(Look at the page by composition)	p62 p63 p64	liquid	<ul style="list-style-type: none"> Offering a wide selection from water-soluble to -insoluble products Wetting agent, moisturizer & viscosity controller for cosmetics/releasing lubricant/lubricant for machinery, metals & fabrics/defoaming agent/raw materials for lubricant, hydraulic oils/quenching oil for machinery & metals/emulsion-breaker/heating-medium 	
PEG	Polyols	Polyethylene glycol	p70	liquid, wax, paste, flake, powder	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Low acute toxicity/low irritancy to eyes & skins Widely used in various applications 	
SANNIX PRIMEPOL		Proprietary polyether polyol or polymer polyol	p69 p70 p71	liquid	<ul style="list-style-type: none"> PRIMEPOL has excellent reactivity because of its high ratio of primary hydroxyl group with approx. 70mol %/compatible water resistant which is a conflicting performance Raw material for polyurethane foam & resins (e.g. adhesives, coatings, elastomers & sealants) 	 
SANFRESH	Methacrylate/Acrylate-based	Cross-linked acrylic acid polymer sodium salt	p72	powder	<ul style="list-style-type: none"> Crushed particulate superabsorbent polymer Water absorbent & retention agent (soil conditioners/seedbeds/portable toilets/dog toilet sheets/gel-type air fresheners/under pads/disposable body warmers)/additive for cosmetics & medical use/thickener/ice packs 	



For heat insulators of refrigerators







For heat insulators for houses



For ice packs

18 Antibacterial to destroy bacteria or suppress of their growth








As for the antibacterial agents for drugs or quasi-drugs use, please contact to our Sales & Marketing Dept.

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
OSMORIN DA-50	Ammonium salt-based cationic surfactants	Didecyldimethylammonium adipate	p59	liquid	<ul style="list-style-type: none"> Halogen-free Germicide for industrial use (food factory, fiber processing), detergent for food factory/wood & metal-cleaning-bath preservative 	 
CATION DDC		Didecyldimethylammonium chloride	p59	liquid	<ul style="list-style-type: none"> Wide spectrum antibacterial activities Germicide, detergent for food factory/slime- & algae-controlling agent/wood preservation/antifungal for coating 	 



For disinfectants

Continued on the next page →

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
LEBON TM-16, TM-16MS	Ammonium salt-based cationic surfactants	Cetyltrimethylammonium -chloride, -methyl sulfate	p59	liquid	<ul style="list-style-type: none"> • Having antibacterial & antifungal effect even at low concentration • For industrial use such as germicides for food factory, public facilities/slime control of coolant/antibacterial treatment for fibers/fungicide for coatings/wood preservation 	  
CATION G-50	Benzalkonium-based cationic surfactants	Benzalkonium chloride	p60	liquid	<ul style="list-style-type: none"> • Wide spectrum antibacterial activities • Germicide, detergent for food factory/germicide for industrial use • Hair conditioner & treatment base 	
LEBON S, T-2	Amino acid-type amphoteric surfactants	Dodecylaminoethylaminoethyl-glycine/Alkyldiaminoethyl-glycine hydrochloride	p66	liquid, solid	<ul style="list-style-type: none"> • Wide spectrum antibacterial activities/little deterioration of germicidal activity even in the presence of proteins • Lower oval toxicity & skin irritancy compared to cationic antibacterial agents • Germicides & detergents for food factory (industrial use) 	
NEWPOL DDE-10	Ether-based nonionic surfactants	Polyoxyethylene lauryl glycol	p61	paste	<ul style="list-style-type: none"> • Alkanediol derivative of dodecanediol in which about 1 mol ethylene oxide is adducted in average • Low irritancy to eyes & skins • Antibacterial-, antifungal-, thickening agent for hair shampoos, conditioners, cosmetics & detergents 	
NEWPOL EFP		Phenoxyethanol	p61	liquid	<ul style="list-style-type: none"> • Excellent solubility of fats & oils • Solvent of cosmetics, detergents/preservative for cosmetics 	



















Without treatment



With treatment

19 Rust Preventive

to avoid rusting

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
HIGHCLEAN	Anionic surfactants	Compound of lubricant & proprietary antibacterial surfactant	-	liquid (possibly jelly in winter)	<ul style="list-style-type: none"> • Chlorine free • Imparting excellent cutting processability/anti-septicity • Water-soluble cutting oil 	
SANHIBITOR	Anionic or nonionic surfactants	Proprietary anionic or nonionic surfactant	-	liquid, paste	<ul style="list-style-type: none"> • Rust inhibitor for machinery & metals 	 
	Acids/Acid Anhydrides	Alkenylsuccinic acid ester or Alkenylsuccinic anhydride	p68			 
PROFAN	Amide-based nonionic surfactants	Alkylol amide based surfactants	p60	liquid, solid, flake	<ul style="list-style-type: none"> • Foaming agent, foam stabilizer, thickener & detergency enhancer for shampoos, liquid detergents & bactericidal detergent/rust preventive 	
IONET S	Ester-based nonionic surfactants	Sorbitan mono- or di-fatty acid ester	p65	liquid, granule	<ul style="list-style-type: none"> • SPAN type lipophilic surfactants derived from plants • Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/defoaming agent • Viscosity modifier for coatings & ink/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil 	 
IONET T		Polyoxyethylene sorbitan monofatty acid ester	p65	liquid	<ul style="list-style-type: none"> • TWEEN type hydrophilic surfactants derived from plants • Emulsifier/dispersant/wettability modifier/rust inhibitor/solubilizer/leveling agent & softener for fibers/lubricant/machining oil/metalworking oil • Plasticizer for enteric-soluble coating agents, etc./ointment bases/viscosity modifier for coatings & ink 	 
DSA, PDSA-DA	Acids/Acid Anhydrides	Alkenyl succinic anhydride	p69	liquid	<ul style="list-style-type: none"> • Imparting long pot life, excellent electrical insulating property, flexibility & bending strength to resins • Epoxy curing agent/rust preventive/corrosion inhibitor 	 
POLYIMIDE L	Nitrogen-Containing Compounds	Polyamideamine	p69	liquid	<ul style="list-style-type: none"> • Cured epoxy resin has rust prevention, excellent adhesion, toughness & flexibility • Curing agent for epoxy resin used to coatings, adhesives, civil engineering & construction, laminating & casting materials, etc. 	  
BFA-3	Non-disclosure	Proprietary compound	-	liquid	<ul style="list-style-type: none"> • Imparting antioxidative & rust inhibiting properties • Additive for brake fluids 	





Without rust preventive



With rust preventive

20 Deterioration Preventive


to suppress undesirable reactions such as oxidation, combustion reactions & decomposition

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
BFA-3	Non-disclosure	Proprietary compound	-	liquid	<ul style="list-style-type: none"> Imparting antioxidative & rust inhibiting properties Additive for brake fluids 	
TENKAZAI Y-24	Polyols	Phosphorus-containing polyol	-	liquid	<ul style="list-style-type: none"> Less deterioration of flame-retardant with time (low bleed-out property) because of the active hydrogen group to react isocyanate Flame-retardant for rigid polyurethane foam 	












21 Reaction Accelerating

to accelerate intend reactions

Beside, our subsidiary & affiliate; San-Apro Ltd. also provides related products (p91)

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
SERABON DH-505	Anionic surfactants	Proprietary anionic surfactant	-	liquid	<ul style="list-style-type: none"> Dehydration promoting agent for metal sulfide concentration 	
























22 Other Functions

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
EMULMIN No.	Ether-based nonionic surfactants	Polyoxyethylene alkyl ether derived from natural higher alcohols	p61	liquid, solid, paste	<ul style="list-style-type: none"> Offering a wide selection from HLB (lipophilicity/hydrophilicity parameter)/biodegradable Detergent/emulsifier/dispersant/solubilizer/emulsifier for emulsion polymerization/gelling, foaming & wetting agent/oiliness improver Sulfation, phosphorylation base/pulp cooking aid/leveling, soaping agent 	
SANTOPEARL GE-70	Ester-based nonionic surfactants	Ethylene glycol distearate	p64	flake	<ul style="list-style-type: none"> Pearling agent for shampoos 	
SANWAX	Olefin-based compounds	Low-molecular-weight polyethylene	p68	powder, pellet, etc.	<ul style="list-style-type: none"> Moderate hardness, low melt viscosity equivalent to polyethylene/incompatible with polymers excepting polyolefins/for cosmetics/abrasives/anti-sagging agents/binder for ink/pigments, filler dispersants/improver for flowability, softening point, abrasion-resistance & releasability/flatting agent/lubricant/fixing agent for agrichemicals 	 
VISCOL		Low-molecular-weight polypropylene	p68	powder	<ul style="list-style-type: none"> Moderate hardness, low melt viscosity equivalent to polypropylene/incompatible with polymers excepting polyolefins/for abrasives/anti-sagging agents/binder for ink/pigment, filler dispersant/releasing agent for toner/improver for flowability, releasability, softening point & abrasion-resistance/flatting agent/lubricant 	 
SIPA, SIPE-40L, SIPM	Sodium-5-sulphoisophthalic acid/ Ethylene glycol solution of 1,3-Benzendicarboxylic acid, 5-sulfo-, 1-3-bis (2-hydroxyethyl) esters, monosodium salts/ 5-Sodium sulfo dimethyl isophthalate		p68/ -	granule, liquid, powder	<ul style="list-style-type: none"> Imparting cationic dyability, hydrophilicity & antistatic property to polymers such as polyester, polyurethane & polyamide 	
PEG	Polyols	Polyethylene glycol	p70	liquid, wax, paste, flake, powder	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Low acute toxicity/low irritancy to eyes & skins Widely used in various applications 	  
POLYQUID	Methacrylate/Acrylate-based	Methacrylic acid - ethyl acrylate copolymer	p72	liquid	<ul style="list-style-type: none"> Aqueous dispersion Enteric-soluble coating agent/masking pungency/binder for matrices Corresponding to Pharmacopoeias in the USA, Japan & some product are compatible to the ones in Europe 	



























23 For Reacting/Forming

Raw materials for synthesis, polymerization reactions, excipients, forming or shaping

Beside, our subsidiary & affiliate; San-Petrochemicals Co., Ltd. also provides related products (p91)


















Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
TOXANON	Polycarboxylate	Excipient	-	liquid	<ul style="list-style-type: none"> Imparting excellent spreading property to agrichemical granules Excellent binding property/enhancing hardness of granules Dispersant & binder for agrichemical granules 	
SANMORIN OT	Sodium dioctyl sulfosuccinate	Excipient	p57	liquid	<ul style="list-style-type: none"> Particularly excellent penetrating property among surfactants/excellent wettability to hydrophobic materials/wetting- & penetrating agent/dispersant & binder for granules/penetrating agent for agrichemical spreading/dispersant/emulsifier for emulsion polymerization Suitable for aqueous (water-soluble, emulsion) coatings 	
NEWDET PE-85	Polyoxyethylene polyoxypropylene glycol	Excipient	p63	petrolatum jelly	<ul style="list-style-type: none"> Corresponding to Japanese Pharmaceutical Excipients Pharmaceutical excipients (solubilizer for liquid medicine/stabilizer/wetting agent for ointment/suppository base/gelling agent/binder for tablets/coating agent) Cleaning agent for medical equipment 	
NEWPOL PE		Synthesis, Excipient	p63	liquid, flake, paste	<ul style="list-style-type: none"> Low foaming property Detergent base/detergent/raw-material for quasi-drugs (wetting agent/solubilizer/gelling agent/binder/coating agent, etc.)/fiber treating agent (lubricant/desizing agent)/emulsifier/dispersant/solubilizer/antistatic agent 	
NEWPOL 50HB, 75H-90000, LB, NSQ, V	Polyols (Look at the page by composition)	Synthesis, Polymerization	p62 p63 p64	liquid	<ul style="list-style-type: none"> Offering a wide selection from water-soluble to -insoluble products Wetting agent, moisturizer & viscosity controller for cosmetics/releasing lubricant/lubricant for machinery, metals & fabrics/defoaming agent/raw materials for lubricant, hydraulic oils/quenching oil for machinery & metals/emulsion-breaker/heating-medium 	
NEWPOL PP	Polyoxypropylene glycol	Synthesis, Polymerization	p61	liquid	<ul style="list-style-type: none"> Non-volatile/low freezing point Wetting agent & moisturizer for cosmetics/raw material for cosmetics, surfactant & synthetic lubricant/releasing lubricant 	   
NEWPOL GP	Polyoxypropylene triol	Synthesis, Polymerization	p64	liquid		  
POLYSORBATE 80	Modified solbitan	Excipient	-	liquid	<ul style="list-style-type: none"> Derived from plants/no animal ingredients nor genetically-modified ingredients For pharmaceutical preparations (plasticizer/lubricant/solubilizer/wetting agent/emulsifier/thickener/dispersant/binder/base material/auxiliary disintegrant) Corresponding to the pharmacopoeias (JP, USP/NF, EP) (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) 	
PEG	Polyethylene glycol	Synthesis, Polymerization, Excipient	p70	liquid, wax, paste, flake, powder	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Low acute toxicity/low irritancy to eyes & skins Widely used in various applications 	
MACROGOL		Excipient	p70	liquid, flake, powder, paste	<ul style="list-style-type: none"> Compatible with skin/water-soluble & -retainable/non-volatile/free from greasiness Corresponding to the Japanese Pharmacopoeias & Pharmaceutical Excipients (Exclusively used in medical drug manufacturing/medical drug for exclusive use in manufacturing) Base material for ointments & suppositories/lubricant & binder for tablets or capsules/plasticizer & solubilizer for manufacturing medicine 	
NEOMER	Acrylate/Methacrylate-monomer (Look at the page by composition)	Polymerization, Film formation	p72 p73	liquid	<ul style="list-style-type: none"> Low odor & low irritancy to skin Providing hard coating film with excellent solvent resistance Monomer for UV, EB curing resin 	   
ACRYLATE SMC-80H	Dimethylaminoethyl acrylate quaternary salt	Polymerization	p72	liquid	<ul style="list-style-type: none"> Monomer for water-soluble cationic polymer/flocculant/papermaking chemicals 	
METHACRYLATE	Long-chain alkyl methacrylate or dialkylaminoalkyl methacrylate derivatives	Polymerization	p73	liquid	<ul style="list-style-type: none"> Good copolymerizability with other vinyl monomers Polymer modifier/imparting hydrophilicity, antistatic or adsorptive property/drainage & retention aid in paper making processes/polymer flocculant/electrodialysis or reverse osmosis membrane/ion-exchange resin/paper strengthening agent 	 
NEWPOL MP-5	Polypropylene glycol monomethacrylate	Polymerization	p73	liquid	<ul style="list-style-type: none"> Containing a hydroxyl- & a methacrylic group in a molecule Resin modifier 	

Continued on the next page →
















Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
SOFIC W-802	Acrylic resin solution	Polymerization, Film formation	-	liquid	<ul style="list-style-type: none"> Excellent adhesion, glossiness, abrasion-resistance, blocking-resistance property & pasting suitability Mixed solvent of water & alcohol Gloss coating agent for printing paper 	 
POLYQUID	Methacrylic acid - ethyl acrylate copolymer	Polymerization, Excipient	p72	liquid	<ul style="list-style-type: none"> Aqueous dispersion Enteric-soluble coating agent/masking pungency/binder for matrices Corresponding to Pharmacopoeias in the USA, Japan & some product are compatible to the ones in Europe 	
GLYCIALE PP	Polyoxypropylene glycol diglycidyl ether	Polymerization, Film formation	p67	liquid	<ul style="list-style-type: none"> Imparting flexibility & plasticity to resins Providing rust preventive coating film Raw material for epoxy resins & electrodeposition coatings/resin modifier 	
VCH	4-Vinyl-1-cyclohexene	Synthesis, Polymerization	p68	liquid	<ul style="list-style-type: none"> Monomer for resins/polymerization Mw 108.2, CAS No. 100-40-3, San-Petrochemicals Co., Ltd.'s products 	
REGIT SM	Styrene-maleic acid ester copolymer	Forming	-	granule	<ul style="list-style-type: none"> Containing carboxyl groups in a molecule Dispersant for pigments & fillers/imparting hardness, abrasion-resistance & leveling property for floor polish coatings 	 
SANWAX	Low-molecular-weight polyethylene	Forming, Excipient	p68	powder, pellet, etc.	<ul style="list-style-type: none"> Moderate hardness, low melt viscosity equivalent to polyethylene/incompatible with polymers excepting polyolefins/for cosmetics/abrasives/anti-sagging agents/binder for ink/pigments, filler dispersants/improver for flowability, softening point, abrasion-resistance & releasability/ flattening agent/lubricant/fixing agent for agrichemicals 	 
VISCOL	Low-molecular-weight polypropylene	Forming, Excipient	p68	powder	<ul style="list-style-type: none"> Moderate hardness, low melt viscosity equivalent to polypropylene/incompatible with polymers excepting polyolefins/for abrasives/anti-sagging agents/binder for ink/pigment, filler dispersant/releasing agent for toner/improver for flowability, releasability, softening point & abrasion-resistance/flattening agent/lubricant 	
SANNIX AP-470, NE-240, NL	Aliphatic amine-based polyol	Polymerization, Forming, Molding	p69	liquid	<ul style="list-style-type: none"> Low viscosity/high reactivity Raw material for polyurethane foam 	 
SANNIX NP-300 NEWPOL NP-300		Polymerization, Forming	p69/ -	liquid	<ul style="list-style-type: none"> Little shrinkage of foaming Raw material for polyurethane foam Cross-linking agent 	
SANNIX HM	Aromatic amine-based polyol	Polymerization, Forming	p70	liquid	<ul style="list-style-type: none"> Good compatibility with aromatic polyisocyanates Resulting foam has excellent compressive strength & dimensional stability with fine-cells Raw material for polyurethane foam (rigid foam for injection panels or boards) 	
MELPOL F-220	Isocyanate modified polyether	Polymerization, Film formation	-	pellet	<ul style="list-style-type: none"> Aqueous solution has surface activating ability/forming flexible & elastic film Decomposing thermally at relatively low temperature & hardly-leaving ash after incineration Sizing agent for glass-fibers (warp-yarn)/water-soluble polymer 	
SANESTER	Alkylene adipates	Polymerization, Film formation, Forming	p69	liquid to paste, solid, etc.	<ul style="list-style-type: none"> Raw material for polyurethane resins (e.g. adhesives, coatings, elastomers & sealants) 	  
NEWPOL BP	Bisphenol A-propylene oxide adduct	Polymerization, Forming	p70	liquid	<ul style="list-style-type: none"> Resulting resin has excellent corrosion resistance & flexibility Raw material for resins, organic-intermediate/modifier for resin 	 
NEWPOL BPE	Bisphenol A-ethylene oxide adduct	Polymerization, Forming	p70	liquid, block, etc.		 
SANNIX HS	Sucrose-based polyether polyol	Polymerization, Forming	p70	liquid	<ul style="list-style-type: none"> Low viscosity Resulting foam has excellent dimensional stability, mechanical properties & heat resistance Raw material for polyurethane foam (high-density rigid foam) 	
SANNIX FA	Proprietary polyether polyol	Polymerization, Forming	-	liquid	<ul style="list-style-type: none"> Offering a wide selection of molecular weight Raw material for polyurethane foam For polyurethane foam from flexible to semi-rigid 	
SANNIX HD-402	Pentaerythritol-based polyetherpolyol	Polymerization, Forming	p71	liquid	<ul style="list-style-type: none"> Excellent mechanical property & heat resistance Raw material for polyurethane foam (high density rigid foam) 	 



For sofas

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
SANNIX PL-2100	Polyoxyethylene polyoxypropylene glycol	Polymerization, Forming	p70	liquid	<ul style="list-style-type: none"> Raw material for polyurethane foam & resins (e.g. adhesives, coatings, elastomers & sealants) 	
SANNIX PF-615	Polyether polyol	Polymerization, Forming	-	liquid	<ul style="list-style-type: none"> Excellent flowability Raw material for polyurethane foam (casting rigid foam) 	
ECONIX PF-610	Polyetherpolyol compound	Polymerization, Forming	-	liquid	<ul style="list-style-type: none"> Raw material for casting polyurethane foam 	
SANNIX GL-3000	Polyoxyetylenepolyoxypropylene triol	Polymerization, Forming	p71	liquid	<ul style="list-style-type: none"> High reactivity Raw material for polyurethane foam (such as flexible mold foam) 	
SANNIX GP, GH	Polyoxypropylene triol	Polymerization, Forming	p71/ -	liquid	<ul style="list-style-type: none"> Offering a wide selection of molecular weight The resulting foam has ideal balance of properties Raw material for polyurethane foam & resins (e.g. adhesives, coatings, elastomers & sealants) 	
SANNIX PP	Polyoxypropylene glycol	Polymerization, Forming	p71	liquid		
SANNIX SP-750	Polyoxypropylene sorbitol ether	Polymerization, Forming	p71	liquid	<ul style="list-style-type: none"> Raw material for polyurethane foam & resins (e.g. adhesives, coatings, elastomers & sealants) 	
SANNIX TP-400	Trimethylolpropane-based polyether polyol	Polymerization, Forming	p71	liquid		
PRIMEPOL	Polyoxypropylene glycol or triol	Polymerization, Forming	p71	liquid	<ul style="list-style-type: none"> Excellent reactivity because of its high ratio of primary hydroxyl group with approx. 70mol %/ compatible water resistant which is a conflicting performance Raw material for polyurethane foam & resins (e.g. adhesives, coatings, elastomers & sealants) 	
SANNIX KC	Polyether polyol or polymer polyol	Polymerization, Forming	-	liquid	<ul style="list-style-type: none"> Excellent curability and durability (moist heat resistance) Raw material for polyurethane foam (high-resilient foam) 	
SHARFLOW FS-7301	Polymer polyol	Polymerization, Forming	-	liquid	<ul style="list-style-type: none"> Resulting foams have high hardness and good physical properties with good breathability Raw material for flexible slabstock foam 	
DSA, PDSA-DA	Alkenyl succinic anhydride	Synthesis, Polymerization	p69	liquid	<ul style="list-style-type: none"> Imparting long pot life, excellent electrical insulating property, flexibility & bending strength to resins Epoxy curing agent/rust preventive/corrosion inhibitor 	
SANAMEEL TAP	Polyetheramine	Polymerization	-	liquid	<ul style="list-style-type: none"> Low viscosity/high reactivity Offering flexible & hydrophilic cured resin Epoxy resin curing agent/raw material for epoxy resin emulsion 	
POLYMIDE L	Polyamideamine	Polymerization, Film formation, Forming	p69	liquid	<ul style="list-style-type: none"> Cured epoxy resin has rust prevention, excellent adhesion, toughness & flexibility Curing agent for epoxy resin used to coatings, adhesives, civil engineering & construction, laminating & casting materials, etc. 	
POLYMIDE S		Polymerization, Firm formation	p69	powder	<ul style="list-style-type: none"> Resulting coating film has excellent water-, chemical-, abrasion-, weather-, oil-, blocking-resistance Excellent glossiness & adhesion to polyolefin films Resin for special gravure printing ink 	
REACT CA-101	Modified aliphatic polyamine	Polymerization, Firm formation	-	liquid	<ul style="list-style-type: none"> Excellent low-temperature curability/hardly susceptible to carbon dioxide & moisture on curing Epoxy resin curing agent 	
GREENMODUR	Polyurethanated product derived from biological materials	Shaping, Forming	-	board	<ul style="list-style-type: none"> Tooling material (chemical board) for models or molds in various processes (designing, trial, & production) by cutting & milling Excellent fine structure, dimensional stability, homogeneity & processability Using biomass as raw materials 	

Continued on the next page →

Product Name	Composition Classification	Principal Component	Page	Form (20±5°C)	Uses & Features (of all functions)	Major Applications
SANMODUR	Synthetic/artificial wood (Polyurethanated product)	Shaping, Forming	-	board	<ul style="list-style-type: none"> Tooling material (chemical board) for models & molds in various processes (designing, trial & production) by cutting & milling Excellent fine structure, dimensional stability, homogeneity & processability/ giving appropriate property according to the application 	
PERMARIN	Polyurethane emulsion	Film formation	p74	liquid	<ul style="list-style-type: none"> Resulting coating film has excellent flexibility, water-, adhesion- & chemical resistance Raw material for coatings, ink & adhesives/binder for pigment printing Texture modifier/shrink-resistant finishing agent/imparting elastic repulsion/ pilling preventing agent 	
UCOAT		Film formation	p74	liquid	<ul style="list-style-type: none"> Forming coating films has excellent yellowing-, water- & chemical-resistance, flexibility & adhesion Resin for aqueous coating materials 	
UPRENE UXA-307		Film formation	p74	liquid	<ul style="list-style-type: none"> Forming film has excellent adhesion & water-resistance Adhesive for plastics, fabrics & woods/excels in adhesion with PVC sheet & plywood Unavailable for use directly brought into contact with the skins because of containing N-methyl pyrrolidone 	
SANFOAM (RC-1026, IC-559)		Two-component type (main and curing agent) of polyurethane	Polymerization, Forming	p74	liquid	<ul style="list-style-type: none"> Raw material for polyurethane foam (cushion for automobiles, etc./cold molding flexible foam)
POLYMEDICA	Two-component type polyurethane	Polymerization, Forming	-	liquid	<ul style="list-style-type: none"> Potting material for dialyzer & water purifiers 	
COATRON	Polyurethane solution	Film formation	p74	liquid	<ul style="list-style-type: none"> Resin for coatings 	
SANPRENE H		Film formation	p74	liquid	<ul style="list-style-type: none"> Resulting adhesion layer has excellent moisture permeability Top layer for moisture-permeable & waterproofing fabrics (resulting film has the excellent moisture-permeability) 	
SANPRENE HMP-17A		Film formation	p74	liquid	<ul style="list-style-type: none"> Top layer for moisture-permeable & waterproofing fabrics (resulting film has the excellent moisture-permeability) For resin of artificial leather or synthetic leather 	
SANPRENE IB		Film formation	p74	liquid	<ul style="list-style-type: none"> Resulting coating film has excellent weather-, water-, chemical-, abrasion-, blocking-resistance & adhesion For resin of special gravure ink 	
SANPRENE LQ		Film formation	p74	liquid	<ul style="list-style-type: none"> For resin of artificial leather & synthetic leather Top layer for moisture-permeable & waterproofing fabrics (resulting film has the excellent moisture permeability) 	
THERPUS		Polyurethane beads	Film formation	-	powder	<ul style="list-style-type: none"> Skin material for automobile interiors (polyurethane beads for slush molding) Excellent in flowability, handling performance, moldability, heat-& light resistance
SANPRENE FLR-603	Urethane prepolymer	Polymerization, Film formation	p73	liquid	<ul style="list-style-type: none"> Cold curing/resulting coating film has excellent abrasion-resistance For floor coating (especially concrete floor) 	
SANPRENE P		Polymerization, Forming	p73	liquid	<ul style="list-style-type: none"> Resulting elastomer has excellent abrasion resistance, mechanical properties & low permanent compression set For polyurethane elastomer 	
SANPRENE C		Film formation	p73	liquid	<ul style="list-style-type: none"> Resulting coating film has excellent abrasion-, shock-& chemical-resistance, gloss-retention & adhesion One-component moisture curing system Urethane clear lacquer 	
SANPEX PA-55	Glycidyl group-containing acrylic resin	Polymerization, Film formation	-	granule	<ul style="list-style-type: none"> Used in combination with dibasic acid Resulting coating film has excellent pigment dispersibility, weather resistance/glossiness & smoothness Resin for powder coating 	
SANMODUR (two-component type)	Two-component curing type epoxy resin	Polymerization, Forming, Shaping	-	liquid, paste	<ul style="list-style-type: none"> Resin for models or molds made by cutting or casting from reverse molds in various processes for developing products/mounting & molding resin/adhesive/mounting repairment Excellent fine structure, dimensional stability, homogeneity, processability, workability/ giving appropriate property according to the application 	



For tooling material (chemical board) for modeling



For automobile interiors



For synthetic leathers

Anionic Surfactants

Carboxylic-based

Composition and Structure	Product Name	Function
Sodium polyacrylate 	ELEMNOL MBN-2	p9 Emulsifying
Sodium polyoxyethylene tridecyl ether carboxylate $C_{13}H_{27}O-(CH_2CH_2O)_n-CH_2COO^- Na^+$	BEAULIGHT ECA	p3 Cleaning p21 Foaming/-stabilizing
Polyoxyethylene lauryl ether carboxylic acid $C_{12}H_{25}O-(CH_2CH_2O)_n-CH_2COOH$	BEAULIGHT LCA-H	p3 Cleaning p21 Foaming/-stabilizing
Sodium polyoxyethylene lauryl ether carboxylate $C_{12}H_{25}O-(CH_2CH_2O)_n-CH_2COO^- Na^+$	BEAULIGHT LCA	p3 Cleaning p21 Foaming/-stabilizing
Polycarboxylate 	CARRYBON L-400	p15 Dispersing p35 Viscosity Controlling
Sodium [(2-hydroxydodecyl)-oxy] acetate $C_{10}H_{21}-CH(OH)CH_2O-CH_2COO^- Na^+$	BEAULIGHT SHAA	p3 Cleaning p21 Foaming/-stabilizing

Sulfosuccinate-based

Composition and Structure	Product Name	Function
Disodium laureth sulfosuccinate $C_{12}H_{25}O-C(=O)-CH(SO_3^- Na^+)-CH_2COO^- Na^+$	BEAULIGHT SSS	p3 Cleaning p21 Foaming/-stabilizing
Sodium dioctyl sulfosuccinate 	CARABON DA-72	p5 Wetting/Penetrating p9 Emulsifying p15 Dispersing
	SANSEPARER 100	p15 Dispersing p23 Lubricating/Leveling
	SANMORIN OT	p5 Wetting/Penetrating p9 Emulsifying p15 Dispersing p49 For Reacting/Forming
Disodium polyoxyethylene lauryl sulfosuccinate $C_{12}H_{25}O-(CH_2CH_2O)_n-C(=O)-CH(SO_3^- Na^+)-CH_2COO^- Na^+$	BEAULIGHT LSS	p3 Cleaning p21 Foaming/-stabilizing
Sodium alkyl allyl sulfosuccinate $H_2C=CH-CH_2O-C(=O)-CH(SO_3^- Na^+)-CH_2OCOR$	ELEMNOL JS-20	p9 Emulsifying

Continued on the next page →

Composition and Structure	Product Name	Function
Disodium mono-(lauroylethanolamide polyoxyethylene) sulfosuccinate $C_{11}H_{23}C(=O)-NH-CH_2CH_2O-(CH_2CH_2O)_n-C(=O)-CH(SO_3^- Na^+)-CH_2COO^- Na^+$	BEAULIGHT A-5000	p3 Cleaning p21 Foaming/-stabilizing
Disodium polyoxyethylene alkyl sulfosuccinate $R-O-(CH_2CH_2O)_n-C(=O)-CH(SO_3^- Na^+)-CH_2COO^- Na^+$	BEAULIGHT ESS	p3 Cleaning p21 Foaming/-stabilizing

Sulfonate-based

Composition and Structure	Product Name	Function
Sodium naphthalenesulfonate formalin condensate 	SANYO LEVELON PHL	p15 Dispersing

Sulfuric acid ester-based

Composition and Structure	Product Name	Function
Sodium 2-ethylhexyl sulfate $CH_3CH_2CH_2CH_2-CH(CH_2CH_3)-CH_2-O-SO_3^- Na^+$	SANDET ONA	p9 Emulsifying p15 Dispersing
Polyoxyalkylene alkyl ether ammonium sulfate $R-O-(AO)_n-SO_3^- NH_4^+$ AO: Alkylene oxide	ELEMNOL CLS-20	p9 Emulsifying
Sodium polyoxyethylene alkyl ether sulfate $R-O-(CH_2CH_2O)_n-SO_3^- Na^+$	SANDET END	p3 Cleaning p21 Foaming/-stabilizing
Sodium polyoxyethylene lauryl ether sulfate $C_{12}H_{25}O-(CH_2CH_2O)_n-SO_3^- Na^+$	SANDET EN	p3 Cleaning p9 Emulsifying p21 Foaming/-stabilizing
	BEAULIGHT NA-25S	p3 Cleaning p21 Foaming/-stabilizing
Polyoxyethylene lauryl ether sulfate triethanolamine $C_{12}H_{25}O-(CH_2CH_2O)_n-SO_3H \cdot N(CH_2CH_2OH)_3$	SANDET ET	p3 Cleaning p21 Foaming/-stabilizing
Methacryloyloxy polyoxypropylene sodium sulfate $H_2C=C(CH_3)-C(=O)-O-(CH_2CH(CH_3)-O)_n-SO_3^- Na^+$	ELEMNOL RS-3000	p9 Emulsifying

Cationic Surfactants

Ammonium salt-based

Composition and Structure	Product Name	Function
<p>Cetyltrimethylammonium chloride, Cetyltrimethylammonium methyl sulfate</p> $\text{R}-\text{N}^+(\text{CH}_3)_3 \text{X}^-$ <p>R: Mainly Cetyl X: Chloride or Methyl sulfate</p>	LEBON TM-16, 16MS	p45 Lubricating/Leveling Antibacterial
<p>Stearyltrimethylammonium chloride</p> $\text{R}-\text{N}^+(\text{CH}_3)_3 \text{Cl}^-$ <p>R: Mainly Stearyl</p>	LEBON TM-18, 18PA	p23 Lubricating/Leveling p31 Plasticizing/Softening p39 Antistatic
<p>Ethyl sulfuric acid lanolin fatty acid aminopropylethyl dimethylammonium</p> $\text{R}-\text{C}(=\text{O})\text{NH}-\text{CH}_2\text{CH}_2\text{CH}_2-\text{N}^+(\text{CH}_3)_2\text{C}_2\text{H}_5 \cdot \text{C}_2\text{H}_5\text{SO}_4^-$ <p>R: Lanolin acid residue</p>	CATION LQ	p23 Lubricating/Leveling p31 Plasticizing/Softening p39 Antistatic
<p>Didecyltrimethylammonium adipate</p> $\left[\text{C}_{10}\text{H}_{21}-\text{N}^+(\text{CH}_3)_3 \right]_2 \text{O}^- \text{C}(=\text{O})-\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2-\text{C}(=\text{O})-\text{O}^-$	OSMORIN DA-50	p43 Antibacterial
<p>Didecyltrimethylammonium chloride</p> $\text{C}_{10}\text{H}_{21}-\text{N}^+(\text{CH}_3)_3 \text{Cl}^-$	CATION DDC	p43 Antibacterial
<p>Behenyltrimethylammonium chloride or Stearyltrimethylammonium chloride</p> $\text{R}-\text{N}^+(\text{CH}_3)_3 \text{Cl}^-$ <p>R: Mainly Behenyl or Stearyl</p>	ECONOL	p23 Lubricating/Leveling p31 Plasticizing/Softening p39 Antistatic
<p>Distearyltrimethylammonium chloride</p> $\text{R}-\text{N}^+(\text{CH}_3)_3 \text{Cl}^-$ <p>R: Mainly Stearyl</p>	CATION DSV	p23 Lubricating/Leveling p31 Plasticizing/Softening p39 Antistatic

Imidazolium salt-based

Composition and Structure	Product Name	Function
<p>Imidazole compound</p> $\text{H}_3\text{C}-\text{N}^+(\text{R}^1)-\text{C}(\text{R}^2)=\text{N}-\text{CH}_2-\text{N}^+\text{X}^-$	CATION SF	p23 Lubricating/Leveling p31 Plasticizing/Softening p39 Antistatic

Benzalkonium-based

Composition and Structure	Product Name	Function
<p>Stearyldimethylbenzylammonium chloride</p> $\text{R}-\text{N}^+(\text{CH}_3)_2-\text{CH}_2-\text{C}_6\text{H}_5 \text{Cl}^-$ <p>R: Mainly Stearyl</p>	CATION S	p23 Lubricating/Leveling p31 Plasticizing/Softening p39 Antistatic
<p>Benzalkonium chloride</p> $\text{R}-\text{N}^+(\text{CH}_3)_2-\text{CH}_2-\text{C}_6\text{H}_5 \text{Cl}^-$ <p>R: Mainly Dodecyl, Tetradecyl</p>	CATION G-50	p5 Wetting/Penetrating p31 Plasticizing/Softening p45 Antibacterial

Nonionic Surfactants

Amide-based

Composition and Structure	Product Name	Function
<p>Alkylol amide based surfactant</p> $\text{R}-\text{C}(=\text{O})-\text{N}(\text{CH}_2\text{CH}_2-\text{OH})_2$	PROFAN 128 EXTRA, AA-62EX, EXTRA 24	p3 Cleaning p21 Foaming/-stabilizing p35 Viscosity Controlling p45 Rust Preventive
<p>Alkylol amide based surfactant</p> $\text{R}-\text{C}(=\text{O})-\text{N}(\text{CH}_2\text{CH}_2-\text{OH})_2 \cdot \text{HN}(\text{CH}_2\text{CH}_2-\text{OH})_2$	PROFAN 2012E	p3 Cleaning p21 Foaming/-stabilizing p35 Viscosity Controlling p45 Rust Preventive
<p>Alkylol amide based surfactant</p> $\text{R}-\text{C}(=\text{O})-\text{NH}-\text{CH}_2\text{CH}_2-\text{OH}$	PROFAN AB-20, SME	p3 Cleaning p21 Foaming/-stabilizing p35 Viscosity Controlling p45 Rust Preventive
<p>Alkylol amide based surfactant</p> $\text{R}-\text{C}(=\text{O})-\text{NH}-\text{CH}_2\text{CH}_2\text{O}-(\text{CH}_2\text{CH}_2\text{O})_n-\text{H}$	PROFAN ME-20	p3 Cleaning p21 Foaming/-stabilizing p35 Viscosity Controlling p45 Rust Preventive

Ether-based (Amine type)

Composition and Structure	Product Name	Function
<p>Polyoxyalkylene alkyl amine</p> $\text{R}-\text{N}(\text{AO})_n-\text{H}$ <p>AO: Alkylene oxide</p>	PUREMEEL	p3 Cleaning
	EMULMIN LCA-10	p3 Cleaning p21 Foaming/-stabilizing

Ether-based

Composition and Structure	Product Name	Function
Phenoxyethanol 	NEWPOL EFP	p13 Solubilizing
		p45 Antibacterial
Polyoxypropylene monobutyl ether 	COLORIN 104	p23 Defoaming
Polyoxyalkylene alkyl ether derived from synthetic alcohols 	SANNONIC TN	p5 Cleaning
	SESORAN FF	p5 Cleaning
	NAROACTY CL SANNONIC FN	p3, 5 Cleaning
		p7 Wetting/Penetrating
		p11 Emulsifying
	p17 Dispersing	
	NAROACTY ID	p3 Cleaning
NEWPOL B-12	p7 Wetting/Penetrating	
BLEMBER	p13 Solubilizing	
Polyoxyethylene alkyl ether 	ELEMINOL 200L	p11 Emulsifying
Polyoxyethylene lauryl glycol derived from synthetic alcohols 	NEWPOL DDE-10	p37 Viscosity Controlling
		p45 Antibacterial
Polyoxypropylene glycol 	NEWPOL PP	p7 Wetting/Penetrating
Polyoxyalkylene glycol monoether or borate 	NEWPOL SBF	p25 Lubricating/Leveling
		p49 For Reacting/Forming
Polyoxyalkylene lauryl ether derived from natural higher alcohols 	EMULMIN FL, HL	p3 Cleaning
		p5 Wetting/Penetrating
		p11 Emulsifying
		p13 Solubilizing
		p17 Dispersing
Polyoxyethylene alkyl ether derived from natural higher alcohols 	EMULMIN No.	p3 Cleaning
		p5 Wetting/Penetrating
		p9 Emulsifying
		p13 Solubilizing
		p17 Dispersing
		p21 Foaming/-stabilizing
		p47 Other Functions

Continued on the next page →

Composition and Structure	Product Name	Function
Polyoxyalkylene alkyl ether derived from synthetic alcohols 	SANMORIN 11	p7 Wetting/Penetrating
	SANNONIC DE-70	p5 Cleaning
		p7 Wetting/Penetrating
	SANNONIC SS	p5 Cleaning
		p7 Wetting/Penetrating
		p11 Emulsifying
		p17 Dispersing
Polyoxyethylene alkyl ether with limonene 	CHEMICLEAN DLE-20	p5 Cleaning
Polyoxyethylene cetyl ether derived from natural higher alcohols 	EMULMIN CC	p11 Emulsifying
		p13 Solubilizing
		p17 Dispersing
		p21 Foaming/-stabilizing
		p35 Viscosity Controlling
Polyoxyethylene tribenzyl phenyl ether 	ELEMINOL HB-29	p11 Emulsifying
Polyoxyethylene polyoxypropylene polyol 	NEWPOL NSQ	p7 Wetting/Penetrating
		p23 Defoaming
		p25 Lubricating/Leveling
		p37 Viscosity Controlling
		p43 Cold or Heat Insulating
	p49 For Reacting/Forming	
	NEWPOL V	p7 Wetting/Penetrating
		p23 Defoaming
		p25 Lubricating/Leveling
		p37 Viscosity Controlling
p43 Cold or Heat Insulating		
p49 For Reacting/Forming		

Continued on the next page →

Composition and Structure	Product Name	Function
Polyoxyethylene polyoxypropylene glycol $\text{H}-(\text{OCH}_2\text{CH}_2)_x-(\text{O}-\underset{\text{CH}_3}{\text{CH}}\text{CH}_2)_y-(\text{OCH}_2\text{CH}_2)_z-\text{OH}$	NEWDET PE-85	p7 Wetting/Penetrating
		p13 Solubilizing
p23 Lubricating/Leveling		
p27 Adhesive		
p37 Viscosity Controlling		
p49 For Reacting/Forming		
	NEWPOL PE	p5 Cleaning
		p7 Wetting/Penetrating
		p11 Emulsifying
		p13 Solubilizing
		p17 Dispersing
		p23 Lubricating/Leveling
		p27 Adhesive
		p31 Plasticizing/Softening
		p37 Viscosity Controlling
		p41 Antistatic
Polyoxyethylene polyoxypropylene triol $\text{H}-(\text{O}-\underset{\text{CH}_3}{\text{CH}}\text{CH}_2)_n-(\text{OCH}_2\text{CH}_2)_m-\text{O}-\text{CH}_2-\underset{\text{CH}_3}{\text{CH}}-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_p-(\text{CH}_2-\underset{\text{CH}_3}{\text{CH}}-\text{O})_q-\text{H}$	NEWPOL GEP-2800	p7 Wetting/Penetrating
		p23 Defoaming
		p25 Lubricating/Leveling
		p37 Viscosity Controlling
Polyoxyethylene polyoxypropylene trimethylolpropane $\begin{array}{c} \text{H}_2\text{C}-\text{O}-(\text{CH}_2\text{CH}-\text{O})_n-(\text{CH}_2\text{CH}_2\text{O})_m \\ \\ \text{CH}_3\text{CH}_2-\text{C}-\text{CH}_2-\text{O}-(\text{CH}_2\text{CH}-\text{O})_p-(\text{CH}_2\text{CH}_2\text{O})_q \\ \\ \text{H}_2\text{C}-\text{O}-(\text{CH}_2\text{CH}-\text{O})_x-(\text{CH}_2\text{CH}_2\text{O})_y \end{array}$	NEWPOL TL	p7 Wetting/Penetrating
		p23 Defoaming
		p25 Lubricating/Leveling
		p37 Viscosity Controlling
Polyoxyethylene polyoxypropylene butyl ether $\text{C}_4\text{H}_9\text{O}-(\text{CH}_2\text{CH}_2\text{O})_n-(\text{CH}_2-\underset{\text{CH}_3}{\text{CH}}-\text{O})_m-\text{H}$	NEWPOL 50HB	p7 Wetting/Penetrating
p23 Defoaming		
p25 Lubricating/Leveling		
p37 Viscosity Controlling		
p43 Cold or Heat Insulating		
Polyoxyethylene polyoxypropylene hexylene glycol ether $\text{H}-(\text{O}-\underset{\text{CH}_3}{\text{CH}}\text{CH}_2)_p-(\text{OCH}_2\text{CH}_2)_q-\text{O}-\text{C}_6\text{H}_{12}-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_n-(\text{CH}_2-\underset{\text{CH}_3}{\text{CH}}-\text{O})_m-\text{H}$	NEWPOL 75H-90000	p7 Wetting/Penetrating
		p23 Defoaming
		p25 Lubricating/Leveling
		p37 Viscosity Controlling
		p43 Cold or Heat Insulating
p49 For Reacting/Forming		



Continued on the next page →

Composition and Structure	Product Name	Function	
Polyoxyethylene lauryl ether derived from natural higher alcohols $\text{C}_{12}\text{H}_{25}\text{O}-(\text{CH}_2\text{CH}_2\text{O})_n-\text{H}$	EMULMIN L	p3 Cleaning	
		p11 Emulsifying	
		p13 Solubilizing	
		p17 Dispersing	
		p21 Foaming/-stabilizing	
		p37 Viscosity Controlling	
		EMULMIN LS	p3 Cleaning
			p11 Emulsifying
			p13 Solubilizing
			p17 Dispersing
p21 Foaming/-stabilizing			
p37 Viscosity Controlling			
	EMULMIN NL	p3 Cleaning	
		p11 Emulsifying	
		p13 Solubilizing	
		p17 Dispersing	
		p21 Foaming/-stabilizing	
		p37 Viscosity Controlling	
	LAUROMACROGOL 100	p5 Cleaning	
		p7 Wetting/Penetrating	
Polyoxypropylene triol $\text{H}-(\text{O}-\underset{\text{CH}_3}{\text{CH}}\text{CH}_2)_l-\text{O}-\text{CH}_2-\underset{\text{CH}_3}{\text{CH}}-\text{O}-(\text{CH}_2\text{CH}-\text{O})_m-\text{H}$	NEWPOL GP	p7 Wetting/Penetrating	
		p25 Lubricating/Leveling	
		p49 For Reacting/Forming	
Polyoxypropylene butyl ether $\text{C}_4\text{H}_9\text{O}-(\text{CH}_2-\underset{\text{CH}_3}{\text{CH}}-\text{O})_n-\text{H}$	NEWPOL LB	p7 Wetting/Penetrating	
		p23 Defoaming	
		p25 Lubricating/Leveling	
		p37 Viscosity Controlling	
		p43 Cold or Heat Insulating	
p49 For Reacting/Forming			

Ester-based

Composition and Structure	Product Name	Function
Ethylene glycol distearate $\text{C}_{17}\text{H}_{35}\text{C}(=\text{O})-\text{O}-\text{CH}_2\text{CH}_2-\text{O}-\text{C}(=\text{O})-\text{C}_{17}\text{H}_{35}$	SANTOPEARL GE-70	p47 Other Functions
Polyoxyethylene distearate $\text{C}_{17}\text{H}_{35}\text{C}(=\text{O})-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_n-\text{C}(=\text{O})-\text{C}_{17}\text{H}_{35}$		p37 Viscosity Controlling

Continued on the next page →

Composition and Structure	Product Name	Function
Glyceryl monostearate $\text{HO}-\text{CH}_2-\overset{\text{OH}}{\text{CH}}-\text{CH}_2-\text{O}-\overset{\text{O}}{\parallel}{\text{C}}-\text{C}_{17}\text{H}_{35}$	TG-C	p7 Wetting/Penetrating
		p11 Emulsifying
		p13 Solubilizing
		p25 Lubricating/Leveling
		p33 Plasticizing/Softening
Sorbitan mono- or di-fatty acid ester  <p>Z: H or COR</p>	IONET S	p7 Wetting/Penetrating
		p11 Emulsifying
		p13 Solubilizing
		p17 Dispersing
		p23 Defoaming
		p25 Lubricating/Leveling
		p33 Plasticizing/Softening
		p37 Viscosity Controlling
	p45 Rust Preventive	
Polyoxyethylene sorbitan monofatty acid ester 	IONET T	p7 Wetting/Penetrating
		p11 Emulsifying
		p13 Solubilizing
		p17 Dispersing
		p25 Lubricating/Leveling
		p33 Plasticizing/Softening
		p37 Viscosity Controlling
		p45 Rust Preventive
Polyoxyethylene fatty acid diester $\text{R}^1-\overset{\text{O}}{\parallel}{\text{C}}-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n-\overset{\text{O}}{\parallel}{\text{C}}-\text{R}^2$	IONET DL-200	p5 Cleaning
		p11 Emulsifying
		p13 Solubilizing
		p17 Dispersing
		p25 Lubricating/Leveling
	IONET DO, DS	p5 Cleaning
		p11 Emulsifying
		p13 Solubilizing
		p17 Dispersing
		p25 Lubricating/Leveling
Polyoxyethylene fatty acid monoester $\text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\text{O}-\left(\text{CH}_2\text{CH}_2\text{O}\right)_n$	IONET MO, MS	p5 Cleaning
		p11 Emulsifying
		p13 Solubilizing
		p17 Dispersing
		p25 Lubricating/Leveling

Amphoteric Surfactants

Amino Acid-type

Composition and Structure	Product Name	Function
N- lauroyl-N'- carboxymethyl -N'- hydroxyethyl ethylenediamine sodium solution $\text{C}_{11}\text{H}_{23}\overset{\text{O}}{\parallel}{\text{C}}-\text{NHCH}_2\text{CH}_2-\text{N}\begin{matrix} \text{CH}_2\text{CH}_2-\text{OH} \\ \text{CH}_2-\text{COO}^- \text{Na}^+ \end{matrix}$	LEBON 101-H	p5 Cleaning
		p21 Foaming/-stabilizing
Sodium laurylamino dipropionate $\text{C}_{12}\text{H}_{25}\text{NHCH}_2\text{CH}_2\text{COO}^- \text{Na}^+$	LEBON APL	p5 Cleaning
		p21 Foaming/-stabilizing
Sodium cocaminopropionate $\text{R}-\text{NHCH}_2\text{CH}_2-\text{COO}^- \text{Na}^+$ <p>R: Coconut fatty acid residue</p>	LEBON APL-D	p5 Cleaning
		p21 Foaming/-stabilizing
Alkyl carboxymethyl hydroxyethyl imidazolium betaine $\text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\text{NHCH}_2\text{CH}_2-\text{N}\begin{matrix} \text{CH}_2\text{CH}_2-\text{OH} \\ \text{CH}_2-\text{COO}^- \text{Na}^+ \end{matrix}$ <p>R: Coconut fatty acid residue</p>	LEBON 105	p5 Cleaning
		p21 Foaming/-stabilizing
	LEBON CIB	p5 Cleaning
		p21 Foaming/-stabilizing
Dodecylaminoethylaminoethylglycine $\text{C}_{12}\text{H}_{25}\text{NHCH}_2\text{CH}_2\text{NHCH}_2\text{CH}_2\text{NHCH}_2-\text{COOH}$	LEBON S	p45 Antibacterial
Lauryldimethylaminoacetic acid betaine $\text{C}_{12}\text{H}_{25}\text{N}^+\begin{matrix} \text{CH}_3 \\ \text{CH}_3 \end{matrix}-\text{CH}_2-\text{COO}^-$	LEBON LD-36	p5 Cleaning
		p21 Foaming/-stabilizing
Alkyldiaminoethylglycine hydrochloride $\text{R}-\text{NHCH}_2\text{CH}_2\text{NHCH}_2\text{CH}_2\text{NHCH}_2-\text{COOH} \quad \text{HCl}$ <p>R: Mainly Dodecyl, Tetradecyl</p>	LEBON T-2	p45 Antibacterial

Betaine-type

Composition and Structure	Product Name	Function
Myristic acid amide propyl betaine $\text{C}_{13}\text{H}_{27}\overset{\text{O}}{\parallel}{\text{C}}-\text{NH}-\text{CH}_2-\text{CH}_2-\text{CH}_2-\text{N}^+\begin{matrix} \text{CH}_3 \\ \text{CH}_3 \end{matrix}-\text{CH}_2-\text{COO}^-$	LEBON MY-30W	p5 Cleaning
		p21 Foaming/-stabilizing

Continued on the next page →

Composition and Structure	Product Name	Function
<p>Coconut oil fatty acid amide propyl betaine</p> $\text{R}-\text{C}(=\text{O})-\text{NHCH}_2\text{CH}_2\text{CH}_2-\text{N}^+(\text{CH}_3)_2-\text{CH}_2-\text{COO}^-$ <p>R: Coconut fatty acid residue</p>	LEBON HC-30W, 2000, 2000HG	p5 Cleaning
		p21 Foaming/-stabilizing
<p>Lauric acid amidopropyl betaine</p> $\text{C}_{11}\text{H}_{23}\text{C}(=\text{O})-\text{NHCH}_2\text{CH}_2\text{CH}_2-\text{N}^+(\text{CH}_3)_2-\text{CH}_2-\text{COO}^-$	LEBON 2000L	p5 Cleaning
		p21 Foaming/-stabilizing

Functional bases, intermediates, additives

Esters

Composition and Structure	Product Name	Function
<p>Bisphenol-A type unsaturated polyester</p> $\left[\text{O}-\text{R}^1-\text{O}-\text{C}_6\text{H}_4-\text{C}(\text{CH}_3)_2-\text{C}_6\text{H}_4-\text{O}-\text{R}^2-\text{O}-\text{C}(=\text{O})-\text{CH}=\text{CH}-\text{C}(=\text{O})-\text{R}^3 \right]_n$	CHEMITYLEN PEB-13ST	p27 Adhesive
<p>Polyethyleneglycol dibenzoate</p> $\text{C}_6\text{H}_5-\text{C}(=\text{O})-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_n-\text{C}(=\text{O})-\text{C}_6\text{H}_5$	SANFLEX EB EB-200	p33 Plasticizing/Softening
<p>Esterified multi-functional polyetherpolyol</p> $\left[(\text{O}-\text{R}^1)_n-\text{O}-\text{C}(=\text{O})-\text{R}^2 \right]_m$	SANFLEX GPA-3000, LBU-25, SPX-80N	p33 Plasticizing/Softening
<p>Polyoxyalkylene monoalkylether acetate</p> $\text{R}^1-\text{O}-(\text{AO})_n-\text{C}(=\text{O})-\text{CH}_3$ <p>AO: Alkylene oxide</p>	SANFLEX SK-500	p33 Plasticizing/Softening

Epoxides

Composition and Structure	Product Name	Function
<p>Polyoxypropylene glycol diglycidyl ether</p> $\text{H}_2\text{C}(\text{O})\text{CH}-\text{CH}_2-\text{O}-(\text{CH}_2-\text{CH}(\text{CH}_3)-\text{O})_n-\text{CH}_2-\text{HC}(\text{O})\text{CH}_2$	GLYCIALE PP	p33 Plasticizing/Softening
		p51 For Reacting/Forming

Olefin or Styrene-based




Composition and Structure	Product Name	Function
<p>4-Vinyl-1-cyclohexene</p> $\text{C}_6\text{H}_{10}-\text{CH}=\text{CH}_2$	VCH	p51 For Reacting/Forming
<p>Low-molecular-weight polyethylene</p> $-(\text{CH}_2\text{CH}_2)_n-$	SANWAX	p17 Dispersing
		p25 Lubricating/Leveling
		p33 Plasticizing/Softening
		p37 Viscosity Controlling
		p47 Other Functions
	p51 For Reacting/Forming	
<p>Low-molecular-weight polypropylene</p> $-(\text{CH}_2-\text{CH}(\text{CH}_3))_n-$	VISCOL	p17 Dispersing
		p25 Lubricating/Leveling
		p33 Plasticizing/Softening
		p37 Viscosity Controlling
		p47 Other Functions
	p51 For Reacting/Forming	
<p>Acid modified low-molecular-weight polypropylene</p> $\left(\text{C}(\text{CH}_3)(\text{CH}_2\text{C}(\text{O})\text{O})-\text{CH}_2 \right)_m \left(\text{CH}(\text{CH}_3)-\text{CH}_2 \right)_n \text{CH}(\text{CH}_3)-\text{CH}_2-\text{C}(\text{O})\text{O}$	UMEX	p17 Dispersing
		p27 Adhesive
<p>Low-molecular-weight polystyrene</p> $-(\text{CH}_2-\text{CH}(\text{C}_6\text{H}_5))_n-$	HIMER SB	p19 Dispersing
	HIMER ST	p19 Dispersing
	REGIT S-94	p19 Dispersing

Acids/Acid Anhydrides

Z: Proprietary functional group


Composition and Structure	Product Name	Function
<p>Alkenylsuccinic acid ester</p> $\text{R}^1-\text{CH}=\text{CH}-\text{CH}(\text{R}^2)-\text{CH}(\text{COOZ}^1)-\text{CH}_2-\text{COOZ}^2$	SANHIBITOR	p45 Rust Preventive
<p>Alkenylsuccinic anhydride</p> $\text{R}^1-\text{CH}=\text{CH}-\text{HC}(\text{R}^2)-\text{HC}(\text{O})\text{C}(\text{O})\text{CH}_2$		p45 Rust Preventive
<p>Sodium-5-sulphoisophthalic acid</p> $\text{NaO}_3\text{S}-\text{C}_6\text{H}_3(\text{COOH})_2$	SIPA	p41 Antistatic
		p47 Other Functions

Continued on the next page →



Composition and Structure	Product Name	Function
Dodecyl succinic anhydride 	DSA	p27 Adhesive
		p33 Plasticizing/Softening
		p37 Viscosity Controlling
		p45 Rust Preventive
		p53 For Reacting/Forming
Pentadecyl succinic anhydride 	PDSA-DA	p27 Adhesive
		p33 Plasticizing/Softening
		p37 Viscosity Controlling
		p45 Rust Preventive
		p53 For Reacting/Forming
Fatty acid compound 	SANFRIC	p25 Lubricating/Leveling

Nitrogen-Containing Compounds





Z: Proprietary functional group

Composition and Structure	Product Name	Function
Liquid polyamideamine $H_2N-Z^1-NH-Z^2-NH-\left(C(=O)-Z^3-C(=O)-NH-Z^4-NH-Z^5-NH\right)_n-H$	POLYIMIDE L	p27 Adhesive
		p45 Rust Preventive
		p53 For Reacting/Forming
Powdery polyamideamine $H_2N-Z^1-NH-Z^2-NH-\left(C(=O)-Z^3-C(=O)-NH-Z^4-NH-Z^5-NH\right)_n-H$	POLYIMIDE S	p27 Adhesive
		p53 For Reacting/Forming
Higher fatty acid bisamide 	SANTHIXO 5001	p37 Viscosity Controlling

Polyols

Composition and Structure	Product Name	Function
Aliphatic amine-based polyol 	SANNIX AP	p41 Water Absorbent
		p43 Cold or Heat Insulating
		p51 For Reacting/Forming
	SANNIX NP	p41 Water Absorbent
		p43 Sealing/Waterproofing
		p51 For Reacting/Forming
Aliphatic amine-based polyol 	SANNIX NE	p41 Water Absorbent
		p43 Cold or Heat Insulating
		p51 For Reacting/Forming
Polyethylene adipate (there are some other polyester polyols, too) $H\left[O-(CH_2)_1-O-C(=O)-(CH_2)_4-C(=O)-O\right]_m-(CH_2)_n-OH$	SANESTER	p51 For Reacting/Forming

Continued on the next page →

Composition and Structure	Product Name	Function
Polyethylene glycol $HO-(CH_2CH_2O)_n-H$	PEG	p9 Wetting/Penetrating
		p15 Solubilizing
		p19 Dispersing
		p25 Lubricating/Leveling
		p29 Adhesive
		p33 Plasticizing/Softening
		p39 Viscosity Controlling
		p41 Antistatic
		p43 Cold or Heat Insulating
		p47 Other Functions
	MACROGOL	p49 For Reacting/Forming
		p9 Wetting/Penetrating
		p15 Solubilizing
		p25 Lubricating/Leveling
		p29 Adhesive
		p33 Plasticizing/Softening
		p39 Viscosity Controlling
		p49 For Reacting/Forming
		p9 Wetting/Penetrating
		p15 Solubilizing
	p25 Lubricating/Leveling	
	p29 Adhesive	
	p33 Plasticizing/Softening	
	p39 Viscosity Controlling	
	p49 For Reacting/Forming	
Aromatic amine-based polyol 	SANNIX HM	p41 Water Absorbent
		p43 Cold or Heat Insulating
		p51 For Reacting/Forming
Bisphenol A-propylene oxide adduct 	NEWPOL BP	p35 Plasticizing/Softening
		p51 For Reacting/Forming
Bisphenol A-ethylene oxide adduct 	NEWPOL BPE	p35 Plasticizing/Softening
		p51 For Reacting/Forming
Sucrose-based polyether polyol  PO: Propylene oxide	SANNIX HS	p41 Water Absorbent
		p43 Cold or Heat Insulating
		p51 For Reacting/Forming
Polyoxyethylene polyoxypropylene glycol $H-(OCH_2CH_2)_x-(O-CH_2-CH(CH_3))_y-(OCH_2CH_2)_z-OH$	SANNIX PL-2100	p29 Adhesive
		p35 Plasticizing/Softening
		p43 Sealing/Waterproofing
		p53 For Reacting/Forming

Continued on the next page →

Composition and Structure	Product Name	Function
<p>Polyoxypropylene sorbitol ether</p> $\text{H}-(\text{PO})_n-\text{O}-\begin{matrix} \text{O}-(\text{PO})_m-\text{H} \\ \text{O}-(\text{PO})_l-\text{H} \\ \text{O}-(\text{PO})_k-\text{H} \\ \text{O}-(\text{PO})_x-\text{H} \\ \text{O}-(\text{PO})_y-\text{H} \\ \text{O}-(\text{PO})_z-\text{H} \end{matrix}$ <p>PO: Propylene oxide</p>	SANNIX SP-750	<p>p29 Adhesive</p> <p>p41 Water Absorbent</p> <p>p43 Sealing/Waterproofing</p> <p>p43 Cold or Heat Insulating</p> <p>p53 For Reacting/Forming</p>
<p>Trimethylolpropane-based polyether polyol</p> $\text{H}-(\text{O}-\text{CH}(\text{CH}_3)\text{CH}_2)_x-\text{O}-\text{C}(\text{CH}_3)_2-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{CH}_3)_2-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{CH}_3)_2-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{CH}_3)_2-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{CH}_3)_2-\text{O}-\text{H}$	SANNIX TP-400	<p>p29 Adhesive</p> <p>p35 Plasticizing/Softening</p> <p>p41 Water Absorbent</p> <p>p43 Sealing/Waterproofing</p> <p>p43 Cold or Heat Insulating</p> <p>p53 For Reacting/Forming</p>
<p>Pentaerythritol-based polyetherpolyol</p> $\text{H}-(\text{O}-\text{CH}(\text{CH}_3)\text{CH}_2)_x-\text{O}-\text{C}(\text{CH}_3)_4-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{CH}_3)_4-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{CH}_3)_4-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{CH}_3)_4-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{CH}_3)_4-\text{O}-\text{H}$	SANNIX HD	<p>p41 Water Absorbent</p> <p>p43 Cold or Heat Insulating</p> <p>p51 For Reacting/Forming</p>
<p>Polyoxypropylene glycol</p> $\text{HO}-\text{CH}_2-\text{CH}(\text{CH}_3)-\text{O}-\text{H}$	SANNIX PP	<p>p29 Adhesive</p> <p>p35 Plasticizing/Softening</p> <p>p41 Water Absorbent</p> <p>p43 Sealing/Waterproofing</p> <p>p43 Cold or Heat Insulating</p> <p>p53 For Reacting/Forming</p>
<p>Polyoxypropylene glycol or Polyoxypropylene triol</p> $\text{XO}-\text{CH}_2-\text{CH}(\text{CH}_3)-\text{O}-\text{H} \quad \text{or} \quad \text{X}-\text{O}-\text{CH}_2-\text{CH}(\text{CH}_3)-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{H}$ <p>X: $\text{-(CH}_2\text{-CH}(\text{CH}_3)\text{-O)-}_p\text{-H}$ approx. 70% / $\text{-(CH}_2\text{-CH}(\text{CH}_3)\text{-O)-}_q\text{-H}$ approx. 30%</p> <p>Some PRIMEPOL are further ethylene oxide added</p>	PRIMEPOL	<p>p29 Adhesive</p> <p>p35 Plasticizing/Softening</p> <p>p41 Water Absorbent</p> <p>p43 Sealing/Waterproofing</p> <p>p43 Cold or Heat Insulating</p> <p>p53 For Reacting/Forming</p>
<p>Polyoxyethylenepolyoxypropylene triol</p> $\text{H}-(\text{OCH}_2\text{CH}_2)_x-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{H}$	SANNIX GL	<p>p41 Water Absorbent</p> <p>p43 Cold or Heat Insulating</p> <p>p53 For Reacting/Forming</p>
<p>Polyoxypropylene triol</p> $\text{H}-(\text{O}-\text{CH}(\text{CH}_3)\text{CH}_2)_n-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{CH}_3)_2-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{CH}_3)_2-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{CH}_3)_2-\text{O}-\text{H}$ <p>Some SANNIX GP are copolymer with ethylene oxide</p>	SANNIX GP, GH	<p>p29 Adhesive</p> <p>p33 Plasticizing/Softening</p> <p>p41 Water Absorbent</p> <p>p43 Sealing/Waterproofing</p> <p>p43 Cold or Heat Insulating</p> <p>p53 For Reacting/Forming</p>

Methacrylates/Acrylates-based

Composition and Structure	Product Name	Function
<p>Cross-linked acrylic acid polymer sodium salt</p> $\left(\text{CH}_2-\text{C}(\text{COOH})-\text{CH}_2 \right)_x \left(\text{CH}_2-\text{C}(\text{COO}^-\text{Na}^+)-\text{CH}_2 \right)_y$ <p>SANWET IM is a graft copolymer with a starch</p>	AQUAPEARL SANWET IM	<p>p41 Water Absorbent</p> <p>p41 Water Absorbent</p>
<p>Methacrylic acid - ethyl acrylate copolymer</p> $\left(\text{CH}_2-\text{C}(\text{COOH})-\text{CH}_2 \right)_n \left(\text{CH}_2-\text{C}(\text{COOC}_2\text{H}_5)-\text{CH}_2 \right)_m$	SANFRESH	<p>p9 Wetting/Penetrating</p> <p>p39 Viscosity Controlling</p> <p>p41 Water Absorbent</p> <p>p43 Sealing/Waterproofing</p> <p>p43 Cold or Heat Insulating</p>
<p>Methacrylate copolymer and refined mineral oil</p> $\left(\text{CH}_2-\text{C}(\text{R}^1)(\text{COOR}^2)-\text{CH}_2 \right)_n \left(\text{CH}_2-\text{C}(\text{CH}_3)(\text{COOR}^3)-\text{CH}_2 \right)_m$ <p>R¹: H or CH₃ R²: Alkyl R³: Alkyl</p>	POLYQUID	<p>p29 Adhesive</p> <p>p47 Other Functions</p> <p>p51 For Reacting/Forming</p>
<p>Methacrylate copolymer and refined mineral oil</p> $\left(\text{CH}_2-\text{C}(\text{R}^1)(\text{COOR}^2)-\text{CH}_2 \right)_n \left(\text{CH}_2-\text{C}(\text{CH}_3)(\text{COOR}^3)-\text{CH}_2 \right)_m$ <p>R¹: H or CH₃ R²: Alkyl R³: Alkyl</p>	ACLUBE	<p>p27 Lubricating/Leveling</p> <p>p39 Viscosity Controlling</p>
<p>Dipentaerythritol hexaacrylate</p> $\text{H}_2\text{C}=\text{CH}-\text{C}(\text{O})-\text{O}-\text{CH}_2-\text{C}(\text{CH}_2)_2-\text{O}-\text{CH}_2-\text{C}(\text{CH}_2)_2-\text{O}-\text{CH}_2-\text{C}(\text{O})-\text{CH}=\text{CH}_2$	NEOMER DA-600	<p>p49 For Reacting/Forming</p>
<p>Dimethylaminoethyl acrylate quaternary salt</p> $\text{H}_2\text{C}=\text{CH}-\text{C}(\text{O})-\text{O}-\text{CH}_2\text{CH}_2-\text{N}^+(\text{CH}_3)_2-\text{R}^- \text{X}^-$	ACRYLATE SMC-80H	<p>p19 Flocculating</p> <p>p49 For Reacting/Forming</p>
<p>Triethylene glycol dimethacrylate</p> $\text{H}_2\text{C}=\text{C}(\text{CH}_3)-\text{C}(\text{O})-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{O})-\text{C}(\text{CH}_3)=\text{CH}_2$	NEOMER PM-201	<p>p49 For Reacting/Forming</p>
<p>Ethoxylated trimethylolpropane triacrylate</p> $\text{H}_2\text{C}=\text{CH}-\text{C}(\text{O})-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{O})-\text{CH}=\text{CH}_2$	NEOMER TA-401	<p>p49 For Reacting/Forming</p>
<p>Propoxylated neopentylglycol diacrylate</p> $\text{H}_2\text{C}=\text{CH}-\text{C}(\text{O})-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{CH}_3)_2-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{CH}_3)_2-\text{O}-\text{CH}_2-\text{O}-\text{C}(\text{O})-\text{CH}=\text{CH}_2$	NEOMER NA-305	<p>p49 For Reacting/Forming</p>

Continued on the next page →

Composition and Structure	Product Name	Function
<p>Propoxylated trimethylolpropane triacrylate</p>	NEOMER TA-505	p49 For Reacting/Forming
<p>Ethoxylated bisphenol A diacrylate</p>	NEOMER BA-641	p49 For Reacting/Forming
<p>Polypropyleneglycol diacrylate</p>	NEOMER PA-305	p49 For Reacting/Forming
<p>Polypropylene glycol monomethacrylate</p>	NEWPOL MP-5	p49 For Reacting/Forming
<p>Dialkylaminoalkyl methacrylate derivatives</p>	METHACRYLATE	p9 Wetting/Penetrating
<p>Long-chain alkyl methacrylate</p>		p19 Flocculating
		p35 Plasticizing/Softening
	p49 For Reacting/Forming	

Others

Composition and Structure	Product Name	Function
<p>Polyoxyethylene dimethyl ether</p>	SANFINE DM-200	p15 Solubilizing

Functional compounds, polymers

Urethane Series

Composition and Structure	Product Name	Function
<p>Urethane prepolymer</p>	SANPRENE C	p55 For Reacting/Forming
	SANPRENE FLR-603	p55 For Reacting/Forming
	SANPRENE P	p55 For Reacting/Forming

Continued on the next page →

Z: Proprietary functional group

Composition and Structure	Product Name	Function
<p>Polyurethane emulsion</p>	CHEMITYLEN GA-500	p29 Adhesive
	PERMARIN	p27 Lubricating/Leveling p29 Adhesive p35 Plasticizing/Softening p55 For Reacting/Forming
	UCOAT	p29 Adhesive p35 Plasticizing/Softening p55 For Reacting/Forming
	UPRENE UXA-307	p29 Adhesive p55 For Reacting/Forming
<p>Polyurethane solution</p>	COATRON	p31 Adhesive p55 For Reacting/Forming
	SANPRENE H	p31 Adhesive p55 For Reacting/Forming
	SANPRENE HMP-17A	p55 For Reacting/Forming
	SANPRENE IB	p31 Adhesive p55 For Reacting/Forming
	SANPRENE LQ	p55 For Reacting/Forming
<p>Polyurethane resin system (Polyetherpolyol)</p>	SANFOAM RC-1026	p55 For Reacting/Forming
<p>Polyurethane resin system (Polyisocyanate)</p>	SANFOAM IC-559	p55 For Reacting/Forming
<p>Two-component type polyurethane</p>	POLYBOND	p31 Adhesive
<p>One-component moisture curing type polyurethane</p>	UNOFLEX	p31 Adhesive

Methacrylate/Acrylate-based

Composition and Structure	Product Name	Function
<p>Acrylic resin or acrylic resin solution</p>	POLYTHICK	p29 Adhesive

IONET Products

<IONET M, D>

- IONET M are Polyoxyethylene monofatty acid esters
IONET D are Polyoxyethylene difatty acid esters
- Widely used in various industries such as agrichemical, metal, cosmetic, paper, pulp or textile as emulsifiers, dispersants and leveling agents
- L: Lauric acid
S: Stearic acid
O: Oleic acid

<IONET S, T>

- Nonionic and lipophilic surfactant of sorbitan derivatives
- IONET S are Sorbitan mono- or di-fatty acid esters known as SPAN type surfactants
IONET T are ethylene oxide adducts of IONET S and more hydrophilic, known as TWEEN type surfactants
- Used as emulsifiers, solubilizer, dispersants and rust preventives
- IONET S can be used as a defoaming agent

Product Name	Appearance (20±5°C)	HLB	pH ^{*1}	Cloud Point ^{*2} °C
IONET DL-200	Yellow liquid	6.6	6.5	<20
IONET DO-400	Pale straw-colored liquid	8.4	7.0	<20
IONET DO-600	Brown liquid	10.4	6.5	<20
IONET DO-1000	Pale yellow solid	12.9	6.5	35
IONET DS-300	Pale yellow-white solid	7.3	7.0	<20
IONET DS-400	Pale yellow-white solid	8.5	7.0	<20
IONET DS-4000	Pale straw-colored solid	17.0	6.5	-
IONET MO-200	Pale brown liquid	8.4	7.0	<20
IONET MO-400	Pale straw-colored liquid	11.8	7.0	<20
IONET MO-600	Pale straw-colored liquid	13.7	7.0	53
IONET MS-400	Pale yellow solid	11.9	7.0	<20
IONET MS-1000	Pale yellow-white solid	15.7	6.5	>100
IONET S-20	Straw-colored liquid	8.6	7.0	<20
IONET S-60V	Pale yellow-white granule	4.7	8.0	-
IONET S-80	Straw-colored liquid	4.3	7.0	-
IONET S-80S	Straw-colored liquid	4.2	7.0	-
IONET S-85	Straw-colored liquid	1.8	-	-
IONET T-20C	Yellow liquid	16.7	-	>100
IONET T-60V	Yellow liquid	14.9	-	>100
IONET T-80V	Yellow liquid	15.0	7.0 ^{*3}	>100

*1 1 wt % aq solution *2 2 wt % aq solution *3 5 wt % aq solution

EMULMIN Products

- Used as emulsifiers for creams, lotions, emulsion polymerization of resins or pigment dispersant for coatings because of their excellent emulsifying property
- Having lubricating property and protecting the surfaces of metals.
Effective as emulsifiers for reducing the coefficient of friction of machine oils; especially mineral oils

<EMULMIN No.>

- Besides, used for foaming agent, thickener for cosmetic, oiliness improver, moisturizer, solubilizer, raw material for chemical reaction, pulp cooking aid and leveling dyeing agent

<EMULMIN L, LS, NL>

- Besides, applicable for foaming agents, thickener or solubilizer for cosmetics

<EMULMIN FL, HL>

- Excellent low-temperature fluidity and detergency compared to the other nonionic surfactants with similar HLB

<EMULMIN LCA>

- Used as detergent base. Excellent lowering property of surface tension and foam stabilizing property

Product Name	Composition	Appearance (20±5°C)	HLB	pH ^{*1}	
EMULMIN 40	Polyoxyethylene oleyl ether or cetyl ether	Pale yellow liquid	8.0	7.0	
EMULMIN 50		Straw-colored liquid	9.0	6.5	
EMULMIN 70		Pale straw-colored liquid	10.8	5.0	
EMULMIN 110		Pale yellow paste	13.2	7.0	
EMULMIN 140		Pale yellow paste to solid	14.2	7.0	
EMULMIN 180		White to pale yellow paste	15.1	7.0	
EMULMIN 200		Pale yellow solid	15.5	7.0	
EMULMIN 240		White to pale yellow solid	16.1	7.0	
EMULMIN CC-100		Polyoxyethylene cetyl ether	White to pale yellow wax	13.3	6.5 ^{*2}
EMULMIN CC-130			White to pale yellow solid	14.1	6.0
EMULMIN CC-150	White to pale yellow wax		15.1	6.5 ^{*2}	
EMULMIN CC-200	White to pale yellow wax		15.7	6.0 ^{*2}	
EMULMIN FL-80	Polyoxyalkylene lauryl ether	Colorless to pale yellow liquid	-	6.5	
EMULMIN FL-100		Colorless to pale yellow liquid	-	7.0	
EMULMIN HL-80		Colorless to pale yellow liquid	-	7.0	
EMULMIN HL-100		Colorless to pale yellow liquid	-	7.0	
EMULMIN L-380	Polyoxyethylene lauryl ether	White solid	17.7	7.0	
EMULMIN L-90-S		White solid to pale yellow liquid	13.2	7.0	
EMULMIN LS-80		Colorless to pale yellow paste	13.1	7.0	
EMULMIN LS-90		Colorless to pale yellow paste	13.6	6.5	
EMULMIN NL-70		Colorless to pale yellow liquid	12.4	6.5	
EMULMIN NL-80		Pale yellow liquid	13.1	6.5	
EMULMIN NL-90		Pale yellow liquid	13.6	6.5	
EMULMIN NL-100		Pale yellow liquid	14.0	6.5	
EMULMIN NL-110		White solid	14.4	6.5	
EMULMIN LCA-10		Polyoxyalkylene alkylamine	Straw-colored to brown liquid	-	8.0

*1 1 wt % aq solution *2 5 wt % aq solution

■ SANWAX, VISCOL Products

SANWAX (polyethylene-type wax) and VISCOL (polypropylene-type wax) have moderate hardness & high softening point equivalent to those of polyethylene or polypropylene and excellent dispersibility of pigments. Generally incompatible with resins except polyolefins. Having low melt viscosities approximately equal to those of paraffin wax. Widely used as dispersant for pigments or fillers, binders for ink, anti-sagging agent for coatings, abrasive and flowability improver, releasing agent, softening point enhancer, abrasion resistance improver, flattening agent and lubricants, etc.

Product Name	Appearance (20±5°C)	Color ^{*1}	Viscosity mPa · s (140°C)	Softening Point ^{*2} °C	Penetration Hardness ^{*3}	Acid Value	Specific Gravity ^{*4} (20°C)	Mn ^{*5}
SANWAX 171-P	White powder	30	180	107	4.5	-	0.92	1,500
SANWAX 151-P	White powder	30	290	107	4	-	0.92	2,000
SANWAX 131-P	White powder	30	1,000	108	3.5	-	0.92	3,500
SANWAX 161-P	White powder	30	4,200	111	2	-	0.92	5,000
SANWAX LEL-250	Pale yellow pellet	50	600	124	<1	-	0.95	3,000
SANWAX LEL-400P(EX)	White powder	50	650	128	1	1	0.96	4,000
SANWAX E-310	Pale yellow pellet	100	300	100	5	15	0.93	2,000
SANWAX E-330	Pale yellow pellet	100	850	104	4	17	0.94	2,000
SANWAX E-250P	Pale yellow powder	1 ^{*6}	320	106	5	16	0.95	2,000 ^{*8}
VISCOL 330-P	White powder	200	4,000 ^{*7}	153	<1	-	0.89	15,000 ^{*8}
VISCOL 440-P	White powder	200	1,800 ^{*7}	153	<1	-	0.89	9,000 ^{*8}
VISCOL 550-P	White powder	200	200 ^{*7}	152	<1	-	0.89	4,000
VISCOL 660-P	White powder	1 ^{*6}	70 ^{*7}	145	1.5	-	0.89	3,000

*1 Molten, APHA *2 Measured according to ASTM E28 (ring and ball method) *3 Measured according to ASTM D 1321 (100g, 5s, 25°C)

*4 Measured according to ASTM D 792 *5 Number average molecular weight/vapor pressure osmometry *6 Molten, gardner

*7 Measured at 160°C *8 GPC method

■ UMEX Products

UMEX products are a series of acid modified low-molecular-weight polyolefin containing carboxylic anhydride groups as the functional groups. These products have higher degrees of modification and lower melt viscosity compared with conventional acid modified polyolefin.

Polyolefins blended with UMEX excel in dispersibility of both pigments and fillers in resins, readily adhere to other materials, and make paints readily adherable to resulting resins. Moreover, the products are very effective as modifiers for hot melt adhesives.

Product Name	Main Chain Composition ^{*1}	Appearance (20±5°C)	Viscosity mPa · s (160°C)	Softening Point ^{*2} °C	Acid Value ^{*3}	Specific Gravity ^{*4} (20°C)
UMEX 100TS	PP	Pale yellow powder	120	148	3.5	0.89
UMEX 110TS	PP	Pale yellow powder	135	145	7	0.89
UMEX 1001	PP	Yellow granule	15,000	153	26	0.95
UMEX 1010	PP	Yellow granule	6,000	145	52	0.95

*1 PP: Polypropylene *2 Measured according to ASTM E28 (ring and ball method) *3 Measured according to ASTM D1386 *4 ASTM D 792

■ PELESTAT Products

Proprietary block copolymer composed of hydrophilic and lipophilic segments. Permanent antistatic agent. Imparting a permanent antistatic property independent on humidity right after molding (e.g. injection molding and extrusion molding). We offer wide selections of PELESTAT for polystyrenes such as ABS, polyolefins or others.

Product Name	Appearance (20±5°C)	mp ^{*1} °C (°F)	MFR ^{*2} g (10min)	Surface Resistivity ^{*3} Ω	Td ^{*4} °C (°F)	Typical Applied Resins
PELESTAT NC6321	Pale yellow pellet	203 (397)	20 (215°C)	1×10 ⁹	285 (545)	ABS, HIPS, PBT, Nylon, PC/ABS-alloy
PELESTAT NC7530	Pale yellow pellet	176 (349)	10 (190°C)	2×10 ⁹	280 (536)	Polystyrenes such as MS
PELESTAT 300	Pale yellow pellet	135 (275)	30 (190°C)	1×10 ⁸	240 (464)	Polyolefins
PELESTAT 230	Pale yellow pellet	163 (325)	12 (190°C)	5×10 ⁷	250 (482)	Polyolefins
PELESTAT VH230	Pale yellow pellet	163 (325)	9 (190°C)	5×10 ⁷	250 (482)	For films or sheets of polyolefins, etc.

*1 Melting point *2 ASTM D 1238 (under 21.18N) *3 ASTM D 257 *4 Starting thermal degradation temperature measured by TG-DTA, in the air

■ PELECTRON Products

Permanent antistatic agent with lower-resistivity type of PELESTAT. Imparting excellent antistatic properties to electrostatic diffusion region (surface resistivity 10⁸-10⁹Ω) and preventing problems caused by static electricity including destruction of electronic circuits, electric shock, appliance malfunctions and dust adhesion.

Product Name	Appearance (20±5°C)	mp ^{*1} °C (°F)	MFR ^{*2} g (10min)	Surface Resistivity ^{*3} Ω	Td ^{*4} °C (°F)	Typical Applied Resins
PELECTRON AS	Pale yellow pellet	195 (383)	30 (215°C)	4×10 ⁶	285 (545)	ABS, HIPS, PBT, Nylon, PC/ABS-alloy
PELECTRON PVL	Pale yellow pellet	135 (275)	15 (190°C)	3×10 ⁶	250 (482)	For films or sheets of polyolefins, etc.

*1 Melting point *2 ASTM D 1238 (under 21.18N) *3 ASTM D 257 *4 Starting thermal degradation temperature, measured by TG-DTA, in the air

SANNIX Products

"SANNIX" is the trade name of the first polyether polyols for polyurethane foam in Japan that we developed in 1960. We offer a wide variety of SANNIX for various applications such as super flexible, flexible, semi-rigid and rigid polyurethane foams.

FG ^{*1}	Product Name	Composition		No.	Number Average Molecular Weight (Mn)						Property	
		Active Hydrogen Compound	Alkylene Oxide ^{*2}		- 300	300 - 600	600 - 1000	1000 - 2000	2000 - 3000	> 3000	OHV	Viscosity mPa · s (25°C)
2	SANNIX PL	Propylene glycol	EO/PO	2100					●		44	450
	SANNIX PP	Propylene glycol	PO	200	●						560	60
				400		●					280	70
				600		●					187	85
				950			●				118	140
				1000			●				112	145
				1200				●			98	165
				2000					●		56	305
				3000						●	35	590
				4000							●	27
3	SANNIX GL	Glycerin	EO/PO	3000					●		54	520
	SANNIX GP	Glycerin	PO or EO/PO	250	●						670	950
				400		●					400	365
				600		●					280	275
				700			●				240	250
				1000			●				160	255
				1500				●			112	300
				3000					●		56	500
				3000V					●		56	510
				3030					●		55	475
				3700M						●	45	645
				4000						●	42	660
				SANNIX TP	Trimethylol propane	PO	400		●			
SANNIX AP	Aliphatic amine	PO	470		●					360	350	

Continued on the next page →

FG ^{*1}	Product Name	Composition		No.	Number Average Molecular Weight (Mn)						Property	
		Active Hydrogen Compound	Alkylene Oxide ^{*2}		- 300	300 - 600	600 - 1000	1000 - 2000	2000 - 3000	> 3000	OHV	Viscosity mPa · s (25°C)
6	SANNIX SP	Sorbitol	PO	750			●				490	16,000 ^{*3}
Non-disclosure	SANNIX HS	Sucrose	PO	209							452	6,000
				211							380	1,590
	SANNIX HM	Aromatic amine-based	EO/PO	551							400	22,500
	SANNIX NE	Aliphatic amine-based	EO	240							970	3,700
	SANNIX NP	Aliphatic amine-based	PO	300							755	1,680 ^{*4}
	SANNIX HD	Pentaerythritol-based	PO	402							404	1,800
	SANNIX FA	Proprietary active hydrogen compound	-	103							50	730
				226							60	450
				311E							42	970
				702							38	900
				703							33	910
				718							29	800
				757							32	1,100
				921							28	1,155
				951							34	800
				7030							28	1,300
	SANNIX KC	-	-	714							31	1,270
720										34	880	
745										34	900	
900 ^{*5}										22	4,800	

Besides, we developed "PRIMEPOL", which are propylene oxide adducts of propylene glycol or glycerin with high primary hydroxyl content, more than 70% by only propylene oxide.

*1 Number of functional group *2 EO: Ethylene oxide/PO: Propylene oxide *3 Viscosity[mPa · s (30°C)]

*4 Kinetic viscosity[mm²/s (50°C)] *5 Polymer polyol

NEWPOL 50HB, LB, 75H-90000, V Products

Used for wetting agent, moisturizer, releasing lubricant, deformer, raw material for lubricant or hydraulic oil, emulsion breaker or heating medium.

FG ^{*1}	Product Name	Composition		No.	Mn ^{*3}	Property		
		Active Hydrogen Compound	Alkylene Oxide ^{*2}			Kinetic Viscosity mm ² /s		Pour Point °C
						(20°C)	(40°C)	
1	NEWPOL 50HB	Monoalcohol	EO/PO	55	300	16	8	≤-50
				100	510	43	19	≤-50
				260	970	119	51	-49
				400	1,340	192	80	-48
				660	1,800	343	127	-45
				2000	3,200	1,004	398	-35
				5100	3,750	2,263	925	-30
	NEWPOL LB	Monoalcohol	PO	65	340	18	9	≤-50
				285	1,170	161	59	≤-50
				300X	1,170	171	65	≤-50
				385	1,480	190	80	-43
				625	1,870	325	120	-40
				650X	1,870	344	130	-40
				1715	2,390	980	335	-38
1800X	2,390	1,014	351	-38				
3000	3,070	1,665	610	-30				
2	NEWPOL 75H	Hexylene glycol	EO/PO	90000	14,000	56,200	19,000	-3
-	NEWPOL V	Multi-functional alcohol	EO/PO	10-C	22,400	-	3,300 ^{*4}	-10
				22F ^{*5}	-	-	1,950	-

*1 Number of functional group *2 EO: Ethylene oxide/PO: Propylene oxide *3 Number average molecular weight

*4 100°C Kinetic viscosity[mm²/s(100°C)] *5 50 wt % aq solution

NEWPOL PE Products

Used for detergent, raw-material for detergent, quasi-drugs, textile agent, emulsifier, dispersant, solubilizer or antistatic agent.

FG ^{*1}	Product Name	Composition	No.	Property				
				Appearance (20±5°C)	Color (hazen)	Cloud Point (°C) 1% aq sol.	Fleezing Point °C	Mn ^{*4}
2	NEWPOL PE	Polyoxyethylene - Polyoxypropylene Block Polymer	34	Colorless liquid	10	63	-1	1,700
			61	Colorless liquid	10	24	-30	2,000
			62	Colorless liquid	10	30	-4	2,400
			64	Colorless paste	10	59	15	3,100
			68	White flake	10 ^{*2}	113 ^{*3}	53	8,000
			71	Colorless liquid	10	20	-30	2,200
			74	Colorless paste	10	56	15	3,100
			75	Colorless paste	10	69	17	3,500
			78	White flake	10 ^{*2}	110 ^{*3}	54	9,400
			108	White flake	10 ^{*2}	105 ^{*3}	57	16,000

*1 Number of functional group *2 25 wt % aq solution *3 Measured in a sealed tube *4 Number average molecular weight

NEWPOL BP, BPE Products

Used for raw material for resins or organic intermediate, resin improver, etc.

FG ^{*1}	Product Name	Composition		No.	Mn ^{*3}	Property			
		Active Hydrogen Compound	Alkylene Oxide ^{*2}			Appearance (20±5°C)	OHV	Color (hazen)	Viscosity mPa · s (60°C)
2	NEWPOL BP		PO	2P	350	Pale yellow liquid ^{*4}	322	40	1,600
				23P	400	Colorless liquid ^{*4}	310	20	1,230
				3P	530	Colorless liquid	280	20	800
				5P	560	Colorless liquid	211	10	180
				20	330	White block	343	30 ^{*5}	
	NEWPOL BPE	Bisphenol A	EO	20NK	325	White block	345	30 ^{*5}	
				20T	320	White granule	349	10 ^{*5}	
				40	410	Colorless liquid	276	20	278
				60	490	Colorless liquid	228	10	174
				100	670	Colorless liquid	167	10	120
				180	1,020	Colorless liquid	110	10	130

*1 Number of functional group *2 PO: Propylene oxide/EO: Ethylene oxide *3 Number average molecular weight/calculated by OHV

*4 Solid at 20°C *5 Molten, measured at 110°C

NEWPOL PP, GP Products

Used as wetting agent for cosmetics, moisturizer, surfactants, raw material for cosmetics, surfactants, synthetic lubricating oils or releasing lubricant

FG ^{*1}	Product Name	Composition	No.	Property				
				Appearance (20±5°C)	pH	Viscosity mPa · s (25°C)	Mn ^{*2}	Specific Gravity (20/20°C)
2	NEWPOL PP	Propylene oxide adduct of propylene glycol	200	Colorless liquid	6.0	60	200	1.015
			400	Colorless liquid	6.0	70	400	1.013
			600	Colorless liquid	6.5	85	600	1.020
			950	Colorless liquid	6.5	140	950	1.009
			1000	Colorless liquid	6.5	145	1,000	1.009
			1200	Colorless liquid	6.5	165	1,150	1.008
			2000	Colorless liquid	6.5	305	2,000	1.006
			3000	Colorless liquid	6.5	590	3,200	1.005
3	NEWPOL GP	Propylene oxide adduct of glycerin	250	Colorless liquid	6.0	950	250	1.088
			400	Colorless liquid	6.5	365	420	1.055
			600	Colorless liquid	6.5	275	600	1.042
			1000	Colorless liquid	6.5	255	1,050	1.025
			3000	Colorless liquid	6.5	500	3,000	1.012
			4000	Colorless liquid	6.5	660	4,000	1.011

*1 Number of functional group *2 Number average molecular weight/calculated by OHV

■ PEG Products (Polyethylene glycol)

Used in many industries, such as intermediates for the manufacture of surfactants, plasticizers, lubricants, etc.

Product Name	Mn ^{*1}	OHV ^{*2}	Color (hazen)	Appearance (20±5°C)	pH ^{*3}	Fleezing Point °C
PEG-200	200	563	10	Colorless liquid	5.5	<-35
PEG-300	300	372	10	Colorless liquid	5.5	-10
PEG-400	400	281	10	Colorless liquid	5.5	7
PEG-600	600	187	10	Colorless liquid	5.5	20
PEG-1000	1,000	112	10 ^{*4}	Wax	6.5	37
PEG-1500	550	207	10 ^{*4}	Paste	5.5	40
PEG-1540	1,450	79	10 ^{*4}	Wax	6.0	45
PEG-2000	2,000	56	10 ^{*4}	Wax	5.5	51
PEG-4000N	3,100	36	10 ^{*4}	White flake	6.5	55
PEG-4000S	3,400	33	10 ^{*4}	White flake	6.5	56
PEG-6000P	8,300	14	10 ^{*4}	White powder	7.0	61 ^{*5}
PEG-6000S	8,300	14	10 ^{*4}	White flake	6.5	61 ^{*5}
PEG-10000	11,000	10	10 ^{*4}	White flake	6.5	62 ^{*5}
PEG-13000	13,000	8.6	10 ^{*4}	White flake	6.5	62 ^{*5}
PEG-20000	20,000	5.6	10 ^{*4}	White flake	7.0	63 ^{*5}
PEG-20000P	20,000	5.6	10 ^{*4}	White powder	7.0	63 ^{*5}

*1 Number average molecular weight/calculated by OHV *2 Hydroxyl value by acetylation *3 5 wt % aq solution

*4 25 wt % aq solution *5 Melting point

*Details are described in following leaflets (PRODUCT OUTLINE) depending industries.

Besides, some products have Individual brochure or Products brochures. (Please refer to the INDEX)

1 PERFORMANCE CHEMICALS FOR SYNTHETIC RESIN & RUBBER INDUSTRIES AND PAINT, INK & PIGMENT INDUSTRIES

1. Emulsifiers for Emulsion Polymerization
2. Pigment Dispersants (Oligomer Type)
3. Resin Modifiers
4. Antistatic Agents
5. Mold Releasing Agents
6. Printing Ink Binders
7. Compounding Ingredients for Paints and Printing Inks
8. Pigment Dispersants (Surfactant Type)
9. Defoaming Agents
10. Plasticizers for Polyurethane-Based Sealants

2 PERFORMANCE CHEMICALS FOR COSMETICS, PHARMACEUTICALS, DETERGENTS AND AGRICHEMICALS

Performance Chemicals for Cosmetics

1. Base Materials for Shampoos (Anionic Type)
2. Base Materials for Shampoos (Amphoteric Type)
3. Foam Stabilizers and Thickeners for Shampoos
4. Base Materials for Body Washes
5. Base Materials for Hair Conditioners
6. Compounding Ingredients for Cosmetics
7. Emulsifiers for Cosmetics

Performance Chemicals for Pharmaceuticals

1. Tablet Binders
2. Base Materials for Ointments
3. Coating Agents for Tablets
4. Germicides (Pharmaceutical Use)
5. Other Products for Pharmaceuticals

Performance Chemicals for Detergents

1. Base Materials for Detergents
2. Germicides (Industrial Use)
3. Additives for Detergents
4. Base Materials for Household Fabric Softeners
5. Industrial Defoaming Agents

Performance Chemicals for Agrichemicals

1. Emulsifiers for Emulsifiable Concentrates
2. Dispersants for Granule Preparations

3 PERFORMANCE CHEMICALS FOR POLYURETHANE AND POLYURETHANE-RELATED INDUSTRIES

1. Polyether Polyols for Flexible Slabstock Polyurethane Foams
2. Polyether Polyols for Automobile Hot Molded Seat Cushions
3. Polyether Polyols for Automobile High-Resilient Molded Seat Cushions
4. Polyether Polyols for Crushpad Foams
5. Polyether Polyols for Rigid Polyurethane Foams
6. Multi Functional Polyols
7. Example of Polyurethane Foam System
8. Polyether Polyols for CASE
9. Prepolymers and Raw Materials for Polyurethane Elastomers
10. Base Materials for Synthetic Leathers
11. Water-Borne Polyurethanes for Textile Processing
12. Polyurethane Emulsions for Coatings

4 PERFORMANCE CHEMICALS FOR LUBRICANT INDUSTRIES AND MACHINERY & METAL PROCESSING INDUSTRIES

1. Lubricating Oil Additives
2. Base Materials for Polyalkylene Glycol-Type Lubricants
3. Base Materials for Water-Soluble Quenchants
4. Base Materials for Hydraulic Fluids
5. Materials for Brake Fluids
6. Rust Inhibitors
7. Water-Soluble Cutting Fluids
8. Emulsifiers for Metal Working Oils
9. Base Materials for Metal Cleaners

5 PERFORMANCE CHEMICALS FOR RESOURCE EXTRACTION AND MINING INDUSTRIES

1. Polymer Flocculants
2. Dewatering Accelerator
3. Cold Flow Improvers
4. Lubricity Improver
5. Dewaxing Aids

6 PERFORMANCE CHEMICALS FOR WASTEWATER TREATMENT

1. Polymer Flocculants
2. Aminoalkyl Methacrylate Monomers

8 PERFORMANCE CHEMICALS FOR CONSTRUCTION AND PUBLIC WORKS

1. Flooring Materials
2. Polyurethane for Architectural Paints
3. Water Sealants
4. Waterproofing Agents
5. Concrete Admixtures
6. Dispersant for Manufacturing Cement Boards by Extrusion Molding
7. Foaming Agent for Foam Concrete
8. Agents for Drilling Mud
9. Waste Mud Solidification
10. Polymer Flocculants for Gravel Washing Wastewater Treatment
11. Binder for Ceramics

9 ADHESIVES AND ADHESIVE-RELATED PRODUCTS

1. Pressure-Sensitive Adhesives (Cohesive Agents)
2. Potting Resins for Artificial Kidneys (Hollow-Fiber Type)
3. Resins for Anti-Corrosion Paints for Automobiles (for Improving Adhesion of Paints to Electrodeposition Steel)
4. Binders for Fiber-Finishing Agents
5. Binders for Fiberglass
6. Curing Agents for Epoxy Resins

Examples of Sanyo Chemical Nonionic Surfactants The List of their HLB

HLB (Hydrophile-Lipophile Balance) is a numerical value which represents a balance between hydrophilic groups and lipophilic groups in molecules of surfactants from 0 to 20.

The higher the HLB value, the more hydrophilic (water-soluble) the surfactant.

How to see the table

The second line shows the trade names of products, and each product number is in the corresponding cell in the following lines after line 4. For example, the cell at column 3/line 11 represents NAROACTY ID-40. The cell at column 6/line 11 represents SANNONIC SS-30.

	HLB	Synthetic Alcohol-based					Natural Alcohol-based					Fatty Acid Ester-based		Pluronic
		NAROACTY		SANNONIC		SEDORAN	EMULMIN					IONET		NEWPOL
		Primary Alcohol	Primary Alcohol	Secondary Alcohol	Primary Alcohol	Secondary Alcohol	-C12-	C12-C14	-C16-	C16-C18	-C18-	PEG Ester	Sorbitan	
Lipophilic	1.8 - 2.0											S-85	PE-61 PE-71	
	4.0 - 4.3											S-80	PE-62	
	4.7											S-60V		
	5.7		CL-20											
	6.0 - 6.2					SF-506								
	6.6										DL-200			
	7.3										DS-300			
	8.0 - 8.2	ID-40			SS-30				40		DS-400		PE-34 PE-64 PE-74	
	8.3 - 8.6										MO-200 DO-400	S-20		
	8.9 - 9.0		CL-40											
10.0 - 10.2		CL-50										PE-75		
10.5 - 10.6				SS-50							DO-600			
10.9														
11.7		CL-70	FN-80		FF-180						MO-400			
12.0				SS-70							MS-400			
12.3 - 12.4	ID-60				FF-200									
12.6		CL-85	FN-100											
12.9 - 13.0					FF-210									
13.1 - 13.2	ID-70	CL-95	DE-70	SS-90										
13.3 - 13.4		CL-100												
13.6														
13.8 - 14.0			FN-140		FF-220						MO-600			
14.1 - 14.3		CL-120												
14.5				SS-120										
14.7 - 14.9		CL-140									T-60V			
15.0 - 15.3		CL-160							180		T-80V	PE-108 PE-128		
15.5 - 15.7								CC-200	200		MS-1000	PE-68 PE-78		
16.0		CL-200							240					
16.6 - 16.7											DS-4000	T-20C		
17.8		CL-400							L-380					

Product Name	Page	Reference
A		
ACLUBE	p27, 39, 72	PRODUCT OUTLINE 4 PRODUCT OUTLINE 5 Products brochure Individual brochure
ACROBINDER BG-7	p27	PRODUCT OUTLINE 9
ACRYLATE SMC-80H	p19, 49, 72	-
AQUAPEARL	p41, 72	Products brochure
B		
BEAULIGHT A-5000	p3, 21, 58	PRODUCT OUTLINE 2
BEAULIGHT ECA	p3, 21, 57	PRODUCT OUTLINE 2 Individual brochure
BEAULIGHT ESS	p3, 21, 58	PRODUCT OUTLINE 2 Individual brochure
BEAULIGHT LCA	p3, 21, 57	PRODUCT OUTLINE 2 Individual brochure
BEAULIGHT LCA-H	p3, 21, 57	-
BEAULIGHT LSS	p3, 21, 57	Individual brochure
BEAULIGHT NA-25S	p3, 21, 58	Individual brochure
BEAULIGHT SHAA	p3, 21, 57	PRODUCT OUTLINE 2 Individual brochure
BEAULIGHT SSS	p3, 21, 57	PRODUCT OUTLINE 2 Individual brochure
BFA-3	p45, 47	PRODUCT OUTLINE 4
BLEMBER	p23, 61	-
C		
CARABON DA-72	p5, 9, 15, 57	-
CARRYBON L-400	p15, 35, 57	Individual brochure
CATIONER 300	p19	-
CATION DDC	p43, 59	PRODUCT OUTLINE 2 Individual brochure
CATION DSV	p23, 31, 39, 59	PRODUCT OUTLINE 2 Individual brochure
CATION G-50	p5, 31, 45, 60	PRODUCT OUTLINE 2 Individual brochure
CATION LQ	p23, 31, 39, 59	PRODUCT OUTLINE 2 Individual brochure
CATION S	p23, 31, 39, 60	PRODUCT OUTLINE 2
CATION SF	p23, 31, 39, 59	PRODUCT OUTLINE 2 Individual brochure
CB-1	p29	PRODUCT OUTLINE 8
CHEMICLEAN AM	p5	-
CHEMICLEAN DLE-20	p5, 62	Individual brochure
CHEMICLEAN FS	p3	Individual brochure
CHEMIGUARD	p43	PRODUCT OUTLINE 8
CHEMIOX	p31	PRODUCT OUTLINE 9

Product Name	Page	Reference
CHEMISTAT	p39	PRODUCT OUTLINE 1 Products brochure Individual brochure
CHEMITYLEN GA-500	p29, 74	-
CHEMITYLEN PEB-13ST	p27, 67	PRODUCT OUTLINE 9 Individual brochure
COATRON	p31, 55, 74	-
COLORIN	p23, 61	PRODUCT OUTLINE 1 PRODUCT OUTLINE 2 Individual brochure
D		
DOUBLE COAT S	p43	PRODUCT OUTLINE 8
DSA	p27, 33, 37, 45, 53, 69	PRODUCT OUTLINE 4 PRODUCT OUTLINE 9 Individual brochure
E		
EB-200	p33, 67	PRODUCT OUTLINE 1
ECONIX PF-610	p53	-
ECONOL	p23, 31, 39, 59	PRODUCT OUTLINE 2 Individual brochure
ELEMNOL 200L	p11, 61	-
ELEMNOL CLS-20	p9, 58	-
ELEMNOL HB-29	p11, 62	-
ELEMNOL JS-20	p9, 57	PRODUCT OUTLINE 1 Individual brochure
ELEMNOL MBN-2	p9, 57	-
ELEMNOL NS-5S	p9	-
ELEMNOL RS-3000	p9, 58	PRODUCT OUTLINE 1
EMULMIN 862	p37, 64	PRODUCT OUTLINE 2
EMULMIN CC	p11, 13, 17, 21, 35, 62, 76	-
EMULMIN FL	p3, 5, 11, 13, 17, 61, 76	PRODUCT OUTLINE 2 Individual brochure
EMULMIN HL	p3, 5, 11, 13, 17, 61, 76	-
EMULMIN L	p3, 11, 13, 17, 21, 37, 64, 76	-
EMULMIN LCA-10	p3, 21, 60, 76	-
EMULMIN LS	p3, 11, 13, 17, 21, 37, 64, 76	PRODUCT OUTLINE 2
EMULMIN NL	p3, 11, 13, 17, 21, 37, 64, 76	PRODUCT OUTLINE 2 Individual brochure
EMULMIN No.	p3, 5, 9, 13, 17, 21, 47, 61, 76	PRODUCT OUTLINE 2 PRODUCT OUTLINE 4 Products brochure
G		
GLYCIALE PP	p33, 51, 67	Individual brochure

Product Name	Page	Reference
GREENMODUR	p53	-
H		
HAIRROL UC-4	p29	Individual brochure
HIGHCLEAN	p23, 45	PRODUCT OUTLINE 4 Individual brochure
HIMER SB	p19, 68	-
HIMER ST	p19, 68	-
HITRON #3A	p11	-
I		
IONET D-2	p15	-
IONET DL-200	p5, 11, 13, 17, 25, 65, 75	PRODUCT OUTLINE 1 PRODUCT OUTLINE 2 PRODUCT OUTLINE 4 Products brochure
IONET DO	p5, 11, 13, 17, 25, 65, 75	PRODUCT OUTLINE 1 PRODUCT OUTLINE 2 PRODUCT OUTLINE 4 Products brochure
IONET DS	p5, 11, 13, 17, 25, 65, 75	PRODUCT OUTLINE 1 PRODUCT OUTLINE 2 PRODUCT OUTLINE 4 Products brochure
IONET MO	p5, 11, 13, 17, 25, 65, 75	PRODUCT OUTLINE 1 PRODUCT OUTLINE 2 PRODUCT OUTLINE 4 Products brochure
IONET MS	p5, 11, 13, 17, 25, 65, 75	PRODUCT OUTLINE 1 PRODUCT OUTLINE 2 PRODUCT OUTLINE 4 Products brochure
IONET S	p7, 11, 13, 17, 23, 25, 33, 37, 45, 65, 75	PRODUCT OUTLINE 1 PRODUCT OUTLINE 2 PRODUCT OUTLINE 4 Products brochure
IONET T	p7, 11, 13, 17, 25, 33, 37, 45, 65, 75	PRODUCT OUTLINE 1 PRODUCT OUTLINE 2 Products brochure
L		
LAUROMACROGOL 100	p5, 7, 64	Individual brochure
LEBON 101-H	p5, 21, 66	PRODUCT OUTLINE 2 Individual brochure
LEBON 105	p5, 21, 66	PRODUCT OUTLINE 2 Individual brochure
LEBON 2000	p5, 21, 67	PRODUCT OUTLINE 2 Individual brochure
LEBON 2000HG	p5, 21, 67	PRODUCT OUTLINE 2 Individual brochure

Product Name	Page	Reference
LEBON 2000L	p5, 21, 67	PRODUCT OUTLINE 2 Individual brochure
LEBON APL	p5, 21, 66	PRODUCT OUTLINE 2
LEBON APL-D	p5, 21, 66	-
LEBON CIB	p5, 21, 66	Individual brochure
LEBON HC-30W	p5, 21, 67	Individual brochure
LEBON LD-36	p5, 21, 66	PRODUCT OUTLINE 2 Individual brochure
LEBON MY-30W	p5, 21, 66	Individual brochure
LEBON S	p45, 66	PRODUCT OUTLINE 2
LEBON T-2	p45, 66	PRODUCT OUTLINE 2
LEBON TM-16	p45, 59	PRODUCT OUTLINE 2
LEBON TM-16MS	p45, 59	-
LEBON TM-18	p23, 31, 39, 59	PRODUCT OUTLINE 2 Individual brochure
LEBON TM-18PA	p23, 31, 39, 59	PRODUCT OUTLINE 2
LEVEFLOW SR-21	p21	PRODUCT OUTLINE 8
M		
MACROGOL	p9, 15, 25, 29, 33, 39, 49, 70	PRODUCT OUTLINE 2 Products brochure
MELPOL F-220	p27, 35, 51	PRODUCT OUTLINE 9 Individual brochure
METHACRYLATE	p9, 19, 35, 49, 73	PRODUCT OUTLINE 6 Products brochure
N		
NAROACTY CL	p3, 7, 11, 17, 61	PRODUCT OUTLINE 2 PRODUCT OUTLINE 4 Products brochure
NAROACTY ID	p3, 7, 61	-
NEOMER	p49, 72, 73	Products brochure
NEWDET PE-85	p7, 13, 23, 27, 37, 49, 63	PRODUCT OUTLINE 2
NEWPOL 50HB	p7, 23, 25, 37, 43, 49, 63, 81	PRODUCT OUTLINE 1 PRODUCT OUTLINE 4 Products brochure
NEWPOL 75H-90000	p7, 23, 25, 37, 43, 49, 63, 81	PRODUCT OUTLINE 4 Products brochure
NEWPOL B-12	p13, 61	-
NEWPOL BP	p35, 51, 70, 82	PRODUCT OUTLINE 1 Products brochure
NEWPOL BPE	p35, 51, 70, 82	PRODUCT OUTLINE 1 Products brochure Individual brochure
NEWPOL DDE-10	p37, 45, 61	PRODUCT OUTLINE 2
NEWPOL EFP	p13, 45, 61	-
NEWPOL GEP-2800	p7, 23, 25, 37, 63	PRODUCT OUTLINE 4

Product Name	Page	Reference
NEWPOL GP	p7, 25, 49 64, 82	PRODUCT OUTLINE 4 Products brochure
NEWPOL LB	p7, 23, 25, 37 43, 49, 64, 81	PRODUCT OUTLINE 1 PRODUCT OUTLINE 4 Products brochure
NEWPOL MP-5	p49, 73	-
NEWPOL NP-300	p51	-
NEWPOL NSQ	p7, 23, 25, 37 43, 49, 62, 81	PRODUCT OUTLINE 4 Products brochure
NEWPOL PE	p5, 7, 11, 13, 17 25, 27, 31, 37 41, 49, 63, 81	PRODUCT OUTLINE 1 PRODUCT OUTLINE 2 PRODUCT OUTLINE 4 Products brochure
NEWPOL PP	p7, 25, 49, 61, 82	Products brochure
NEWPOL SBF	p13, 61	PRODUCT OUTLINE 4
NEWPOL SP-750	p7	-
NEWPOL T-240U	p27	-
NEWPOL TL	p7, 23, 25, 37, 63	-
NEWPOL V	p7, 23, 25, 37 43, 49, 62, 81	PRODUCT OUTLINE 4 Products brochure
NSA-17	p3, 17	PRODUCT OUTLINE 2 Individual brochure
NSA-400L	p3	PRODUCT OUTLINE 2 Individual brochure
O		
OSMORIN DA-50	p43, 59	PRODUCT OUTLINE 2
P		
PDSA-DA	p27, 33, 37, 45, 53, 69	PRODUCT OUTLINE 9
PEG	p9, 15, 19, 25, 29, 33, 39 41, 43, 47, 49, 70, 83	PRODUCT OUTLINE 1 PRODUCT OUTLINE 2 PRODUCT OUTLINE 4 Products brochure
PELECTRON	p39, 78	Individual brochure
PELESTAT	p39, 78	PRODUCT OUTLINE 1 Individual brochure
PERMARIN	p27, 29, 35, 55, 74	PRODUCT OUTLINE 3 PRODUCT OUTLINE 9 Individual brochure
POLYBOND	p31, 74	-
POLYMEDICA	p31, 55	PRODUCT OUTLINE 9
POLYMIDE L	p27, 45, 53, 69	PRODUCT OUTLINE 9
POLYMIDE S	p27, 53, 69	-
POLYQUID	p29, 47, 51, 72	PRODUCT OUTLINE 2 Products brochure Individual brochure
POLYSORBATE 80	p9, 11, 13, 17, 25, 27, 33, 37, 49	PRODUCT OUTLINE 2 Individual brochure

Product Name	Page	Reference
POLYTHICK	p29, 74	PRODUCT OUTLINE 9 Individual brochure
PRIMEPOL	p29, 35, 41, 43, 53, 71	-
PROFAN	p3, 21, 35, 45, 60	PRODUCT OUTLINE 2
PUREMEEL	p3, 60	Individual brochure
R		
REACT CA-101	p53	PRODUCT OUTLINE 9
REGIT S-94	p19, 68	-
REGIT SM	p51	-
S		
SACRIS	p19, 39, 41, 43	-
SANAMEEL TAP	p33, 53	-
SANCARRIER No.5L	p15, 35	PRODUCT OUTLINE 8
SANDET EN	p3, 9, 21, 58	PRODUCT OUTLINE 1 PRODUCT OUTLINE 2 Individual brochure
SANDET END	p3, 21, 58	PRODUCT OUTLINE 2
SANDET ET	p3, 21, 58	-
SANDET ONA	p9, 15, 58	PRODUCT OUTLINE 1
SANDEWAX	p39	PRODUCT OUTLINE 5
SANELEK	p41	Individual brochure
SANESTER	p51, 69	-
SANFINE DM-200	p15, 73	-
SANFLEX EB	p33, 67	-
SANFLEX GPA-3000	p33, 67	PRODUCT OUTLINE 1
SANFLEX LBU-25	p33, 67	PRODUCT OUTLINE 1
SANFLEX SK-500	p33, 67	-
SANFLEX SPX-80N	p33, 67	PRODUCT OUTLINE 1 Individual brochure
SANFLOC	p19	PRODUCT OUTLINE 5 PRODUCT OUTLINE 6 PRODUCT OUTLINE 8
SANFOAM	p55, 74	PRODUCT OUTLINE 3
SANFRESH	p9, 39, 41 43, 72	Products brochure Individual brochure
SANFRIC	p25, 69	PRODUCT OUTLINE 5 Individual brochure
SANHIBITOR	p45, 68	PRODUCT OUTLINE 4 Products brochure
SANMODUR	p55	Products brochure
SANMODUR (two-component type)	p31, 55	-
SANMORIN 11	p7, 62	-
SANMORIN OT	p5, 9, 15, 49, 57	Individual brochure
SANNIX AP-470	p41, 43, 51, 69, 79	Products brochure
SANNIX FA	p41, 43, 51, 80	PRODUCT OUTLINE 3 Products brochure Individual brochure

Product Name	Page	Reference
SANNIX GH	p29, 33, 53, 71	PRODUCT OUTLINE 3
SANNIX GL-3000	p41, 43, 53 71, 79	PRODUCT OUTLINE 3 Products brochure
SANNIX GP	p29, 33, 41, 43 53, 71, 79	PRODUCT OUTLINE 3 Products brochure Individual brochure
SANNIX HD-402	p41, 43, 51, 71, 80	PRODUCT OUTLINE 3 Products brochure
SANNIX HM	p41, 43, 51, 70, 80	Products brochure
SANNIX HS	p41, 43, 51, 70, 80	PRODUCT OUTLINE 3 Products brochure Individual brochure
SANNIX KC	p41, 43, 53, 80	PRODUCT OUTLINE 3 Products brochure Individual brochure
SANNIX NE-240	p41, 43, 51 69, 80	PRODUCT OUTLINE 3 Individual brochure
SANNIX NL	p41, 43, 51	PRODUCT OUTLINE 3
SANNIX NP-300	p41, 43, 51 69, 80	PRODUCT OUTLINE 3 Products brochure
SANNIX PF-615	p53	-
SANNIX PL-2100	p29, 35, 43 53, 70, 79	-
SANNIX PP	p29, 35, 41, 43 53, 71, 79	PRODUCT OUTLINE 3 Products brochure
SANNIX SP-750	p29, 41, 43 53, 71, 80	PRODUCT OUTLINE 3 Products brochure
SANNIX TP-400	p29, 35, 41, 43 53, 71, 79	-
SANNONIC DE-70	p5, 7, 62	-
SANNONIC FN	p5, 7, 11, 17, 61	PRODUCT OUTLINE 2 PRODUCT OUTLINE 4 Products brochure
SANNONIC SS	p5, 7, 11, 17, 62	PRODUCT OUTLINE 2 PRODUCT OUTLINE 4
SANNONIC TN	p5, 61	-
SANPEX PA-55	p19, 55	-
SANPRENE C	p55, 73	PRODUCT OUTLINE 8 Individual brochure
SANPRENE FLR-603	p55, 73	PRODUCT OUTLINE 8
SANPRENE H	p31, 55, 74	-
SANPRENE HMP-17A	p55, 74	Products brochure
SANPRENE IB	p31, 55, 74	PRODUCT OUTLINE 1 Products brochure Individual brochure
SANPRENE LQ	p55, 74	PRODUCT OUTLINE 3 Products brochure
SANPRENE P	p55, 73	PRODUCT OUTLINE 3 Products brochure
SANQUICK	p19	PRODUCT OUTLINE 6

Product Name	Page	Reference
SANRETAN TIM-2011A	p19, 31	-
SANSEPARER 100	p15, 23, 57	-
SANSPARL PS-2	p15	PRODUCT OUTLINE 1
SANSPARL RA-33	p21	-
SANSTAT 2012A	p39	PRODUCT OUTLINE 1 Products brochure
SANTHIXO 5001	p37, 69	-
SANTOPEARL GE-70	p47, 64	-
SANWAX	p17, 25, 33, 37 47, 51, 68, 77	PRODUCT OUTLINE 1 Products brochure
SANWET IM	p41, 72	-
SANYO LEVELON PHL	p15, 58	-
SANYO SEEDBED	p41	-
SEDORAN FF	p5, 61	PRODUCT OUTLINE 2 PRODUCT OUTLINE 4
SEDORAN SF	p5	PRODUCT OUTLINE 4
SEDORAN SNP-112	p5	PRODUCT OUTLINE 4
SERABON DH-505	p19, 47	PRODUCT OUTLINE 5
SHARPFLOW FS-7301	p53	PRODUCT OUTLINE 3 Individual brochure
SIPA	p41, 47, 68	Products brochure
SIPE-40L	p41, 47	Products brochure
SIPM	p41, 47	Products brochure
SOFIC W-802	p29, 51	-
SS-B	p15, 35	PRODUCT OUTLINE 8 Individual brochure
SST-1	p35	PRODUCT OUTLINE 3
T		
TENKAZAI Y-24	p47	-
TG-C	p7, 11, 13, 25 33, 65	PRODUCT OUTLINE 2 Individual brochure
THERPUS	p55	-
TOXANON	p15, 27, 49	PRODUCT OUTLINE 2 Individual brochure
U		
UCOAT	p29, 35, 55, 74	PRODUCT OUTLINE 3 Individual brochure
UMEX	p17, 27, 68, 77	PRODUCT OUTLINE 1 Products brochure
UNOFLEX	p31, 74	-
UPRENE UXA-307	p29, 55, 74	PRODUCT OUTLINE 3 PRODUCT OUTLINE 9
V		
VCH	p51, 68	-
VISCOL	p17, 25, 33, 37 47, 51, 68, 77	PRODUCT OUTLINE 1 Products brochure
VISRIZER AP-2	p37	-

Subsidiaries and Affiliates

San Nopco Co., Ltd.

Tel: +81-3-3279-3030 Fax: +81-3-3246-0550 <http://www.sannopco.co.jp/>

Manufacture and sales of industrial agents for pulp & paper, paints, latex, ceramics, and electronics

Coating Chemicals (Aqueous)

- Defoamer
- Dispersant
- Wetting agent/Emulsifier
- Rheology modifier
- Water retention aid/Rheology improver
- Surface control agent
- Leveling agent/Tackifier
- Preservative/Anti-fouling agent
- Foam stabilizer/Rust preventive
- Water repellent agent/
Fluorescence brightening improver
- Surface sizing agent/Flame retardant
- Conducting agent/
Dimensional stabilizer

Coating Chemicals (Non aqueous)

- Defoamer
- Dispersant
- Leveling agent/Tackifier
- Ultraviolet curing compound

Process Chemicals

- Defoamer
 - for resin/Rubber emulsion/Latex manufacturing process
 - for electronic component manufacturing process
 - for exterior siding board making process
 - for cement
 - for metal treatment process
 - for waster water treatment
 - for paper manufacturing process
 - Kraft pulp washing process
 - Paper making process
 - Pulp cleaning process
 - Bleaching process
 - Waste water treatment
- Dispersant
 - for fine ceramics manufacturing process
 - for pigment (inorganic, organic)
- Lubricant for fine ceramics manufacturing process
- Emulsifier
- Cooking accelerator, Oxgen bleaching accelerator
 - for Kraft pulp manufacturing process
- Anti-skinning agent
- Surface appearance improver

SDP Global Co., Ltd.

Tel: +81-3-5200-1212 Fax: +81-3-5200-3318

Manufacture and sales of superabsorbent polymers (SAP) for hygiene material uses such as the disposable diapers and napkins

SANWET series

AQUAPEARL series

San-Apro Ltd.

Tel: +81-3-3241-2491 Fax: +81-3-3245-0765 <http://www.san-apro.co.jp/>

Manufacture and sales of photo-acid generators, DBU and DBN super base compounds, urethane catalysts, curing accelerators for epoxy resins, watersoluble rust inhibitors, etc.

Photo-Acid Generators

- Cationic photo initiators or photo-acid generators of triaryl sulfonium salt-type with PF6, SbF6 or special phosphate anion. Almost not containing bis-sulfonium salt
- Suited for photo-curing either clear or pigmented formulations

Super Base Compounds [DBU], [DBN]

- Used for various organic synthesis
- Accelerating polymerization, cross-linking reactions

Epoxy Curing Accelerators

- For epoxy molding encapsulation for LSI, LED and other electronic/electric devices
- Used for epoxy resin prepreg material
- For powder coating

Urethane Catalysts

- Wide applications in polyurethane for coatings, adhesives, elastomers or sealants

Other

- Water soluble rust inhibitor
- Scorch inhibitor
- Desiccant for urethane coatings, sealants

San-Petrochemical Co., Ltd.

Tel: +81-3-5200-3561 Fax: +81-3-3245-1605

Manufacture of EPDM rubber materials (e.g. ENB: Ethylidene norbornene) or Specialized epoxy materials (e.g. VCH: Vinyl cyclohexene)



URL <https://www.sanyo-chemical.co.jp/eng>

Head Office & Research laboratory

Address: 11-1, Ikkyo Nomoto-cho, Higashiyama-ku, Kyoto 605-0995, Japan

Tel: +81-75-541-4311 Fax: +81-75-551-2557

Tokyo Branch Office: Tokyo Area Sales & Marketing Office of Sanyo Chemical Industries, Ltd.

E-mail: sanyoproduct@sanyo-chemical.group

Tel: +81-3-5200-3400 Fax: +81-3-3245-1697

Address: No.10 Chuo Bldg., 1-5-6, Nihonbashi-honcho, Chuo-ku, Tokyo 103-0023, Japan

<Overseas>

Sanyo kasei (Thailand) Ltd.
Bangkok, Thailand

Tel: +66-2-390-2061
<http://www.sanyo-kasei.co.th/>

SANYO KASEI (TAIWAN) LTD.
Taipei, Taiwan

Tel: +886-2-2563-1620

SANAM Corporation
Pennsylvania, USA

Tel: +1-412-384-5700
<http://www.sanamcorp.com/>

SAN NOPPCO (KOREA) LTD.
Seoul, Korea

<http://www.sannopco.com/>

SANYO CHEMICAL (SHANGHAI) TRADING CO., LTD.
Shanghai, China

Tel: +81-21-5466-7676

Sanyo Kasei Korea, Ltd.
Seoul, Korea

Tel: +82-2-561-0904

SAN NOPPCO (SHANGHAI) TRADING CO., LTD.
Shanghai, China

Tel: +86-21-6466-2391
<http://www.sannopco-sh.com/>